








OPEN LETTER

REVISSED **Strengthening ethical community engagement in contemporary Malawi [version 2; peer review: 3 approved]**Deborah Nyirenda ¹⁻³, Kate Gooding ^{1,2}, Rodrick Sambakunsi¹,
Linley Seyama ⁴, Joseph Mfutso-Bengo^{3,5}, Lucinda Manda Taylor ^{3,5},
Stephen B. Gordon¹, Michael Parker ⁶¹Malawi Liverpool Wellcome Trust Clinical Research Programme, Blantyre, Malawi²Liverpool School of Tropical Medicine, Liverpool, UK³University of Malawi College of Medicine, Blantyre, Malawi⁴Johns Hopkins Project, Blantyre, Malawi⁵The Centre for Bioethics in Eastern and Southern Africa (CEBESA), University of Malawi, College of Medicine, Blantyre, Malawi⁶The Ethox Centre/ Wellcome Centre for Ethics and Humanities, University of Oxford, Oxford, UK**v2** **First published:** 18 Sep 2018, 3:115 (<https://doi.org/10.12688/wellcomeopenres.14793.1>)**Latest published:** 18 Mar 2019, 3:115 (<https://doi.org/10.12688/wellcomeopenres.14793.2>)**Abstract**

Although community engagement is increasingly promoted in global health research to improve ethical research practice, there is sometimes a disconnect between the broader moral ambitions for community engagement in the literature and guidelines on the one hand and its rather narrower practical application in health research on the other. In practice, less attention is paid to engaging communities for the 'intrinsic' value of showing respect and ensuring inclusive participation of community partners in research design. Rather, more attention is paid to the use of community engagement for 'instrumental' purposes to improve community understanding of research and ensure successful study implementation. Against this backdrop, we reviewed the literature and engaged various research stakeholders at a workshop to discuss ways of strengthening ethical engagement of communities and to develop context-relevant guidelines for community engagement in health research in Malawi.





Keywords

Community engagement, health research, research ethics, Malawi



This article is included in the [Malawi-Liverpool Wellcome Trust Clinical Research Programme gateway](#).

Open Peer Review**Referee Status:** 

	Invited Referees		
	1	2	3
REVISSED			
version 2 published 18 Mar 2019			report
			
version 1 published 18 Sep 2018	 report	 report	 report

1 **Christine Grady**, National Institutes of Health (NIH), USA2 **Sarah Banks** , Durham University, UK3 **Graham Lindegger**, University of KwaZulu-Natal (UKZN), South Africa

Any reports and responses or comments on the article can be found at the end of the article.

Corresponding author: Deborah Nyirenda (dnyirenda@mlw.mw)

Author roles: **Nyirenda D:** Conceptualization, Formal Analysis, Methodology, Writing – Original Draft Preparation, Writing – Review & Editing; **Gooding K:** Methodology, Writing – Review & Editing; **Sambakunsi R:** Methodology, Writing – Review & Editing; **Seyama L:** Writing – Review & Editing; **Mfutso-Bengo J:** Validation, Writing – Review & Editing; **Manda Taylor L:** Validation, Writing – Review & Editing; **Gordon SB:** Funding Acquisition, Writing – Review & Editing; **Parker M:** Conceptualization, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: The workshop was supported by the Wellcome Trust [206545].

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2019 Nyirenda D *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution Licence](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Nyirenda D, Gooding K, Sambakunsi R *et al.* **Strengthening ethical community engagement in contemporary Malawi [version 2; peer review: 3 approved]** Wellcome Open Research 2019, 3:115 (<https://doi.org/10.12688/wellcomeopenres.14793.2>)

First published: 18 Sep 2018, 3:115 (<https://doi.org/10.12688/wellcomeopenres.14793.1>)

REVISED Amendments from Version 1

This second version of the paper has been slightly revised to make the distinction between collaboration and consultation clear. We have also highlighted that the 3C's model can be applied iteratively at different stages of the research. We could not however give detailed views on ethical implications for ethical review processes beyond the workshop discussions.

See referee reports

Disclaimer

The views expressed in this article are those of the author(s). Publication in Wellcome Open Research does not imply endorsement.

Introduction

Guidelines and literature on community engagement emphasise participatory processes of engagement as a way of showing appropriate respect to communities and as a means of building sustainable community trust and equitable collaborative partnerships between researchers and community stakeholders. For instance, ethics guidelines from the Council of International Organisations of Medical Sciences (CIOMs) state that:

*'researchers, sponsors, health authorities and relevant institutions should engage potential participants and communities in a meaningful participatory process that involves them in an early and sustained manner in the design, development and implementation, implementation of informed consent processes and monitoring of research and in the dissemination of its results'*¹.

Similar themes of participatory governance and involving communities as partners rather than research participants are found in guidance on ensuring effective community engagement, educating researchers and evaluating research that engages with the community. For instance, Ahmed and Palermo's (2010) framework for reviewing applications for research involving communities includes values such as mutual understanding of the meaning of community engagement, strong partnerships, equitable sharing of power and responsibilities, inclusion of diverse perspectives, relevant research goals, ensuring mutual benefit for all partners, capacity building for both partners, equal respect, continuous communication, and transparent monitoring and evaluation. In order to measure levels of community participation in research, others have developed evaluation tools to capture levels of community participation throughout the research cycle. For example, Khodyakov's (2012) Community Engagement in Research Index measures levels of community participation throughout the research cycle. The Index identifies 12 specific activities including involvement in grant proposal writing, study design, study implementation, data collection and analysis and dissemination of results in journal articles and conferences, and measures community participation against each activity by indicating whether the community was actively engaged, consulted or did not participate². Standards developed by research funders also support participatory governance. For example, the UK National Institute for Health Research

standards for public involvement in research include inclusive opportunities, working together, support and learning, working together, communications, impact and governance³.

The practical realities: community engagement as a useful tool

While guidelines emphasise participatory decision-making throughout the research cycle, in practice community engagement is often perceived by researchers in narrower, more 'instrumental' terms, for example as a means of clearing concerns, satisfying funders' requirements, increasing visibility, and maximizing study participation and acceptability, particularly in low resource settings^{4,5}. Many publications report use of community sensitization meetings, media, and involvement of community leaders, community representatives and other stakeholders to increase knowledge of medical research, improve study acceptability and support trial implementation, rather than engaging communities in participatory processes throughout research design and implementation⁶⁻¹¹.

This approach to community engagement is understandable to some extent, given the time limitations and other pressures researchers and research institutes face in conducting research. Specifically, grant writing requires presentation of detailed methodology before funding is available for community consultation. Pre-award funding is also unusual and limited in both monetary value and time. In addition to these concerns, higher levels of engagement are sometimes seen as unfeasible where communities are judged to lack adequate education and understanding of research to provide input without the allocation of significant time and effort by researchers to educational and other activities. For instance, several studies have reported challenges in engaging community members as collaborative partners through community advisory boards (CABs) or community advisory groups (CAGs). These studies have reported conflicting roles of CABs, which are asked to provide input to protocol development and minimize harm but also to advance research goals by facilitating participant recruitment¹²⁻¹⁴. Other challenges include limited understanding of health research and monetary expectations among CAB members, dependence on researchers for finances, and lack of authority to influence decisions concerning research¹⁵⁻¹⁸.

Overall, this implies that while community engagement is promoted in guidelines and literature relating to global health research as a means to improve protection, mutual benefits, legitimacy and shared decision making^{19,20}, there are also challenges in implementation of community engagement at the levels recommended in ethics guidance. Given the practical challenges, there are unanswered questions about what counts as an appropriate and acceptable approach to community engagement in the non-ideal situations in which research is often planned and conducted. What is required when the perfect is not achievable? Further guidance and evidence are therefore needed to support community engagement in health research in low literacy settings. In order to promote discussion on this topic in our setting, we organised a stakeholder workshop to gather ideas on two issues as a basis for improving community engagement guidance and practice in Malawi: 1) appropriate levels of

engagement, and 2) consideration of engagement within ethics review.

A range of community engagement activities currently take place in Malawi, including community or stakeholder meetings, and use of radio, film, TV programmes and other information or education materials. These activities tend to focus on one-way flow of information from researchers to communities, and have primarily been used by researchers to improve understanding of research and support informed consent. Some publications from Malawi have examined community responses in health research and developed benchmarks for community engagement^{21–24}. However, there are no regulatory requirements to comply with these benchmarks for community engagement. In addition, while CIOMS guidelines are used during ethics review, community engagement is not a requirement for all studies conducted in Malawi.

Methods

The discussion in this paper was drawn from a participatory workshop on ethical issues in health research which took place in Zomba, Malawi from 23 to 24th May, 2018. A total of 50 participants attended the workshop, including delegates from research institutions, Research Ethics Committees (RECs), local and national government and the Pharmacy Medicines and Poisons Board of Malawi. This workshop was used to stimulate discussions on how higher levels of community engagement can be attained in a low literacy, low income setting such as Malawi. We presented ethical guidance from CIOMS on community engagement and frameworks that have been developed to systematically review or assess community engagement in research. Afterwards, delegates were divided into four groups to discuss the level of engagement to aspire for in Malawi, including appropriate stages for engagement in the research process and how the level of engagement should vary between research projects, and whether and how RECs should consider community engagement when reviewing research proposals. Discussions from the small groups were documented on flip chart papers and presented in a plenary session. Following this, authors of this paper consolidated the discussions from the four groups and presented a summary and some action points to the whole group. The following is a summary of the group discussions and action points to strengthen ethical engagement in Malawi.

Results and discussion

Strengthening ethical community engagement in Malawi

Workshop participants agreed that community engagement should be incorporated in health research activities and that this should involve more than seeking letters of support from stakeholders such as hospital directors, District Health Officers or simply ‘informing’ communities about the research. According to Arnstein’s ladder of citizen participation, this type of engagement where stakeholders are engaged to get public support is considered as non-participation²⁵.

While there was broad consensus at the stakeholder workshop about the importance of engaging communities in health research

beyond just sharing information, several concerns were raised in relation to the feasibility of engaging community members as genuinely equitable partners and involve them in decision making. These concerns included challenges in responding to complex community needs that may not be in line with research priorities. There were also concerns about identifying relevant community representatives in hospital or laboratory based studies or research involving vulnerable populations. Participants also identified funding limitations, time constraints, low literacy levels among communities as well as lack of guidance on community engagement as hindering participatory engagement.

Taking into consideration these concerns, workshop participants offered alternative ways in which community engagement activities in a low literacy setting can move up the ladder of participation from simply information sharing to more collaborative partnerships. In the following, we propose an innovative model to provide guidance on how participatory community engagement can be attained throughout the research process. Our proposed model has three steps or 3C’s of: ‘collaboration’, ‘consultation’ and ‘communication’. This model however does not aim to rank the different types of engagement in order of priority. In addition, we also used Dickert’s (2015) ethical goals of consulting communities to give examples of how we can move up the ladder of participation to enhance protection, benefits, legitimacy and shared responsibility. By referring to three themes of collaboration, consultation and communication, we use insights from workshop discussions to describe how community engagement can move up the ladder of participation with different community groups (See [Figure 1](#)).



Figure 1. The 3 C’s model of participatory community engagement.

1) Enhancing collaborative partnerships. In order to achieve genuine collaborative partnerships, workshop participants suggested that various community representatives should be engaged as early as possible and throughout study implementation. Since engagement of lay community members during protocol development is seen as unfeasible due to low scientific literacy, local researchers who have an understanding of scientific research, government technical working groups, or community advisory boards (CAB) should be engaged to ensure that the research is relevant to the community and that participating research communities are protected from harm. The CAB should include people who have been adequately empowered to scrutinize research proposals. For instance, one workshop participant indicated that they present research protocols to an institutional CAB for input. This CAB includes representatives from different community groups such as school communities, religious leaders, activists, service providers, government and many more. Even though this CAB may not be effective in representing typical views of local community members, they provide advice aimed at enhancing protection and maximising benefits for participating research communities. This CAB strategy therefore overcomes some of the challenges pertaining to power imbalances between researchers and community representatives' due to differences in literacy, and enhances legitimacy and shared responsibility in research design.

2) Community consultations. At a community level, to achieve effective community consultations, workshop participants indicated that existing local community representatives or stakeholders such as District Health Committees and Village Development Committees should be consulted to identify social risks of research and minimize harm. While local stakeholders such as researchers may be engaged as collaborators to give input during protocol development, views of lay community members on the study design must also be respected. Although most people in participating research communities are illiterate and poor, they have a better understanding of their community needs as well as social norms than researchers. As such, these community stakeholders should be consulted to provide input on the research design to ensure that research is relevant to the context. An example was given concerning a study that required women to stop breast-feeding babies at six months. The researchers presented the research design to community leaders and they advised that most women would not follow the research procedures and stop breastfeeding their babies as advised. By consulting the community leaders, the risks of compromising the quality of data was minimised and research participants were protected from harm.

3) Communication with participating research communities and research participants. In addition to phases one and two above, community members should be informed about the research to improve understanding of research objectives. Community meetings, radio and other information and educational materials could therefore be used to ensure regular communication with communities. In addition, research participants, participating

research communities as well as the other research stakeholders must be informed about the study results. The 3 C's model of participatory community engagement can therefore be applied iteratively at different stages of the research to respond to community needs and ensure ethical conduct of research.

Conclusion

International ethical guidelines for health research promote participatory processes of engaging communities in research. Community engagement practices however do not always reflect the ideals of participatory governance promoted in the literature particularly in low literacy settings. We used a workshop to engage various research stakeholders in Malawi to discuss ways of improving community engagement practices in Malawi. This paper presents our proposed model of community engagement to guide researchers and regulators as they strive to increase community participation in health research. Our model presents three elements that would increase participatory community engagement in health research namely: collaboration, consultation and communication. The novelty of this model is its emphasis on participatory community engagement with existing stakeholder groups that can be engaged from the onset of research. Our wish was to present a workable strategy that can be adopted by researchers in current conditions in Malawi. Finding the right balance of activities may help to strengthen ethical community engagement.

Workshop participants also indicated a number of strategies and policy measures that could support and encourage researchers in adopting this model of engagement. Particular activities include development of guidelines and checklists for planning community engagement, training in community engagement for researchers, field workers and community representatives, attention to community engagement within national policy on health research, and inclusion of a section on community engagement in protocols and research ethics committee review guidelines. In order to ensure adherence to ethical guidelines on community engagement and minimize tokenistic engagement, ethics review committees need to develop measures to audit community engagement activities as part of quality assurance. We plan to publish these guidelines and checklists for community engagement in the future.

Data availability

No data are associated with this article.

Grant information

The workshop was supported by the Wellcome Trust [206545].

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Acknowledgements

The authors wish to thank the Wellcome Trust for funding the workshop. We also wish to thank the following workshop

participants for attending the workshop and contributing to the discussions: Salome Chibwana (Baobab); Terrie Taylor, Dan Milner (Blantyre Malaria Project); Louisa Alfazema, Joseph Mfutso-Bengo, Luis Gadama, Benjamin Kumwenda, Lucinda Manda-Taylor, Yohannie Mlombe, Victor Mwapasa, Cecilia Maliwichi-Nyirenda, Limbanazo Matandika, Khama Mita, Atusaye Ngwira, Kamija Phiri (College of Medicine); Stephen Kasenda (Blantyre DHO Office); Stalin Zinkanda (Chikwawa DHO); Emmanuel Singogo (Dignitas); Sufia Dadabhai, Linly Seyama (Johns Hopkins Project); Mia Crampin, Chifundo Kanjala (MEIRU); Michael Chipeta, Markus Gmeiner, Kate Gooding, Stephen B Gordon, Kondwani Jambo, Rose Malamba,

Clemens Masesa, Deborah Nyirenda, McWellings Phiri, Rodrick Sambakunsi, Florence Shumba (MLW); Damson Kathyola (MoH, Research); Moffat Nyirenda (MRC, Uganda); Blackson Matatiyo (National AIDS Commission); Anthony Muyepa (National Committee for Science and Technology); Ben Chilima (National Health Sciences Research Committee), Michael Parker (University of Oxford and Global Health Bioethics Network); Save Kumwenda (Malawi Polytechnic); Mphatso Kawaye (Pharmacy, Medicines and Poisons Board of Malawi); Queen Dube, Patrick Kamalo (Queen Elizabeth Central Hospital); Lameck Chinula (University of North Carolina Research); Shobana Balasingam (Wellcome).

References

- Council for International Organisations of Medical Sciences: **International Ethical Guidelines for Health-related Research Involving Humans**. Fourth Edition. 2016. [Reference Source](#)
- Khodyakov D, Stockdale S, Jones A, *et al.*: **On measuring community participation in research**. *Health Educ Behav*. 2013; **40**(3): 346–54. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Standards Development Partnership: **National Standards for Public Involvement**. 2018. [Reference Source](#)
- Angwenyi V, Kamuya D, Mwachiro D, *et al.*: **Complex realities: community engagement for a paediatric randomized controlled malaria vaccine trial in Kilifi, Kenya**. *Trials*. 2014; **15**(1): 65. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Participants in the Community Engagement and Consent Workshop , Kilifi, Kenya, March 2011: **Consent and community engagement in diverse research contexts: reviewing and developing research and practice**. *J Empir Res Hum Res Ethics*. 2013; **8**(4): 1–18. Contract No. 4. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Marsh V, Kamuya D, Rowa Y, *et al.*: **Beginning community engagement at a busy biomedical research programme: experiences from the KEMRI CGMRC-Wellcome Trust Research Programme, Kilifi, Kenya**. *Soc Sci Med*. 2008; **67**(5): 721–33. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Kamuya DM, Marsh V, Kombe FK, *et al.*: **Engaging communities to strengthen research ethics in low-income settings: selection and perceptions of members of a network of representatives in coastal Kenya**. *Dev World Bioeth*. 2013; **13**(1): 10–20. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Okello G, Jones C, Bonareri M, *et al.*: **Challenges for consent and community engagement in the conduct of cluster randomized trial among school children in low income settings: experiences from Kenya**. *Trials*. 2013; **14**(1): 142. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Nakibinge S, Maher D, Katende J, *et al.*: **Community engagement in health research: two decades of experience from a research project on HIV in rural Uganda**. *Top Med Int Health*. 2009; **14**(2): 190–5. [PubMed Abstract](#) | [Publisher Full Text](#)
- Nyika A, Chilengi R, Ishengoma D, *et al.*: **Engaging diverse communities participating in clinical trials: case examples from across Africa**. *Malar J*. 2010; **9**: 86. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Nyirenda D, Makawa TC, Chapita G, *et al.*: **Public engagement in Malawi through a health-talk radio programme 'Umoyo nkukambirana': A mixed-methods evaluation**. *Public Underst Sci*. 2018; **27**(2): 229–242. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Reddy P, Buchanan D, Sifunda S, *et al.*: **The role of community advisory boards in health research: Divergent views in the South African experience**. *SAHARA J*. 2010; **7**(3): 2–8. [PubMed Abstract](#) | [Publisher Full Text](#)
- Morin SF, Maiorana A, Koester KA, *et al.*: **Community consultation in HIV prevention research: a study of community advisory boards at 6 research sites**. *J Acquir Immune Defic Syndr*. 2003; **33**(4): 513–20. [PubMed Abstract](#)
- Nyirenda D, Sariola S, Gooding K, *et al.*: **'We are the eyes and ears of researchers and community': understanding the role of community advisory groups in representing researchers and communities in Malawi**. *Dev World Bioeth*. 2017. [PubMed Abstract](#) | [Publisher Full Text](#)
- Cox LE, Rouff JR, Svendsen KH, *et al.*: **Community advisory boards: their role in AIDS clinical trials**. *Terry Beirn Community Programs for Clinical Research on AIDS*. *Health Soc Work*. 1998; **23**(4): 290–7. [PubMed Abstract](#) | [Publisher Full Text](#)
- Shubis K, Juma O, Sharifu R, *et al.*: **Challenges of establishing a Community Advisory Board (CAB) in a low-income, low-resource setting: experiences from Bagamoyo, Tanzania**. *Health Res Policy Syst*. 2009; **7**: 16. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Manda-Taylor L: **Establishing community advisory boards for clinical trial research in Malawi: engendering ethical conduct in research**. *Malawi Med J*. 2013; **25**(4): 96–100. [PubMed Abstract](#) | [Free Full Text](#)
- Pratt B, Lwin KM, Zion D, *et al.*: **Exploitation and community engagement: can community advisory boards successfully assume a role minimising exploitation in international research?** *Dev World Bioeth*. 2015; **15**(1): 18–26. [PubMed Abstract](#) | [Publisher Full Text](#)
- Dickert N, Sugarman J: **Ethical goals of community consultation in research**. *Am J Public Health*. 2005; **95**(7): 1123–7. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Emanuel EJ, Wendler D, Killen J, *et al.*: **What makes clinical research in developing countries ethical? The benchmarks of ethical research**. *J Infect Dis*. 2004; **189**(5): 930–7. [PubMed Abstract](#) | [Publisher Full Text](#)
- Mfutso-Bengo J, Masiye F, Molyneux M, *et al.*: **Why do people refuse to take part in biomedical research studies? Evidence from a resource-poor area**. *Malawi Med J*. 2008; **20**(2): 57–63. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Mfutso-Bengo J, Ndebele P, Jumbe V, *et al.*: **Why do individuals agree to enrol in clinical trials? A qualitative study of health research participation in Blantyre, Malawi**. *Malawi Med J*. 2008; **20**(2): 37–41. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Masiye F, Kass N, Hyder A, *et al.*: **Why mothers choose to enrol their children in malaria clinical studies and the involvement of relatives in decision making: evidence from Malawi**. *Malawi Med J*. 2008; **20**(2): 50–6. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Mfutso-Bengo J, Ndebele P, Masiye F: **Disseminating research results to research participants and their communities**. *Malawi Med J*. 2008; **20**(2): 64–6. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Arnstein SR: **A Ladder of Citizen Participation**. *J Am Inst Plann*. 1969; **35**(4): 216–24. [Publisher Full Text](#)

Open Peer Review

Current Referee Status:   

Version 2

Referee Report 04 April 2019

<https://doi.org/10.21956/wellcomeopenres.16527.r35083>



Graham Lindegger

University of KwaZulu-Natal (UKZN), Pietermaritzburg, South Africa

I have read the revised manuscript. I am satisfied that the manuscript sufficiently addresses my concerns to be accepted for indexing as is.

Competing Interests: No competing interests were disclosed.

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 1

Referee Report 18 December 2018

<https://doi.org/10.21956/wellcomeopenres.16120.r34158>



Graham Lindegger

University of KwaZulu-Natal (UKZN), Pietermaritzburg, South Africa

Overall, I found this manuscript very well written and potentially making an important contribution to the field. The manuscript focuses on how best to achieve better quality community engagement in research. One of the greatest strengths of the article lies in the argument for the distinction between intrinsic/ethical engagement with communities and instrumental/practical engagement. The article presents a good argument for the way in which community engagement can be reduced to purely practical considerations. While looking to enhance genuine community engagement, it also recognizes the challenge in this process. I would recommend that the article is accepted for publication following minor changes.

First, while the "three C" model is very useful it was not altogether clear what the distinction was between 1) and 2).

Second, under the section on "Enhancing collaborative partnerships" there is mention of "different levels" but it is not clear what this mean?

Third, I wondered whether all three aspects (or 'C's) could not apply at different stages of research.

Fourth, there seems little mention of the implications for ethical review process. A slightly fuller development of this would add to the value of the manuscript.

Is the rationale for the Open Letter provided in sufficient detail?

Yes

Does the article adequately reference differing views and opinions?

Yes

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Ethics of clinical trials.

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 22 Feb 2019

Deborah Nyirenda, Malawi Liverpool Wellcome Trust Clinical Research Programme, Malawi

Thank you so much for your valuable feedback on our paper. We have revised the paper to incorporate your comments. We are however limited to give insights on implications for ethical review processes based on the workshop discussions.

Competing Interests: No competing interests were disclosed.

Referee Report 26 November 2018

<https://doi.org/10.21956/wellcomeopenres.16120.r34186>



Sarah Banks 

Department of Sociology, Durham University, Durham, UK

This letter discusses means of improving the ethical basis of community-engaged research in Malawi, based on the findings of a workshop. This is an important topic and the letter identifies a range of issues in a clear and accessible way. A model is suggested based on collaboration, consultation and

communication. The model assumes 'outside' researchers needing to engage local stakeholders. A more 'radical' model might include research starting from community concerns in which professional researchers are partners.

Is the rationale for the Open Letter provided in sufficient detail?

Yes

Does the article adequately reference differing views and opinions?

Yes

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Participatory action research, ethics

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Referee Report 15 October 2018

<https://doi.org/10.21956/wellcomeopenres.16120.r34020>



Christine Grady

Department of Bioethics, National Institutes of Health (NIH), Bethesda, MD, USA

Thank you for the opportunity to review this open letter. Community engagement is an important feature of ethical clinical research. I agree with the authors that the practice of community engagement is often instrumental, and researchers could pay more attention to the intrinsic values of engaging communities. The authors write about a workshop they held to discuss ways of strengthening community engagement, especially in Malawi. The background rationale was clear and compelling, they used the literature appropriately. The report of their workshop process and results was very good. Their proposed model for strengthening community engagement practices is useful and appreciated.

Is the rationale for the Open Letter provided in sufficient detail?

Yes

Does the article adequately reference differing views and opinions?

Yes

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Bioethics, especially research ethics

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.
