



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

The three R's of scientific integrity

Citation for published version:

McIntosh, R & Chambers, CD 2020, 'The three R's of scientific integrity: Replicability, reproducibility, and robustness', *Cortex*, vol. 129, pp. A4-A7. <https://doi.org/10.1016/j.cortex.2020.04.017>

Digital Object Identifier (DOI):

[10.1016/j.cortex.2020.04.017](https://doi.org/10.1016/j.cortex.2020.04.017)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Cortex

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Editorial

The three R's of scientific integrity: Replicability, reproducibility, and robustness

Robert D. McIntosh^{a,*} & Christopher D. Chambers^b

^a Human Cognitive Neuroscience, Psychology, University of Edinburgh, Edinburgh, UK

^b Cardiff University Brain Research Imaging Centre (CUBRIC), School of Psychology, Cardiff University, UK

***Corresponding author**

Psychology, University of Edinburgh,

7 George Square

Edinburgh, EH8 9JZ

r.d.mcintosh@ed.ac.uk

1. Introduction

This volume of *Cortex* sees a remarkable double-publication, from a research group at the Centre for the Psychology of Learning and Experimental Psychopathology, KU Leuven. The two articles take complementary approaches to examine the replicability, reproducibility and robustness of a key finding in the cognitive neuroscience of learning, sometimes known as the reactivation-extinction effect. Specifically, they examine the empirical claims, and the original data, of the first report of this effect in humans, published in *Nature* ten years ago (Schiller et al., 2010). Schiller and colleagues claimed that a brief ‘reminder’ (reactivation) of a conditioned fearful association, prior to extinction training, prevented the return of fear when participants were later exposed to the conditioned stimulus. The idea is that reactivating a memory trace returns it to a labile state, opening a reconsolidation window during which it is possible to re-write the memory with new (non-fearful) associations. The potential application of such a simple, non-pharmacological intervention to treat emotional memory disorders is obvious, and Schiller and colleagues’ findings have attracted extensive academic, clinical and media attention. But that attention has never been directed so intensely at the procedural and empirical detail of the original *Nature* paper, as it is in this volume of *Cortex*.

These re-examinations of the reactivation-extinction effect make important contributions to the field, and we are pleased to publish them. In what follows, we highlight the editorial processes and article types that have facilitated these contributions. *Registered Reports* is an article type launched at *Cortex* in 2013, and adopted by more than 240 journals since, in which the rationale and study plan undergo peer review prior to data collection (Chambers, 2013; Chambers, Dienes, McIntosh, Rotshtein, & Willmes, 2015). *Cortex* has published 23 Registered Reports to date, but the article by Chalkia *et al* (2020) is notable for the sheer scale of empirical effort, and the number of twists-and-turns along the road. The second article, by Chalkia, Van Oudenhove and Beckers (2020), is not based on new data, but a painstaking reanalysis of the original data from Schiller et al. (2010). It is the first example of a new article type launching in this volume of *Cortex: Verification Reports* (Chambers, 2020).

2. No persistent attenuation of fear memories in humans: A registered replication of the reactivation-extinction effect (Chalkia, Schroyens, Leng, Vanhasbroeck, Zenses, Van Oudenhove and Beckers, 2020)

Chalkia and colleagues' *Registered Report* has had a fraught journey since its original submission as a Stage 1 plan in November 2016. The initial review process was deceptively smooth, aided by the fact that a direct replication was proposed, so that design choices were determined largely by the original experiment (Experiment 1, Schiller et al., 2010). The major difference, aside from the dropping of a non-essential comparison condition, was that the hypothesis test had to meet the high power requirements of *Cortex Registered Reports* (power $\geq 90\%$), implying a sample size ($n=124$, split between two groups) nearly three times larger than that of the original study ($n=42$, across the same groups). This was no small commitment, given that the study required each participant to be tested on three days, and involved fear-conditioning with mild electric shocks. Stage 1 In Principle Acceptance (IPA) was awarded in February 2017, meaning that the journal committed to publish the final report, regardless of the outcome, provided that the authors followed the agreed protocol.

Within one month of starting data collection, the researchers realised that around three-quarters of the first 35 participants tested would fall foul of the preregistered exclusion criteria, as compared with an exclusion rate of just 8% reported in the original *Nature* paper (Schiller et al., 2010). In seeking to understand this discrepancy, they examined a more detailed report of the same procedures, in the *Journal of Visualised Experiments (JOVE)* (Schiller, Raio, & Phelps, 2012), and noted that a slightly different set of exclusion criteria were given there. Invited to clarify this ambiguity, the lead author of these reports stated that the *JOVE* criteria, rather than those in the *Nature* paper, were accurate (Schiller, personal communication, 5 April 2017). This was odd, but it did not offer a solution for the replication attempt, because the *JOVE* criteria would have produced a similarly severe exclusion rate. At this point, the replicating authors considered terminating the study for which they had IPA, and then re-registering with a more realistic set of criteria. Before breaking IPA, however, we advised them to try to resolve a more basic question: how could the exclusion rates differ so dramatically if their study was a direct replication of the original?

To address this issue, Chalkia and colleagues suspended testing in March 2017, and made a data request to Schiller and Phelps (the lead and senior authors of the original study).¹ The data were finally obtained, five months later, in August 2017. The following month, Schiller contacted the journal to advise us that the data had also been posted on the Open

¹ . *Nature* does not require open data with publication, but it does require that materials, data, code, and associated protocols be provided promptly on request: <https://www.nature.com/nature-research/editorial-policies/reporting-standards>.

Science Framework², and to add some further context. This included an admission that the exclusions from Experiment 1 reported in the *Nature* paper (n=6), related only to participants who had completed all three days of testing, and that a much larger number of unreported participants (around 50% of the total enrolment) had been excluded based on “a judgment call after day 1 or 2 data became available” (Schiller, personal communication, 13 Sep 2017). Schiller also informed us that the original research team intended to submit an erratum to *Nature* to correct the misreporting (this is now published, though as an “addendum” not an erratum: Schiller et al., 2018).

At this stage, the priority for *Registered Reports* was to establish, if possible, some objectively-defined exclusion criteria that would allow the replication study to mirror those actually implemented in the original experiment. In communication with the journal, and with the replicating authors, Schiller and Phelps attempted to provide such criteria, but were unable to specify rules that fully captured the pattern of exclusions and inclusions. Instead, a rough approximation, covering 93% of cases, was proposed. This rather tortuous list of 11 conditional statements was accepted by the editorial team, and endorsed by reviewers, as an appropriate substitution for the preregistered exclusion criteria. This was considered a necessary correction for misreporting in the original study, to preserve the agreed aim of direct replication. We therefore judged that it incurred no risk of bias and did not invalidate the original IPA. In September 2017, Chalkia and colleagues were able to resume data collection with the amended protocol, retaining their 35 existing datasets, albeit half-a-year behind schedule and with a mountain to climb to reach a sample size of 124. Given the stringent exclusion criteria, they eventually tested 246 participants, completing this Herculean labour in February 2019.³

Detailed accounts of the anomalies in the definition and reporting of exclusions are provided by Chalkia et al (2020) and Chalkia, Van Oudenhove and Beckers (2020). More relevant to this editorial are some of the key factors that have helped to bring these anomalies to light. Obviously, this owes much to the rigour and tenacity of the replicating authors, and to the integrity of the original authors in acknowledging the shortcomings of their previous practices and sharing their data. But the *Registered Reports* policies have also played a key role. Direct replications are essential to science, yet they are notoriously hard to publish by

² <https://osf.io/jhu5c/>

³ See Figure S1 of Chalkia et al (2020) for a graphical timeline of these events.

traditional routes, which put a premium on novelty. Informative replications are onerous, because they must be sufficiently well-powered that null results can be meaningfully interpreted, which often requires a sample two-to-three times larger than that of the original study (Simonsohn, 2015). The *Registered Reports* format uniquely incentivises such major investments, because the IPA, awarded before data collection, virtually guarantees the eventual publication of results. As it happens, direct replications are very well-suited to the format, because there is (or should be) no ambiguity over the methods to be used, or the hypotheses at stake, and there is always at least one prior study to inform power calculations.

Registered Reports' insistence on the specification of every procedural detail then puts the methods under more exacting scrutiny than is usually achieved in any other way. Notably, previous peer review, conceptual replications, and meta-analyses of the reactivation-extinction effect, had not uncovered the problems with the original study that have been brought to light by this *Registered Report*. Even the inconsistency between the exclusion criteria reported in *Nature* (Schiller et al., 2010) and those reported in *JOVE* (Schiller et al., 2012) was not noticed until placed under this microscope. We also believe that the formal commitment contained in the journal's IPA provided both impetus and support for the replicating authors to pursue clarifications from the original authors with the persistence required. The independent interest of the journal may have helped to convey that the requirement for clarity was not personally directed, but was merely essential for the *Registered Reports* process.

3. Preventing the return of fear in humans using reconsolidation update mechanisms: A verification report of Schiller et al. (2010) (Chalkia, Van Oudenhove and Beckers, 2020)

As a consequence of this process, (most of) the original data are now in the public domain.²

^{above} Beyond testing the replicability of the original claim, this created an additional opportunity to examine its computational reproducibility, and to investigate the influence that exclusions based on “judgement calls” may have had. This opportunity also coincided fortuitously with plans for another article type at *Cortex: Verification Reports*. The purpose of this format is to assess the credibility of research conclusions, by testing the reproducibility of original analyses and, where appropriate, their robustness to novel analyses (see the accompanying editorial: Chambers, 2020). Given concerns around reporting standards, and confusion over exclusion criteria, the original data of Schiller *et al.* were an obvious fit for

the format. Chalkia, Van Oudenhove and Beckers' re-analyses of these data are published as our inaugural *Verification Report*.

The details of these analyses, the issues they address, and the further problems they uncover, are fully described in the report itself, and they do not make light reading. The authors repeat the critical analyses from Experiment 1, using the exclusion criteria stated in the original *Nature* paper (Schiller et al., 2010), or the criteria stated in the recent addendum (Schiller et al., 2018), or no exclusion criteria, or the idiosyncratic set of exclusions based on qualitative judgements that the original study actually used. Only the last scenario yielded a pattern of results at all consistent with the conclusions of that paper; and even here the critical interaction to test for differences in the reinstatement of fear between groups was not statistically significant. In recognition of the fact that the study's claims were not based exclusively on Experiment 1, the *Verification Report* also included a re-analysis of Experiment 2 from the original paper. The role of exclusions could not be investigated for this second experiment because data were not available for all excluded participants. But from the data that were obtained, the authors were unable to reproduce the statistical result on which the conclusions depended. A host of other inconsistencies were also identified.

The *Verification Report* paints an undeniably bleak picture of this influential *Nature* paper and concludes that the evidence for its claims is unreliable. The highly-powered replication in the yoked *Registered Report* did not find any differential reduction in the return of fear after reactivation treatment. None of this reflects upon the quality of other studies of the phenomenon, which have had mixed outcomes (see Kredlow, Unger, & Otto, 2016). But it does suggest that Schiller and colleagues' (2010) study should no longer be considered in the balance of evidence for the reactivation-extinction effect in humans.

4. Conclusions

Methodological misreporting and the potential unreliability of key findings are causes for concern in any field. The present example also highlights wider issues around the influence of publication practices on scientific progress. Science is often said to be self-correcting, as indeed it may be when viewed impersonally, and on grand timescales. But at the human scale of research careers, the correction process is neither automatic nor immediate. The higher the profile of the finding, and the more important the topic, the more time and resources may be wasted in following it up, and the more effort may be required to correct it. The epic double-

publication in this volume of *Cortex* is a visible example of this effort, not unlike previous examples in recent volumes (e.g. Potter, Huszar, & Huber, 2018; see accompanying comments by Arguello, 2019; Chambers, 2019; Hobson, 2019; Huber, Potter, & Huszar, 2019; Inzlicht, 2019; Maizey & Tzavella, 2019; Schwarzkopf, 2019; Wall, 2019). Through the process of peer review, we also learned of conceptual replications of Schiller and colleagues' (2010) protocol that were abandoned due to very high exclusion rates. This cannot be a worthwhile use of resources, regardless of whether or not reactivation treatment will ultimately translate into effective therapies for emotional memory disorders.

As scientists, we all make mistakes, and we may trust (impersonally) to science to correct them in the long run. But it is even better if we can head off the most avoidable errors at source, while also embedding mechanisms for checking the reliability of findings that do enter the literature. As gatekeepers of publication and reputation, journals have a heavy responsibility to ensure that the work they publish is as trustworthy and transparent as it can be. This burden certainly falls on the higher-impact journals in a field, where the influence and rewards of publication tend to be greatest. In this spirit, *Cortex* has established three article types, aimed at increasing trust and transparency at each stage of the research process. *Exploratory Reports* exists to encourage the presentation of hypothesis-generating research as openly exploratory, rather than confirmatory (McIntosh, 2017). *Registered Reports* is ideally-suited for hypothesis-testing and direct replication; its editorial processes have been designed to select and publish high quality experiments, regardless of results, neutralising many pernicious sources of bias (Chambers, 2013; Chambers et al., 2015). Now *Verification Reports* is added, as a check on the reproducibility and robustness of prior findings.

Cortex also subscribes to the Transparency and Openness Promotion guidelines (Chambers, 2018). This means that authors of empirical articles are required to share their materials, data and code to the maximum extent permitted by ethical and legal constraints. There are cases where legitimate barriers exist, but digital storage means that open data should now be the norm and not the exception. Solid science is best-served when materials and methods are sufficiently well-specified to allow direct replication, and where the data are freely available for independent checks of reproducibility and robustness. By normalising open practices, we may hope to minimise the less welcome but occasionally necessary fourth R of scientific integrity: retraction.

References

- Arguello, P. A. (2019). Market forces influence editorial decisions. *Cortex*, *113*, 363–364.
- Chambers, C. D. (2013). Registered Reports: A new publishing initiative at Cortex. *Cortex*, *49*(3), 609–610.
- Chambers, C. D. (2018). Introducing the transparency and openness promotion (TOP) guidelines and badges for open practices at Cortex. *Cortex*, *106*, 316–318.
- Chambers, C. D. (2019). The battle for reproducibility over storytelling. *Cortex*, *113*, A1–A2.
- Chambers, C. D., Dienes, Z., McIntosh, R. D., Rotshtein, P., & Willmes, K. (2015). Registered Reports: Realigning incentives in scientific publishing. *Cortex*, *66*, A1–A2.
- Hobson, H. (2019). Must replication attempts be battlegrounds? *Cortex*, *113*, 355–356.
- Huber, D. E., Potter, K. W., & Huszar, L. D. (2019). Less “story” and more “reliability” in cognitive neuroscience. *Cortex*, *113*, 347–349.
- Inzlicht, M. (2019). Transcending humanness or: Doing the right thing for science. *Cortex*, *113*, 360–362.
- Kredlow, A. M., Unger, L. D., & Otto, M. W. (2016). Harnessing reconsolidation to weaken fear and appetitive memories: A meta-analysis of post-retrieval extinction effects. *Psychological Bulletin*, *142*(3), 314–336.
- Maizey, L., & Tzavella, L. (2019). Barriers and solutions for early career researchers in tackling the reproducibility crisis in cognitive neuroscience. *Cortex*, *113*, 357–359.
- McIntosh, R. D. (2017). Exploratory reports: A new article type for Cortex. *Cortex*, *96*, A1–A4.
- Potter, K. W., Huszar, L. D., & Huber, D. E. (2018). Does inhibition cause forgetting after selective retrieval? A reanalysis and failure to replicate. *Cortex*, *104*, 26–45.
- Schiller, D., Monfils, M. H., Raio, C. M., Johnson, D. C., Ledoux, J. E., & Phelps, E. A. (2010). Preventing the return of fear in humans using reconsolidation update mechanisms. *Nature*, *463*(7277), 49–53.
- Schiller, D., Monfils, M. H., Raio, C. M., Johnson, D. C., LeDoux, J. E., & Phelps, E. A. (2018). Addendum: Preventing the return of fear in humans using reconsolidation update mechanisms (Nature (2010) 463 7277 (49-53)). *Nature*, *562*(7727), E21.
- Schiller, D., Raio, C. M., & Phelps, E. A. (2012). Extinction training during the reconsolidation window prevents recovery of fear. *Journal of Visualized Experiments*, (66).
- Schwarzkopf, D. S. (2019, April 1). The red thread in the maze. *Cortex*. Masson SpA.

- Simonsohn, U. (2015). Small Telescopes: Detectability and the Evaluation of Replication Results. *Psychological Science*, *26*(5), 559–569.
- Wall, M. B. (2019). Reliability starts with the experimental tools employed. *Cortex*, *113*, 352–354.