

The Medicine Forum

Volume 3

Article 12

2001

Photo Essay

Jennifer Wilhelm Thomas Jefferson University

Follow this and additional works at: http://jdc.jefferson.edu/tmf Let us know how access to this document benefits you

Recommended Citation

Wilhelm, Jennifer (2001) "Photo Essay," *The Medicine Forum*: Vol. 3, Article 12. Available at: http://jdc.jefferson.edu/tmf/vol3/iss1/12

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's Center for Teaching and Learning (CTL). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in The Medicine Forum by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Photo Essay

Jennifer Wilhelm, MD, Resident Department of Internal Medicine 1999-2000



A 42 year-old African American female with no past medical history presented to Methodist Hospital emergency room with a chief complaint of increasing abdominal girth and discomfort. She reported two months of colicky type pains throughout her abdomen but no nausea, vomiting, or change in bowel habits. She had missed her last two menstrual cycles and felt that the protuberance of her abdomen was possibly due to pregnancy. She requested a pregnancy test.

Physical exam was remarkable for a distended abdomen with liver margin palpated two centimeters below the umbilicus. A pregnancy test was negative. Routine laboratory testing including chemistries, CBC, coagulation panel, and liver function studies were within normal limits. The patient subsequently received a CT scan, which showed a massively enlarged liver with multiple cysts. Interestingly, the patient had minimal cystic involvement of the kidneys.

The patient was transferred to Thomas Jefferson University Hospital for laparoscopic marsupialization of the dominant cysts.

Polycystic liver disease typically presents in the fourth to fifth decades of life. The cysts are thought to arise from a ductal plate malformation in the embryo. Cysts in the kidneys occur in 30 to 50 percent of these patients. The number and size of the cysts increase with increasing age. Remarkably, almost all patients have normal liver function.