

# Effect of light curing unit and antiseptic mouthwashes on the physical properties of gingiva-colored composite resin

• **Tatiane Cristina Dotta** Department of Dental Materials and Prosthodontics, School of Dentistry, University of São Paulo (USP), Ribeirão Preto, SP, Brazil • **Leonardo de Pádua Andrade Almeida** Department of Dental Materials and Prosthodontics, School of Dentistry, University of São Paulo (USP), Ribeirão Preto, SP, Brazil • **Mayara Manfrin Arnez** Department of Dental Materials and Prosthodontics, School of Dentistry, University of São Paulo (USP), Ribeirão Preto, SP, Brazil • **Raisa Castelo** Department of Dental Materials and Prosthodontics, School of Dentistry, University of São Paulo (USP), Ribeirão Preto, SP, Brazil • **David Emanuel Ugarte** Department of Rehabilitation, University National of Concepción, School of Dentistry, Concepción, Paraguay • **Andréa Cândido dos Reis** Department of Dental Materials and Prosthodontics, School of Dentistry, University of São Paulo (USP), Ribeirão Preto, SP, Brazil • **Alma Blasida Concepcion Elizaur Benitez Catirse** Department of Dental Materials and Prosthodontics, School of Dentistry, University of São Paulo (USP), Ribeirão Preto, SP, Brazil

**ABSTRACT** | *Objective:* This study evaluated surface roughness (Ra) and color difference ( $\Delta E_{00}$ ) of a gingiva-colored composite resin (NT Premium Gingiva, Coltene), light-activated with three light curing units (LCU) and immersed in different mouthwash solutions. *Methods:* 90 composite specimens (n=10) were divided according to the LCU: L1-Valo, L2-Bluephase and L3-Optilight Max; and solution: S1-alcohol-based antiseptic mouthwash (Listerine Cool Mint), S2-alcohol-free antiseptic mouthwash (Listerine Cool Mint Zero Alcohol) and S3-water (control). Immersions were performed for 30 s, 2x/day, for 21 days. Ra and coordinates of luminosity ( $L^*$ ) and color ( $a^*$  and  $b^*$ ) were measured using a rugosimeter (SJ-201 P/M) and a spectrophotometer (SP62S), respectively, at: T0-start, T1-7 days, T2-14 days and T3-21 days. *Results:* L1 (1.3±0.9) presented higher Ra than L3 (0.7±0.6) and L2 (1.0±0.8); and Ra for S2 (0.9±0.1) was greater than S3 (-0.1±0.1), and S1 (0.1±0.1). Moreover, L1 (23.3±0.3) presented lower  $\Delta E_{00}$  than L2 (24.7±0.3) and L3 (25.1±0.3). *Conclusion:* Ra of the gingiva-colored composite resin tested increased when L1 and S2 were used, although L1-cured specimens also showed the lowest  $\Delta E_{00}$ .

**DESCRIPTORS** | Composite Resins; Light Curing; Mouthwashes.

**RESUMO** | **Efeito da unidade fotopolimerizadora e enxaguantes bucais antissépticos nas propriedades físicas de um compósito de resina cor de gengiva** • *Objetivo:* Este estudo avaliou a rugosidade superficial (Ra) e a diferença de cor ( $\Delta E_{00}$ ) de um compósito de resina composta cor de gengiva (NT Premium Gingiva, Coltene), fotopolimerizável com três unidades fotopolimerizáveis (UFP) e imersa em diferentes soluções de enxaguantes. *Métodos:* Ao todo, 90 espécimes de compósitos (n=10) foram divididos de acordo com o UFP: L1-Valo, L2-Bluephase e L3-Optilight Max; e solução: S1-enxaguante bucal antisséptico à base de álcool (Listerine Cool Mint), S2-enxaguante bucal antisséptico sem álcool (Listerine Cool Mint Zero Alcohol) e S3-água (controle). As imersões foram realizadas por 30 s, 2x/dia, por 21 dias. Ra e coordenadas de luminosidade ( $L^*$ ) e cor ( $a^*$  e  $b^*$ ) foram medidas usando um rugosímetro (SJ-201 P/M) e um espectrofotômetro (SP62S), respectivamente, em: T0-início, T1-7 dias, T2-14 dias e T3-21 dias. *Resultados:* L1 (1,3±0,9) apresentou Ra maior que L3 (0,7±0,6) e L2 (1,0±0,8); e Ra para S2 (0,9±0,1) foi maior do que S3 (-0,1±0,1) e S1 (0,1±0,1). Além disso, L1 (23,3±0,3) apresentou  $\Delta E_{00}$  menor que L2 (24,7±0,3) e L3 (25,1±0,3). *Conclusão:* O Ra do compósito de resina cor de gengiva testado aumentou quando L1 e S2 foram usados, embora os espécimes curados com L1 também tenham apresentado o menor  $\Delta E_{00}$ .

**DESCRITORES** | Compósito de resina; Fotopolimerizador; Enxaguantes bucais.

**CORRESPONDING AUTHOR** | • **Andréa Cândido dos Reis** Department of Dental Materials and Prosthodontics, School of Dentistry of Ribeirão Preto, University of São Paulo • **Av. do Café, s/n, Ribeirão Preto, SP, Brazil** • **14040-904** E-mail: andreare@forp.usp.br

• Received Jan. 12, 2021 • Accepted Apr. 5, 2021.

• DOI: <http://dx.doi.org/10.11606/issn.2357-8041.cldr.2021.180868>.

## INTRODUCTION

Gingival recession is defined as the exposure of root surface due to migration of the apical gingival margin towards the amelo-cemental junction (ACJ).<sup>1</sup> It is a concern of patients and professionals and in some cases may be associated with cervical lesions caused by cavities, abrasion or erosion.<sup>2,3</sup>

Treatment options include using gingiva-colored composite resin (GR) to simulate gum tissue.<sup>4,5</sup> Pioneered by Zalkind and Hochman,<sup>6</sup> this type of restoration material is used in treatments that correct cervical defects, radicular erosions, abfraction lesions, Class V lesions (cervical caries) and in cases of periodontal recession to reduce hypersensitive or darkened tooth gumlines.<sup>4,6-8</sup>

The correct polymerization can increase the clinical longevity expectancy of composite resins; this is achieved by using a light curing unit (LCU) to control the intensity, wavelength and duration of light exposure. Inadequate polymerization can result in marginal microinfiltration due to bonding defects, with a corresponding decrease in performance regarding the physical and mechanical properties of the composite resin.<sup>9,10</sup>

Antiseptic mouthwash use has grown in recent years, contributing to control and reduce plaque and gingivitis.<sup>11</sup> On the other hand, mouthwashes can negatively impact the durability of restoration materials. This is the case for both alcohol and alcohol-free versions since alcohol is only one of

several factors that can result in alterations.<sup>11</sup> The effect that these antiseptics can have on wear and hardness will depend on the type of material and chemical composition, type and filler content.<sup>11</sup>

Chemical degradation of restored surfaces is caused by interactions between several chemical compounds. The different negative effects of antiseptic mouthwash products are expected due to the presence of different solutions (e.g., water and alcohol) alongside factors such as a low pH. Few antiseptic mouthwash products present pH lower than 5.5. Consequently, it is important to study their effects on restored surfaces.<sup>12-14</sup>

Studies<sup>15,16</sup> have demonstrated positive results regarding aesthetics of materials that simulate gum tissue along the cervical margins such as GR, receiving positive evaluation from patients. Conversely, there is a lack of studies that focus on an in-depth exploration of the properties of these materials. This study seeks to fill this gap and present an in vitro investigation that analyzes surface roughness (Ra) and color difference ( $\Delta E_{00}$ ) of a GR light-activated by different LCU and immersed in different mouthwash solutions for different time durations.

## MATERIALS AND METHODS

### Materials

Materials and methods used throughout this study and their specifications are described in Tables 1 and 2.

**Table 1** | Restoration Materials and Solutions

| Material  | Composition   | Manufacturer                 |
|---|---|------------------------------|
| NT Premium Gum  | BisGMA, Bis-EMA, TEGDMA, UDMA, BHT, photoinitiator, charges and pigments  | Coltene                      |
| Antiseptic mouthwash Listerine Cool Mint              | Water, Sorbitol, Alcohol (21,6%), Poloxamer 407, Benzoic Acid, Eucaliptol, Sodium Saccharin, Scent agent (D-limonene), Timol, Methyl Salicylate, Sodium Benzoate, Menthol, CI 42053 | Johnson & Johnson            |
| Antiseptic mouthwash Listerine Cool Mint Zero Alcohol | Water, Sorbitol, Poloxamer 407, Benzoic Acid, Eucaliptol, Propylene glycol, Lauryl Sodium Sulphate  | Johnson & Johnson            |
| Natural mineral water Minalice                        | Strontium, Calcium, Magnesium, Potassio, Sodium, Vanadium, Sulfate, Carbonate, Bicarbonate, Fluoride, Chloride  | Minalice Mining Company LTDA |

**Table 2** | Light Curing

|               | Light Curing | Power output              | Wavelength   | Manufacturer     |
|---------------|--------------|---------------------------|--------------|------------------|
| VALO          | LED          | 1400 mW/cm <sup>2</sup>   | 395 – 480 nm | Ultradent        |
| Bluephase     | LED          | 1200 mW/cm <sup>2</sup>   | 385 – 515 nm | Ivoclar Vivadent |
| Optilight Max | LED          | ≥ 1200 mW/cm <sup>2</sup> | 420 – 480 nm | Gnatus           |

## Experimental design

The study variables in this experiment are: Ra and  $\Delta E_{00}$ . The variation factors are: (1) Mouthwash solutions [S1 – alcohol-based mouthwash (Listerine Cool Mint – Johnson & Johnson, São Paulo, Brazil); S2 – alcohol-free mouthwash (Listerine Cool Mint Zero Alcohol – Johnson & Johnson, São Paulo, Brazil) and S3 – natural mineral water (Minalice Mining Company LTDA – São Paulo, Brazil)]; (2) LCU: [3 levels: L1 –Valo (Ultradent Products Inc – South Jordan, USA); L2 – BluePhase (Ivoclar Vivadent AG – Schaan, Liechtenstein) and L3 – Optilight Max (Gnatus – Ribeirão Preto, São Paulo, Brazil)]; and mouthwash solution application time [4 levels: 48 h (T0), 7 (T1), 14 (T2) and 21 (T3) days after specimens were obtained].

## Sample preparation

In total, 90 specimens of a GR (NT Premium Gum, Coltene, Rio de Janeiro, Brazil) were obtained (n=10) according to manufacturer's instructions using a teflon matrix of 6 mm diameter and 2 mm depth on a glass plate and a polyester matrix.

The material was inserted in the matrix in a single increment with the aid of a resin spatula (Duflex, São Paulo, Brazil). The filled cavity was covered by a polyester matrix and a glass plate. Following, a 1 kg weight was put on top to guarantee the complete filling of the matrix and cause any excess material to overflow. Next, light activation was applied on the tested specimens using the previously mentioned devices (Table 2), in accordance with instructions from the manufacturer.

After the photopolymerization, samples were taken out of the matrix and kept in artificial saliva for 24 hours inside an oven at  $37\pm 1$  °C. Following, each specimen was polished with Sof Lex (3M, São Paulo, Brazil) discs in decreasing grit sequence, wetting the specimen surface between applications to avoid overheating and the consequent alteration of the surface. One of the surfaces of each specimen was marked to serve as a positioning guide to be used with the rugosimeter and the spectrophotometer.

## Sample immersion

Samples were stored in artificial saliva composed of methylparaben (2.0), sodium carboxymethylcellulose (10.0 g), KCl (0.625 g), MgCl 2.6H<sub>2</sub>O (0.059 g) CaCl<sub>2</sub>-2H<sub>2</sub>O (0.166 g), K<sub>2</sub>HPO<sub>4</sub> (0.804 g), KH<sub>2</sub>PO<sub>4</sub> (0.326 g) in 1000 mL of distilled water inside an oven at  $37\pm 1$  °C during the entire experiment. The artificial saliva was changed daily and only taken out to be exposed to the solutions and to take measurements at 48 hours, 7, 14 and 21 days.

Each specimen was immersed individually in a container with 1 ml of each test solution (Table 1) for 30 seconds, simulating daily rinsing with vibration, following instructions by the manufacturer (Vibramaxx Gold Line platform shaker – Essence Dental VH, Araraquara, São Paulo, Brazil) twice per day, for 21 days.

## Ra measurement

Ra measurements were obtained using a rugosimeter (SJ-201 P/M, Mitutoyo, Tokyo, Japan). Each specimen was dried with paper towel and positioned on the

device using tweezers (Colgran, São Paulo, Brazil); three readings were taken to register the mean value. Ra was performed at initial (48 hours after test specimens were created), 7 days, 14 days and 21 days.

### ΔE<sub>00</sub> measurement

ΔE<sub>00</sub> was measured using an SP62S spectrophotometer and the QA-Master I software (X-Rite Incorporated, Neu-Isenburg, Germany). Each

$$\Delta E_{00} = \left[ \left( \frac{\Delta L'}{K_L S_L} \right)^2 + \left( \frac{\Delta C'}{K_C S_C} \right)^2 + \left( \frac{\Delta H'}{K_H S_{LH}} \right)^2 + R_T \left( \frac{\Delta C'}{K_C S_C} \right) \left( \frac{\Delta H'}{K_H S_H} \right) \right]^{\frac{1}{2}}$$

Where R<sub>T</sub> is a rotation function; S<sub>L</sub>, S<sub>C</sub>, and S<sub>H</sub> are weighting functions; and the parametric factors K<sub>L</sub>, K<sub>C</sub> and K<sub>H</sub> are terms to be adjusted, which in the present study were set to 1. This study used a general average of the L\*a\*b\* coordinates of the unrepaired group (BCR) (L\* = 72.6; a\* = 4.7; b\* = 7.6) as the reference mean for experimental comparisons.<sup>17,18</sup> The color variation measurements were performed at initial (48 hours after test specimens were created), 7 days, 14 days and 21 days.

### Statistical analysis

Ra and ΔE<sub>00</sub> data were analyzed using the Shapiro-Wilk and ANOVA tests. The statistical software used to run these tests was IBM SPSS Statistics for Windows, version 21.0 (IBM Corp, Armonk, New York).

## RESULTS

The statistical analysis verified that LCU showed significance (p=0.004) with L1 (1.3±0.9) presenting Ra statistically greater than L3 (0.7±0.6), whereas L2 (1.0±0.8) showed intermediate values as seen in Table 3.

Time (p=0.705) and Solution (p=0.0884) factors and LCU x Solution (p=0.190), Time x LCU (p=0.911) and Time x Solution (p=0.089) interactions were not

specimen was carefully manipulated using tweezers (Millennium, Golgran, São Paulo, Brazil), dried with a paper towel and kept in a device prepared to hold the samples and take readings with white and opaque background. The color (ΔE<sub>00</sub>), lightness (ΔL'), chroma (ΔC'), and hue differences (ΔH') resulting of the specimens light activated with different LCU and immersed in different mouthwash solutions were calculated by the CIEDE2000 formula.<sup>17,18</sup>

statistically significant. Surface roughness deltas were compared, observing that Solution showed significance (p=0.0042) with S2 (0.9±0.1) presenting statistically greater roughness than S3 (-0.1±0.1), whereas S1 (0.1±0.1) showed intermediate values, as seen in Table 3.

**Table 3** | Mean values for surface roughness delta (Ra) by Light Curing (L) and Solution (S)

| L1         | L2        | L3         | S1        | S2         | S3          |
|------------|-----------|------------|-----------|------------|-------------|
| 1.3*(±0.9) | 1.0(±0.8) | 0.7*(±0.6) | 0.1(±0.1) | 0.9*(±0.1) | -0.1*(±0.1) |

\*The mean difference is significant at the 0.05 level.

Time (p=0.691) and Light Curing (p=0.604) factors and Light Curing x Solution (p=0.080), Time x Light Curing (p=0.871), Time x Solution (p=0.184) and Time x Light Curing x Solution (0.438) interactions were not statistically significant.

Regarding color, statistical significance was observed for ΔE<sub>00</sub> only for the LCU, where L1 (ΔE<sub>00</sub> = 23.3±0.3) obtained lower ΔE<sub>00</sub> than the other LCUs (ΔE<sub>00</sub> = 24.7±24.7 for L2 and ΔE<sub>00</sub> = 25.1±25.1 for L3) as seen in Table 4. No significant differences were found for Solution (p = 0.530), Time (p = 0.642) and Light Curing x Solution (p = 0.183), Light Curing x Time (p = 0.602), Solution x Time (p = 0.277) and Light Curing x Solution x Time (p = 0.4).

**Table 4** | Color variation mean values ( $\Delta E_{00}$ ) by Light Curing

| L1                | L2                | L3                |
|-------------------|-------------------|-------------------|
| 23.3( $\pm 0.3$ ) | 24.7( $\pm 0.3$ ) | 25.1( $\pm 0.3$ ) |

Significant difference was also found for the C and H parameters. For C, the light curing L3 ( $\Delta C' = 28.6 \pm 0.2$ ) presented higher chroma compared to L1 ( $\Delta C' = 27.8 \pm 0.2$ ) and L2 ( $\Delta C' = 27.5 \pm 0.2$ ) (Table 5); solution S3 ( $\Delta C' = 28.5 \pm 0.2$ ) also presented higher chroma compared to the other solutions ( $\Delta C' = 27.8 \pm 0.2$  for S1 and  $\Delta C' = 27.5 \pm 0.2$  for S2), as

seen in Table 5; and at T1 ( $\Delta C' = 27.8 \pm 0.1$ ) there was a lower chroma value, and this value increased over time ( $\Delta C' = 28.0 \pm 0.1$  for T2 and  $\Delta C' = 28.1 \pm 0.1$  for T3) (Table 5). When analyzing parameter H, it was found that light curing L1 ( $\Delta H' = 53.1 \pm 0.1$ ) promoted lower hue value compared to other curing protocols ( $\Delta H' = 55.6 \pm 0.1$  for L2 and  $\Delta H' = 55.9 \pm 0.1$  for L3), as seen in Table 6; and solution S3 ( $\Delta H' = 55.4 \pm 0.1$ ) also presented higher H value compared to S1 ( $\Delta H' = 54.7 \pm 0.1$ ) and S2 ( $\Delta H' = 54.5 \pm 0.1$ ) (Table 6).

**Table 5** | Color variation mean values ( $\Delta C'$ ) by Light Curing (L), Solution (S) and Time (T)

| L1                | L2                | L3                | S1                | S2                | S3                | T1                | T2                | T3                |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 27.8( $\pm 0.2$ ) | 27.5( $\pm 0.2$ ) | 28.6( $\pm 0.2$ ) | 27.8( $\pm 0.2$ ) | 27.6( $\pm 0.2$ ) | 28.5( $\pm 0.2$ ) | 27.8( $\pm 0.1$ ) | 28.0( $\pm 0.1$ ) | 28.1( $\pm 0.1$ ) |

**Table 6** | Color variation mean values ( $\Delta H'$ ) by Light Curing (L) and Solution (S)

| L1                | L2                | L3                | S1                | S2                | S3                |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 53.1( $\pm 0.1$ ) | 55.6( $\pm 0.1$ ) | 55.9( $\pm 0.1$ ) | 54.7( $\pm 0.1$ ) | 54.5( $\pm 0.1$ ) | 55.4( $\pm 0.1$ ) |

## DISCUSSION

Performance of GR strongly depends on the correct application of the LCU. Inadequate photopolymerization leads to marginal microinfiltration and to a degradation of the physical and mechanical properties of these materials.<sup>7,9,10,19</sup> Since antiseptic mouthwash is an element often used by patients, it is important to know its influence on the durability and resistance of the restoration materials used. Experimental studies should be performed to evaluate relevant properties of these materials, e.g., roughness and color. Roughness is involved in irregularities, prominences and crevices in the restoration material, all having great clinical impact in the retention of biofilm, color alterations and patient comfort. This study considers that these conditions can influence roughness and color and, consequently, in the clinical outcome of restorations.<sup>11</sup>

After performing the analysis of Ra, it was observed that LCU was a significant factor, with L1 (1.3 $\pm 0.9$ ) presenting statistically greater Ra than L3 (0.7 $\pm 0.6$ ) and L2 (1.0 $\pm 0.8$ ) having intermediate

values. On the contrary, statistical significance was not observed for Time and Solution factors and LCU x Solution, Time x Light Curing and Time x Solution interactions.

All LCU tested in this study use LED-based technology. They differ in power output, requiring different exposure time for the restoration material.<sup>20</sup> Faster reactions of composite resins in the pre-gel phase can result in a reduced internal flow, consequently producing less deformation for non-attached surfaces and increasing the contraction due to polymerization. This can have a negative impact on the adhesive interface of the material. Studies show that exposure time to the LED curing interfere considerably on the tension of the restoration material.<sup>20</sup> Greater power output is desirable to obtain a greater conversion ratio of the monomers for greater mechanical properties in shorter times. Conversely, longer exposition of lower power outputs maintains marginal integrity with less polymerization contraction and surface roughness.<sup>20</sup>

Delta surface roughness analysis found significance for the Solution ( $p=0.042$ ) factor, with S2 ( $p=0.184$ ) presenting statistically greater roughness than S3 ( $p=-0.122$ ) and S1 ( $p=0.086$ ) having intermediate values. Time ( $p=0.691$ ), Light Curing ( $p=0.871$ ), Time x Solution ( $p=0.184$ ) and Time x Light Curing x Solution ( $0.439$ ) were not statistically significant.

Existing literature shows conflicting results regarding the influence of antiseptic mouthwash with and without alcohol in the analysis of the surface roughness of restoration materials. Some studies<sup>21,22</sup> show a negative influence of alcohol-based mouthwashes on surface roughness, related to a degradation of the restoration material caused by the pH in the solution. Contrary to this, Bohner et al.<sup>23</sup> found no influence by the same solution on the properties of the same restoration material. The effect on surface roughness will depend on the individual components of the material and the mouthwash solution. This is because the specimens immersed in the solutions received the same treatment in their preparation before being subjected to the chemical challenge regarding the care of the thickness of the resin increments and following the photopolymerization guidelines indicated by the manufacturers. Polymers are known to be very reactive and to react with substances to which they are continuously exposed.<sup>24</sup> These results reinforce the need for the continuous development of dental materials that are analyzed for their chemical stability to promote greater durability and survival of restorations.

Compared to CIE  $L^* a^* b^*$  system advocated in previous years studies, the CIEDE2000 system uses the definitions and concepts of hue and chroma in a specific formula, confirming the importance of ideas and definitions suggested by Munsell. The values of  $\Delta E_{00}$ ,  $\Delta L'$ ,  $\Delta C'$  and  $\Delta H'$  represent the differences of  $E'$ ,  $L'$ ,  $C'$  and  $H'$  between the current and initial readings at the beginning of the experiment.<sup>25</sup>

Regarding  $\Delta E_{00}$ , significance was observed in test specimens that were photopolymerized by all light curing protocols, with Valo ( $\Delta E_{00}=23.3\pm 0.3$ ) presenting lower color variation than the other two: Bluephase ( $\Delta E_{00}=24.7\pm 0.3$ ) and Optilight Max ( $\Delta E_{00}=25.1\pm 0.3$ ).

Given that L1 has higher power output than L2 and L3 and that the conversion ratio of composite resins is directly related to power output, the observed behavior can be justified by the fact that photoinitiators that are not photopolymerized can undergo vitrification and thus return to their original state, giving the material a yellow tint, contributing to color variation over time.<sup>25,26</sup> Instead, the yellow contributed by camphorquinone is not considered critical in the material used for this study due to its use in areas that are darker than those in which the composite resins are used and that tend to be more sensitive to color variations.<sup>27</sup>

Regarding the luminosity  $L'$ , no statistical differences were found before and after the proposed treatments. Therefore, the composite resin remained stable after polymerization under different light curing protocols and immersion in different solutions.

It was observed that, after statistical analysis, the L3 curing induced higher Chroma ( $C'$ ) values compared to L1 and L2. Studies have reported that lower power light curing protocols promote a lower degree of resin conversion, inducing greater dye absorption and causing a significant change in Chroma. Because of this, the use of higher power curing light contributes to better restoration aesthetics.<sup>28</sup> Application time also influenced the numbers of  $\Delta C'$ . The respective values increased according to longer application time, negatively altering resin saturation.

Alcohol is used in mouthwash as a solvent, as a flavor intensifier and as an antiseptic agent. Great concern has been expressed on the use of alcohol as it can increase surface degradation in restoration materials.<sup>16</sup> Moreover, ethanol can reduce bonding

strength between the resin matrix and inorganic fillers, decreasing resilience to erosion and tainting the resin matrix.<sup>11</sup> Dash and Kallepalli<sup>11</sup> concluded that a material immersed in alcohol-based mouthwash resulted in decreased hardness when compared to the same material immersed in alcohol-free mouthwash. The results found so far were contradictory with the literature since mouthwashes did not promote color change. However, it was found that solution S3 promoted changes in  $\Delta C'$  and H'. According to Arregui et al.,<sup>29</sup> water sorption is one of the factors associated with the discoloration of compounds. In addition, the structure of adhesive monomers influences the hydrophilicity of resulting polymers. Another factor associated with water sorption is the type and quantity (volume % weight %) of the filler particles used.

Hue can be defined as the natural color of tooth, derived from the internal dentin structure and determined by wavelength of light reflected by teeth. This study found that L1 promoted lower values of H'. Studies confirm that the higher the degree of resin conversion, the smaller the color change of material and, consequently, the lower the hue.<sup>30</sup>

According to Rüttermann et al.,<sup>31</sup> color stability depends on the quality of hardening, on the conversion of the photoinitiator system and on material composition. Moreover, during photopolymerization, initiators or synergists form subproducts that discolor when exposed to heat or ultraviolet light and alter the color of the resin increasing the red and yellow components.

Özdas et al.<sup>32</sup> state that possible color variations analyzed and observed in composite resins may be due to the type of composite (resin matrix, size and type of filler particles) associated to the type of solution and immersion time.

Existing literature shows instances that exhibit minimal color variation in control group specimens immersed in artificial saliva.<sup>33</sup> This is in line with the analysis made by Afzali et al.,<sup>34</sup> who observed

no significant color variation in resins submitted to water, supporting the notion that water does not lead to chromatic alterations. In this study, specimens in the control group exposed to potable water showed no chromatic alteration.

Other studies analyzed the potential for tainting by liquids such as energy drinks<sup>35</sup> and mouthwash products.<sup>36</sup> Analysis of energy drinks showed that immersions of resins (Clearfil Majesty posterior, Filtek Supreme, Clearfil APX and Z250) during a six-month period presented color variation. According to this study, all solutions resulted in chromatic variation beyond what is considered clinically acceptable. Lepri et al.<sup>36</sup> evaluated some commonly used antiseptic mouthwashes (Plax, Listerine and Periogard) and found no significant color variation, inferring that their vibrant colorations do not have influence on the restoration materials used. Instead, an influence was observed in the luminosity of the resin with a minor negative impact on aesthetics.

Different light sources can significantly change the surface of photopolymerizable resins, including surface roughness, as shown by Trauth et al.<sup>21</sup> and Cengiz et al.,<sup>22</sup> in which they evaluated these changes in specimens when immersed in solutions. The lack of adequate polymerization makes the surface susceptible to alterations and the action of substances with different temperatures, pH and color. In this work, the specimens were activated with light sources at the time indicated by the manufacturer, so it can be attributed to the immersion and not by the absence of polymerization. Therefore, after an exploration of the existing literature and the *in vitro* nature of the proposed study, future studies, clinical or not, will help to further validate the methods used in the present study.

## CONCLUSION

Light curing with the highest power output (L1) and the alcohol-free mouthwash (S2) lead to greater surface roughness. L1 also presented the lowest color variation.

## ACKNOWLEDGMENTS

Dr. Ana Paula Macedo, Laboratory II Specialist (Department of Dental Materials and Prosthesis, School of Dentistry, Ribeirão Preto – University of São Paulo), Dr. E. Javier Paniagua Laconich (Department of Information Engineering and Computer Science – University of Trento – Italia).

## REFERENCES

- Seong J, Bartlett D, Newcombe RG, Claydon NCA, Hellin N, West NX. Prevalence of gingival recession and study of associated related factors in young UK adults. *J Dent.* 2018;76:58-67. <https://doi.org/10.1016/j.jdent.2018.06.005>
- Hadyaoui D, Daouahi N, Nouria Z, Cherif M. Gingival Harmony in Anterior Aesthetic Restorations. *J Dent.* 2014;2(4):155-62. <https://doi.org/10.3390/dj2040155>
- Chu SJ, Tan JHP, Stappert CFJ, Tarnow DP. Gingival zenith positions and levels of the maxillary anterior dentition. *J Esthet Restor Dent.* 2009;21(2):113-20. <https://doi.org/10.1111/j.1708-8240.2009.00242.x>
- Gopakumar A, Sood B. Conservative management of gingival recession: The gingival veneer. *J Esthet Restor Dent.* 2012;24(6):385-93. <https://doi.org/10.1111/j.1708-8240.2012.00513.x>
- Capa N. An alternative treatment approach to gingival recession: gingiva-colored partial porcelain veneers: A clinical report. *J Prosthet Dent.* 2007;98(2):82-4. [https://doi.org/10.1016/S0022-3913\(07\)60040-7](https://doi.org/10.1016/S0022-3913(07)60040-7)
- Zalkind M, Hochman N. Alternative method of conservative esthetic treatment for gingival recession. *J Prosthet Dent.* 1997;77(6):561-3. [https://doi.org/10.1016/s0022-3913\(97\)70094-5](https://doi.org/10.1016/s0022-3913(97)70094-5)
- Alani A, Maglad A, Nohl F. The prosthetic management of gingival aesthetics. *Br Dent J.* 2011;210(2):63-9. <https://doi.org/10.1038/sj.bdj.2011.2/>
- An HS, Park JM, Park EJ. Evaluation of shear bond strengths of gingiva-colored composite resin to porcelain, metal and zirconia substrates. *J Adv Prosthodont.* 2011;3(3):166-71. <https://doi.org/10.4047/jap.2011.3.3.166>
- Eshawi YT, Al-Zain AO, Eckert GJ, Platt JA. Variation in composite degree of conversion and microflexural strength for different curing lights and surface locations. *J Am Dent Assoc.* 2018;149(10):893-902. <https://doi.org/10.1016/j.adaj.2018.06.004>
- Yilmaz F, Gonulol N, Guler E, Ersoz E, Aytac F. Effects of different light sources on microleakage of composite resins with different monomer structures. *J Dent Sci.* 2014;9(4):364-70. <https://doi.org/10.1016/j.jds.2013.01.009>
- Dash S, Kallepalli S. An evaluation of the effect of Alcohol and Non-Alcohol based mouth rinses on the microhardness of two esthetic restorative materials: An in vitro Study. *Int J Appl Dent Sci.* 2015;1(2):27-31.
- Miranda DA, Bertoldo CES, Aguiar FHB, Lima DANL, Lovadino JR. Effects of mouthwashes on Knoop hardness and surface roughness of dental composites after different immersion times. *Braz Oral Res.* 2011;25(2):168-73. <https://doi.org/10.1590/S1806-83242011000200012>
- Yofarindra B, Damiyanti M, Herda E. Effects of immersion in mouthwash for different durations and with different ethanol concentrations on the surface roughness of nanohybrid composite resin. *J Phys Conf Ser.* 2018;1073:032002. <https://doi.org/10.1088/1742-6596/1073/3/032002>
- Freitas DB, Godoi APT, Trauth KGS, Colucci V, Catirse ABCEB. Study of the color alteration of esthetic restorative materials influenced by chlorhexidine associated with sweet red wine. *Int J Clin Dent.* 2012;5(2):113-20.
- Paryag AA, Rafeek RN, Mankee MS, Lowe J. Exploring the versatility of gingiva-colored composite. *Clin Cosmet Investig Dent.* 2016;8:63-9. <https://doi.org/10.2147/CCIDE.S92727>
- Paryag A, Lowe J, Rafeek R. Colored Gingiva Composite Used for the Rehabilitation of Gingiva Recessions and Non-Carious Cervical Lesions. *Dent J.* 2017;5(4):33. <https://doi.org/10.3390/dj5040033>
- Paravina RD, Ghinea R, Herrera LJ, Bona AD, Igiel C, Linninger M, et al. Color Difference Thresholds in Dentistry. *J Esthetic Rest Dent.* 2015;27(1 Suppl):S1-9. <https://doi.org/10.1111/jerd.12149>
- Paravina RD, Pérez MM, Ghinea R. Acceptability and perceptibility thresholds in dentistry: A comprehensive review of clinical and research applications. *J Esthetic Rest Dent.* 2019;31(2):103-12. <https://doi.org/10.1111/jerd.12465>
- Amer RS, Chandrasekaran I, Johnston WM. Illuminant effect on the coverage error of a gingiva-colored composite resin shade guide. *J Prosthet Dent.* 2016;116(5):770-6. <https://doi.org/10.1016/j.prosdent.2016.03.016>
- Charton C, Colon P, Pla F. Shrinkage stress in light-cured composite resins: Influence of material and photoactivation mode. *Dent Mater.* 2007;23(8):911-20. <https://doi.org/10.1016/j.dental.2006.06.034>



21. Trauth KGS, Godoi APT, Colucci V, Corona SAM, Catirse ABCEB. The influence of mouthrinses and simulated tooth-brushing on the surface roughness of a nanofilled composite resin. *Dent Mater.* 2012;26(3):209-14 <https://doi.org/10.1590/S1806-83242012000300005>
22. Cengiz S, Yüzbaşıoğlu E, Cengiz MI, Velioglu N, Sevimli G. Color stability and surface roughness of a laboratory-processed composite resin as a function of mouthrinse. *J Esthet Restor Dent.* 2015;27(5):314-21. <https://doi.org/10.1111/jerd.12167>
23. Bohner LOL, Godoi APT, Ahmed AS, Tortamano Neto P, Catirse ABCBE. Surface roughness of restorative materials after immersion in mouthwashes. *Eur J Gen Dent.* 2016;5(3):111.
24. Silva TM, Dantas DBC, Franco TT, Franco LT, Huhtala MFRL. Surface degradation of composite resins under staining and brushing challenges. *J Den Sci.* 2019;14(1):87-92. <https://doi.org/10.1016/j.jds.2018.11.005>
25. Albuquerque PPAC, Moreira ADL, Moraes RR, Cavalcante LM, Schneider LFJ. Color stability, conversion, water sorption and solubility of dental composites formulated with different photoinitiator systems. *J Dent.* 2013;41(3 Suppl):e67-72. <https://doi.org/10.1016/j.jdent.2012.11.020>
26. Oliveira DCRS, Rocha MG, Gatti A, Correr AB, Ferracane JL, Sinhoreti MAC. Effect of different photoinitiators and reducing agents on cure efficiency and color stability of resin-based composites using different LED wavelengths. *J Dent.* 2015;43:1565-72. <https://doi.org/10.1016/j.jdent.2015.08.015>
27. Silami FDJ, Mundim FM, Garcia LFR, Sinhoreti MAC, Pires-de-Souza FCP. Color stability of experimental composites containing different photoinitiators. *J Dent.* 2013;41:62-6. <https://doi.org/10.1016/j.jdent.2012.10.009>
28. Neo BJ, Soh MS, Teo JW, Yap AUJ. Effectiveness of Composite Cure Associated with Different Light-curing Regimes. *Oper Dent.* 2005;30(6):671-5.
29. Arregui M, Giner L, Ferrari M, Vallés M, Mercadé M. Six-month color change and water sorption of 9 new-generation flowable composites in 6 staining solutions. *Braz Oral Res.* 2016;30(1):1-12. <https://doi.org/10.1590/1807-3107BOR-2016.vol30.0123>
30. Abdallah MN, Light N, Amin WM, Retrouvey JM, Cerruti M, Tamimi F. Development of a composite resin disclosing agent based on the understanding of tooth staining mechanisms. *J Dentistry.* 2014;42(6):697-708. <https://doi.org/10.1016/j.jdent.2014.03.004>
31. Rüttermann S, Suyoun K, Raab WHM, Janda R. Effect of exposure time on the color stability of resin-based restorative materials when polymerized with quartz-tungsten halogen and LED light. *Clin Oral Investig.* 2010;14(5):599-605. <https://doi.org/10.1007/s00784-009-0316-y>
32. Özdas DÖ, Kazak M, Çilingir A, Subasi MG, Tiryaki M, Gunal S. Color Stability of Composites After Short-term Oral Simulation: An in vitro Study [Abstract]. *Open Dent J.* 2016;10:431-437. <https://doi.org/10.2174/1874210601610010431>
33. Topcu FT, Sahinkesen G, Yamanel K, Erdemir U, Oktay EA, Ersahan S. Influence of Different Drinks on the Colour Stability of Dental Resin Composites. *Eur J Dent.* 2009;3:50-56.
34. Afzali BM, Ghasemi A, Mirani A, Abdolazimi Z, Baghban AA, Kharazifard MJ. Effect of Ingested Liquids on Color Change of Composite Resins. *J Dent (Tehran).* 2015;12(8):577-84.
35. Erdemir U, Yıldız E, Eren MM. Effects of sports drinks on color stability of nanofilled and microhybrid composites after long-term immersion. *J Dent.* 2012;40:55-63. <https://doi.org/10.1016/j.jdent.2012.06.002>
36. Lepri CP, Ribeiro MVM, Dibb A, Palma-Dibb RG. Influence of mouthrinse solutions on the color stability and microhardness of a composite resin. *Int J Esthet Dent.* 2014;9(2):236-44.