



## Osmotic stress regulates mineralocorticoid receptor expression in a novel aldosterone-sensitive cortical collecting duct cell line.

Say Viengchareun, Peter Kamenicky, Marie Teixeira, Daniel Butlen, Géri Meduri, Nicolas Blanchard-Gutton, Christine Kurschat, Aurelie Lanel, Laetitia Martinerie, Soshana Sztal-Mazer, et al.

### ► To cite this version:

Say Viengchareun, Peter Kamenicky, Marie Teixeira, Daniel Butlen, Géri Meduri, et al.. : Osmotic Stress and MR Expression. *Mol Endocrinol*, 2009, 23 (12), pp.1948-62. <10.1210/me.2009-0095>. <inserm-00413313>

**HAL Id: inserm-00413313**


**<http://www.hal.inserm.fr/inserm-00413313>**


Submitted on 23 Oct 2009

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.


L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.








**Figure 2**



**Figure 3**



**Figure 4**






Figure 5



**Figure 6**





**Figure 7**