

Quality of Life of elderly retired people in the Region of Taif City, Kingdom of Saudi Arabia (KSA)

Basit Haidari

College of Nursing, Midwifery & Healthcare

University of West London, UK

Hafiz T.A. Khan, Professor of Public Health & Statistics

University of West London, UK

22 November 2022

Basit Haidari
CEO
Konsultex Limited

Medical & Research language
instructor
**(Institute of Public Administration,
KSA)**

Konsultex_UK Training &
Development

Wall Street Institute

Joy Valley

Director MECAP
Middle East Centre on
Ageing Population
www.meageing.com



Life of elderly population in Taif, Saudi Arabia: *Challenges, Expectations, and Quality of Life (QoL)*

▶ **Outline of Talk:**

- ▶ 1. Key problems / challenges that elderly face after their retirement in Taif and other cities.
- ▶ 2. Identify the need or expectations of elderly population.
- ▶ 3. Investigate the QoL of elderly after their retirement.

Demography of Taif City in KSA

▶ Total population

Total population of KSA is 34.1 million in 2021 (mid-year), according to estimates by the General Authority for Statistics-2022)

The population of Taif Governorate is 1,750,00 people. There are 38 administrative centres in the Taif Governorate including 2200 rural villages (Taif Chambers of Commers, 2022).

▶ Geography

Taif (which lies south east of Jeddah and the Holy City of Makkah) stands 1,800 meters above sea-level on the eastern slopes of the Al-Sarawat & Al Hada mountains.

▶ Climate

Taif is situated in the mountains above Makkah and Jeddah at about 5,600 ft. Its summer climate (85 degrees F to 95 degrees F with low humidity). The elevation of Taif makes climate far cooler and pleasanter than Jeddah or Makkah and without the uncomfortable humidity. Many families from both Jeddah and Riyadh maintain houses in Taif as an escape from the uncomfortable summers.

Ageing population of Taif

- ▶ Majority of elderly population (aged 65+ years) in Taif are comprised of retirees from Taif city and retirees from other cities who originally belong to Taif.
- ▶ There has been challenge for elderly population in Taif to be part of the society.
- ▶ Elderly population returning back to Taif may face many life challenges due to rapid change of demographics and growing city.

Research Hypothesis

People who have permanently lived and retired in Taif may find it easy to integrate in social activities and have better QoL than those who were away in other cities for employment purposes.

QoL in Taif

- ▶ WHO defines QoL as State of complete physical, mental and social wellbeing (WHO, 2022).
- ▶ QoL in Taif is considered as reliable compared to the other cities of the world and some of the cities around the KSA.

Challenges

- ▶ **The biggest challenge Elderly population face in city of Taif is integration with newly emerging and growing young population.**
- ▶ **We need to assess if they are having good QoL life or compromising with usual day to day activities.**
- ▶ **The Question here to ask is that if Elderly population enjoys QoL by living with their family members in city of Taif or by travelling to the bigger cities within Kingdom for better work opportunities.**

How we identified the issue

- ▶ The study assessed the challenges faced by the elderly population of Taif by Semi-Structured interview:
- ▶ The study identified the challenges faced by the elderly population in terms of their daily activities.
- ▶ The integration of people who return back to Taif after their retirement as well as elderly population already living in Taif.
- ▶ The study explored into how QoL can be improved for the elderly population after their retirement

The target population for the study

- ▶ The study attempts to recruit 20 elderly participants in city of Taif mainly targeting retirees. The sample selection approach is random for 2 groups.
- ▶ The 1st group selected was retired individuals in city of Taif.
- ▶ The 2nd group selected was retired individuals in other cities of KSA belong to Taif.

Survey

- ▶ We conducted survey and asked questions to the participants about their daily activities after retirement.
- ▶ The survey identified daily routine habits related to QoL for these retired elderly population based in city of Taif.

Method:

- ▶ Data are collected via semi-structured interview of 20 people aged 65 years
- ▶ Survey was translated in Arabic
- ▶ The survey has asked questions around participants' characteristics, their daily activities after retirement, health and wellbeing.
- ▶ The geographical boundary for conducting the survey in city of Taif.
- ▶ Time Frame given was week

Measurement of QoL

- ▶ The survey design is based on questionnaire:
- ▶ Looking into cognitive ability
- ▶ Assessing Physical functioning
- ▶ Depression
- ▶ Comorbidities
- ▶ Social Functioning and loneliness (relationships and family)
- ▶ Spiritual well-being

Results

- ▶ Questionnaire consisting of 15 questions about daily activities was handed out to 20 participants
- ▶ Only 6 participants responded
- ▶ These respondents worked and retired in Taif
- ▶ There was no response from 2nd group of participants who worked and retired outside Taif.

Conclusion

- ▶ The conclusion is drawn on assessment of elderly populations need and how community is meeting their demands.
- ▶ Community integration activities & volunteering events
- ▶ Organising community learning activities.
- ▶ Community forums on integration between young and elderly population.
- ▶ Further study is needed as there's gap to identify QoL of retirees returning back to Taif.

References:

- ▶ ABDULLAH, R.I., ALLAH, A.A., MUBARAK, A.S., ABDULLAH, R.I., ALZHRANI, S.H., ALSUFYANI, M.H., ALHARTHI, S.J. and ALTHOMALI, R.O., 2020. Prevalence and predictors of using complementary and alternative medicine among diabetic patients in Taif city, Saudi Arabia. *Journal of Family Medicine and Primary Care*, 9(4), pp. 2092.
- ▶ ALABDULLGADER, A. and RABBANI, U., 2021. Prevalence and risk factors of falls among the elderly in Unaizah City, Saudi Arabia. *Sultan Qaboos University Medical Journal*, 21(1), pp. e86.
- ▶ ALGHANNAM, A.F., ALMASUD, A.A., ALGHNAM, S.A., ALHARBI, D.S., ALJUBAIRI, M.S., ALTALHI, A.S., JAN, A.M. and ALOTHMAN, S.A., 2022. Prevalence of sarcopenia among Saudis and its association with lifestyle behaviors: Protocol for cross-sectional study. *PLoS ONE*, 17(8), pp. 1-14.
- ▶ AL-GARNI, S., DERBALA, S., SAAD, H. and MAATY, A.I., 2021. Developmental anomalies and associated impairments in Saudi children with cerebral palsy: a registry-based, multicenter study. *Egyptian Rheumatology and Rehabilitation*, 48(1), pp. 1-9.
- ▶ ALWAGDANI, H.A., ALBARIQI, A.A., ALGETHAMI, A.M. and ALSUMAIRI, N.A., 2022. Prevalence and predictors of uncontrolled type 2 diabetes mellitus in primary healthcare centers in Taif. *International Journal of Medicine in Developing Countries*, 6(7), pp. 971-978.
- ▶ FIRDOS, S. and AMANULLAH, M., Healthy aging in the context of physical and mental health: a systematic review of the elderly population in Saudi Arabia.
- ▶ GHAZI, A.B., 2020. Patterns of prescription and inappropriate medications use in elderly patients of Makkah community in Saudi Arabia. *African Journal of Pharmacy and Pharmacology*, 14(11), pp. 386-394.
- ▶ MARLINA, L., 2020. Quality of Medical Record Document Management System in Banjarmasin Islamic Hospital Installation. *Quality of Medical Record Document Management System in Banjarmasin Islamic Hospital Installation*, .
- ▶ Ministry of Health, S., 2022. [online] Available at: <<https://www.moh.gov.sa/en/Pages/default.aspx>> [Accessed 28 August 2022].
- ▶ MUBARAKI, A.A., SIBYANI, A.K., ALRBAIAI, G.T., ALQASHQARI, K.Y., ALMALKI, H.S., ALHULAYFI, R.M. and BAABBAD, A.S., Prevalence and Correlation of Pain in Fatigued Patients with Diabetes in Taif City, Saudi Arabia.
- ▶ RUBIO, R.R.M.A., 2022. Development and Validation of Culture Competence Tool for Filipino Nurses. *Philippine Journal of Health Research and Development*, 26(1), pp. 15-25.
- ▶ Saudi Geriatric Society. 2022. Saudi Geriatric Society. [online] Available at: <<https://www.saudigeriatrics.org/>> [Accessed 28 August 2022].
- ▶ SAYED, S.A., PREVALENCE AND RISK FACTORS FOR DEPRESSION IN OLDER WOMEN IN TAIF. KSA.