https://ntrs.nasa.gov/search.jsp?R=19920006233 2020-03-17T14:22:46+00:00Z

N92-15451

ASSESSMENT OF EFFECTS ON VEGETATION OF DEGRADATION PRODUCTS FROM ALTERNATIVE FLUOROCARBONS

D.C. McCune and L.H. Weinstein
Boyce Thompson Institute for Plant Research
Ithaca, New York

PRECEDING PAGE BLANK NOT FILMED

EXECUTIVE SUMMARY

If one assumes that the mass of fluorine (F) deposited under steady-state conditions will have an upper limit of 1.5×10^9 per year and all F returns as hydrogen fluoride (HF) that is uniformly dispersed into global rainfall and is deposited by wet deposition, an upper limit for the concentration of F in precipitation would be about 3 μg per liter (3 ppb).

This quantity of F, with reference to concentration or rate of deposition, is well below that heretofore considered to be of significance with respect to the direct effects on plants of air-borne F from industrial operations. It also represents a 30 to 100% increase in what would be estimated to be natural background (3 to 10 ppb). Moreover, F at this concentration would be passively transported as a complex with essentially no capacity to modify the chemical speciation of elements in rain. The activity of F in rain is principally determined by Ca or Al, and pH and concentration of sulfate ions in precipitation could affect the potential of these elements to alter the activity of F. Nevertheless, Al concentrations in rain at the lower range of pH should be sufficient to complex F derived from the degradation of fluorocarbons.

The wet deposition of 3 ppb HF in rain and a total precipitation of 1000 mm per year would constitute a negligible enrichment of the soil in terms of its normal contents or in comparison to that from perhaps the lowest detectable atmospheric concentration of gaseous F. Nor would this deposition of HF affect the chemistry of acidic soils, and rain with a concentration of HF at least 10^3 greater would be needed to affect the chemistry of alkaline soils.

If one assumes that any or all F returns as a fluorinated acetic acid, the effects cannot be estimated because no data are presently available on the effects or degradation of trifluoroacetic acid in plants. Nevertheless, some species of plants can synthesize monofluoroacetate and omega-fluorooleate and -fluoropalmitate. Despite the great chemical stability of the methylene carbon-fluorine bond, plants can metabolize monofluoroacetate and enzymes capable of degrading it occur in soil microorganisms. This leads to the question of the ultimate fate of trifluoroacetic acid with reference to the possible mechanisms for biological dehalogenation and what end products could occur.

It is recommended that research be directed to: (1) metabolism of trifluoro- and other halidoacetates by plants and microorganisms; (2) phytotoxicity of perchloroacetate and alkylhydroperoxides; (3) bioaccumulation and toxicology of these compounds in components of terrestrial and aquatic ecosystems; (4) further quantitative knowledge of the biogeochemistry of F in natural systems.

PRECEDING PAGE BLANK NOT FILMED

BIOLOGICAL AND HEALTH EFFECTS

1. ASSUMPTIONS

The interaction of the degradation products of fluorocarbons with vegetation could occur in several modes: by direct effects on the plant; by changes mediated by the plant; or indirectly, by an affect on the immediate environment of the plant. For an assessment of any of these, certain assumptions are necessary as to the nature of the environmental exposures that could be expected. Ours will be based upon an envelope with the following boundaries.

Firstly, we shall assume that the mass of fluorine deposited globally per annum under steady-state conditions will have upper and lower limits of 1.5×10^9 and 0.5×10^9 kg, respectively. These values are based on another assumption that upper and lower annual rates for global emissions of fluorocarbons are, respectively, 3×10^9 and 1×10^9 kg with fluorine constituting an average of 50% of the mass of the fluorocarbons.

Secondly, we shall assume that all fluorine (F) returns either as hydrogen fluoride (HF) or as a fluorinated acetic acid. A subsidiary assumption is that the latter occurs as the trifluoro-form although the occurrence of difluoromonochloro- and monofluorodichloro-forms are possibilities and the partitioning of fluorine among them could be considered.

Thirdly, we shall assume that fluorine is deposited by the mode of wet deposition, i.e., by rainout in precipitation. Concomitant assumptions are that this is uniformly dispersed into an average global rainfall of 4.9×10^{17} liters per year (Erchel, 1975). Consequently, upper and lower limits for the concentration of fluorine in precipitation would be, respectively, 3 and 1 μg per liter (3 and 1 ppb).

2. INORGANIC FLUORINE

Concern with the effects of fluorides on plants has been devoted to that resulting from dry deposition (mainly with reference to gaseous HF and secondarily with particulate forms). The occurrence of precipitation as rain or mist and the presence of dew or free water on the foliage has mainly been considered with respect to their effects on the accumulation of air-borne fluoride and not with fluoride in wet deposition. That is, precipitation has been viewed primarily with respect to its facilitation of the solution and subsequent absorption of deposits by the foliar tissues or its elution of deposited fluoride from foliage. (For example: the effects of mist on toxicity of HF and cryolite, McCune et al, 1977; models for the accumulation of fluoride by forage, Craggs and Davison, 1985).

Accordingly, our evaluation of inorganic fluoride from fluorocarbon degradation rests upon a comparison with what is known about the effects of industrial emissions and what could be considered the natural condition.

2.1. HF in precipitation

One problem is to what extent the concentration of fluoride in rain can be partitioned into natural and anthropogenic sources, and then to what extent the products from the atmospheric degradation of fluorocarbons represent an increased burden over that contributed by the other sources. In general, one can come to the conclusion that the assumed quantities of fluoride in rain due to the degradation of fluorocarbons

may represent close to the detectable increment of present levels, be deposited as complexes, and have no effect on the chemistry of rain water or on the plant.

2.1.1. Quantity

In a metropolitan area (Yonkers, New York), fluoride concentrations never exceeded 100 ppb and infrequently were greater than 50 ppb in rainfall (Jacobson et al., 1976). In Newfoundland, rain and snow considered free of anthropogenic influence had fluoride averaging less than 10 ppb whereas precipitation enriched by a source (probably by washout) had average concentration of 280 ppb in rain (range of 110 to 580 ppb) and an average of 360 ppb in snow water (range of 110 to 1040 ppb) (Sidhu, 1982). Barnard and Nordstrom (1982) found a difference between coastal and inland sites in the distribution of values. Coastal values ranged from 2 to 24 ppb with a median of 4.2 ppb and were uncorrelated with sodium concentrations; inland values ranged up to 34 ppb with a median of 9.4 ppb. They further concluded, from mass balance considerations, that most of the fluoride in precipitation was anthropogenic in origin rather than from maritime aerosols, volcanic activity (2 to 3 ppb), or soil particles (ca 1 ppb).

2.1.2. Chemistry

Ares (unpublished) has concluded that at the concentrations present in rainfall, fluoride is passively transported as a complex with essentially no capacity to modify the chemical speciation of elements in rain water. Basically, the composition and form of minerals in dust determine, in addition to quantity, the activity of fluoride in rain.

Ares also concluded that the major ions determining the activity of fluoride in solution would be Ca or Al, depending upon the pH. Above pH 5.0, the solubility of Ca and other salts of fluoride limit its activity to a level no greater than 10^{-4} M. Below pH 4.5, hydrates of Al(III) regulate nearly all fluoride at molar ratios of Al:F of greater than 4 by the formation of Al-F complexes.

The solution of sulfate ions in precipitation will secondarily affect Ca and Al and thereby their potential to alter the activity of fluoride. Nevertheless, at the concentrations of fluoride assumed, HF derived from the degradation of fluorocarbons would not alter the acidity or composition of rain.

That Al concentrations in rain should be sufficient to complex fluoride at the lower pH range is deduced from limited data. In the vicinity of Göttingen, levels of Al ranged from 48 to 174 ppb with a mean of 89 ppb (Ruppert, 1975). In the vicinity of Solling, Ares (unpublished) found concentrations of Al in rain ranging from 10 to 1720 with a median of 100 ppb.

2.2. Effects on soil

The fluoride content of normal soils ranges from 20 to 1000 ppm depending upon minerals present, depth in the soil, and content of organic matter, with an average of about 200 ppm (see review by Davison, 1983). Assuming a concentration of 3 ppb in rain and a total precipitation of 1000 mm per year, about 30 gF ha^{-1} would be deposited per year, which is equivalent to an enrichment of about 0.04 ppm

(using Davison's bulk density factor for soil). By comparison and using Davison's estimate of deposition velocity, exposure to air averaging 0.05 $\mu gF\ m^{-3}$ would result in the deposition of about 380 $gF\ ha^{-1}$ per year. Consequently, this wet deposition would constitute a negligible contribution to the soil in terms of normal contents or in comparison to that from perhaps the lowest detectable atmospheric concentration of gaseous fluoride.

The data of Ares (1986) would also indicate that wet deposition of HF in the assumed range of concentrations would not affect the soil solution in acidic forest soils. In these, it was estimated that 99.9% of fluoride was complexed with Al, and one could conclude that 3 ppb in rain would not affect the chemistry of the soil. Ares postulated that the solubility of fluoride in alkaline soils (pH 7.2 to 8.2) is controlled by ralstonite ($NaMgAlF_6$) at high Na levels or fluorite (CaF_2) at low Na levels and that rain with a concentration at least 10^3 greater than that assumed in this assessment would be needed to affect the soil chemistry.

In areas subject to airborne fluoride from industrial emissions, enrichment of fluoride and changes in soil chemistry have been observed (Ares, 1978; Fluhler et al., 1982; Polomski et al., 1982; Sidhu, 1982). Nevertheless, it has been concluded that the increased levels of fluoride found in foliage in these areas represents more the result of increased deposition directly to the plant than of uptake from an increased level of fluoride in soil (Braen and Weinstein, 1985; McClenahen, 1976).

2.3. Gaseous HF

By way of comparison, the effects of gaseous fluoride are relatively well known although knowledge is not as plentiful as would be desired for practical applications to environmental quality. Table 1 lists some values for different averaging times of what could be considered protective for three classes of vegetation. Some standards for fluoride are also based on the concentration present in foliar tissue, and Table 2 presents a example of this kind of standard.

The short-term (24-hour) value for highly sensitive plants is based upon the effects of HF on gladiolus or young foliage of conifers, such as spruce, fir, and pine (see reviews by McCune, 1969; Weinstein, 1977). The 1-month value for highly sensitive plants represents what could be protective for grapevines

Table 1. Possible acceptable limits for atmospheric concentrations of gaseous fluoride with reference to effects on vegetation.

Plant Sensitivity class	Concentration ($\mu gF\ m^{-3}$) Averaging time		
	24 hours	1 month	7 months
High	1.6	0.4	0.25
Moderate	3.6	1.5	0.6
Low	10.0	2.5	1.2

Table 2. Standards of the State of Maryland for the concentration of fluoride in vegetation.

Class of vegetation	Concentration of fluoride (μgF per g dry mass)		
Forage for cattle[a]	80	60[b]	35[c]
Field crops	35[d]		
Ornamental plants	40[d]		
Conifers & evergreens (current)	50[d]		
" " (older)	75[d]		
Deciduous trees & shrubs	100[d]		
Grasses & herbs (not grazed)	150[d]		

a) Unwashed samples
b) Mean for two months
c) Mean for 12 months
d) Foliage washed before analysis

based on the work of Doley (1986) with the Chardonnay cultivar of *Vitis vinifera*. The 7-month concentration for highly sensitive plants is based in part on the results of MacLean et al. (1984) as related to the occurrence of suture red spot (SRS) on fruit of peach. This is one of the most sensitive responses of plants to HF and also an economically significant effect. If protection against the occurrence of SRS is not of concern, a higher value such as 0.4 μgF m^{-3} based upon Doley (1986) could be used.

The averaging periods above were chosen mainly because they represent the exposure regimes used to furnish the experimental data. However, they should also recognize what characteristics of exposure could be operationally significant in the vicinities of the sources and receptors. Given the variability observed in the concentrations of HF in quotidian or weekly cycles and the temporal variations in the susceptibility of plants under ambient conditions, one could propose periods shorter than 24 hours or greater than 24 hours and less than 30 days. With respect to a seven-month value, there is some question as to whether a mean value is appropriate when the median of the population of samples from which it is derived could be zero.

In general one could conclude that atmospheric levels of gaseous fluoride below those considered protective for vegetation would result in greater accumulations of fluoride in foliage and soil than would the wet deposition of HF from fluorocarbon degradation.

3. HYDROGEN CHLORIDE

Although hydrogen chloride could also result from degradation of some compounds proposed as alternatives, it is much less toxic to plants than fluoride. For example, Guderian (1977) recommends a concen-

trations no greater than 50 $\mu g\ m^{-3}$ as being protective of the most sensitive vegetation. In addition, concentrations of chloride in foliage associated with thresholds for foliar injury are in the range of 0.2 to 2% by dry weight.

4. FLUORO-ORGANIC COMPOUNDS

No data are presently available of the effect of trifluoroacetic acid on plants. Nevertheless, some plants do synthesize monofluoroacetate and some data is available on the degradation of this compound by plants and microbes.

The distribution of fluorine-containing organic molecules in nature appears to be limited to its occurrence as monofluoroacetate (Marais, 1944) and in omega-fluorine homologues, fluorooleate and fluoropalmitate (Peters et al. 1960; Ward et al., 1964). For more details on their distribution see Weinstein et al. (1972). The carbon-fluorine bond in these compounds has extraordinary stability and its slow release is accomplished by refluxing in 20 percent sodium hydroxide or heating at 100C in concentrated sulfuric acid. Complete release occurs only after refluxing in 30 percent sodium hydroxide or by sodium fusion at 400C.

Monofluoroacetate is a naturally-occurring compound in plants, and has been implicated in "lethal synthesis" in many mammals (Peters, 1952), i.e., the biosynthesis of monofluorocitrate from fluoroacetate, which blocks aconitic hydratase and can result in death. It seemed likely that, despite the great chemical stability of the methylene carbon-fluorine bond, there might be enzymes capable of degrading it. The cleavage of the carbon-fluorine bond of monofluoroacetate was first reported by Horiuchi (1962) using extracts from a pseudomonad isolated from soil. Although defluorination occurred, significant defluorination was not reported until Goldman (1965) isolated a pseudomonad from soil that grew on a medium containing monofluoroacetate as the sole carbon source. The results were quickly verified for other soil organisms (Tonomura et al., 1965; Kelly, 1965). The enzyme capable of cleaving the carbon-fluorine bond was a haloacetate halidohydrolase (Goldman and Milne, 1966; Goldman et al., 1968; Goldman, 1969) that catalyzes the reaction

$$XCH_2COO^{\cdot} + OH^{\cdot} \rightarrow X^{\cdot} + HOCH_2COO^{\cdot}$$

where X = F, Cl, or I.

Preuss et al. (1968, 1969) first reported that higher plants can cleave the methylene carbon-fluorine bond. This was shown by the liberation of $^{14}CO_2$ following incubation with 2-^{14}C-fluoroacetate in germinating seeds of peanut, castor bean, and *Acacia georginae.* Pinto bean seeds were not able to liberate $^{14}CO_2$. In peanut, inorganic fluoride was one product of the reaction. The other was postulated to be glycolic acid. The enzyme that accomplishes defluorination in plants has not been characterized.

The facility by which the carbon-fluorine bond can be cleaved by enzymes found in soil microorganisms and higher plants, leads to the question of the ultimate fate of trifluoroacetic acid (Pattison, 1959), one of the major products of photochemical oxidation of several of the alternative fluorocarbons. It is probable that plant and/or microbial enzymes can remove fluorine atoms from the molecule. Whether de-

halogenation will occur as it does with dichloroacetate (Goldman et al., 1968), i.e., removal of both halogen atoms together, or whether it might be a stepwise dehalogenation, with monohalidoacetate as the end product, is not known.

5. RECOMMENDATIONS

It is apparent that the quantities of inorganic fluoride assumed in this discussion are well below those heretofore considered to be of interest with respect to the environmental consequences of industrial operations. They could represent a doubling of what would be estimated to be natural background. Accordingly, research on their possible biogeochemical effects should be directed to the identification of natural systems presently uninfluenced by anthropogenic fluoride and a better understanding of pathways of transport and transformation for fluoride in them.

With reference to the effects of fluoro-organic compounds, it is recommended that research be directed to: (1) metabolism of trifluoro- and other halidoacetates by plants and microorganisms; (2) bioaccumulation and toxicology of these compounds in components of terrestrial and aquatic ecosystems; (3) phytotoxicity of perchloroacetate and alkylhydroperoxides.

Annex A Experts and Reviewers

PRECEDING PAGE BLANK NOT FILMED

ANNEX A
EXPERTS AND REVIEWERS INVOLVED IN AFEAS

EXPERTS

R. Atkinson	University of California, Riverside
W.L. Chameides	Georgia Institute of Technology
P.S. Connell	Lawrence Livermore National Laboratory
R.A. Cox	Harwell Laboratory
R.G. Derwent	Harwell Laboratory
D.L. Filkin	E. 1. du Pont de Nemours & Co., Inc,
D.A. Fisher	E. 1. du Pont de Nemours & Co., Inc.
J.P. Friend	Drexel University
C.H. Hales	E. 1. du Pont de Nemours & Co., Inc.
R.F. Hampson	National Institute of Standards and Technology, Gaithersburg
I.S.A. Isaksen	Oslo University
L.S. Kaminsky	State University of New York at Albany
M.K.W. Ko	Atmospheric and Environmental Research, Inc
M.J. Kurylo	National Institute of Standards and Technology, Gaithersburg
R. Lesclaux	University of Bordeaux
D.C. McCune	Boyce Thompson Institute for Plant Research, Ithaca
M.O. McLinden	National Institute of Standards and Technology, Boulder
M.J. Molina	Jet Propulsion Laboratory
H. Niki	York University, Ontario
M.J. Prather	NASA Goddard Institute for Space Studies
V. Ramaswamy	Princeton University
S.P. Sander	Jet Propulsion Laboratory
F. Stordal	Oslo University
N.D. Sze	Atmospheric and Environmental Research, Inc.
A. Volz-Thomas	Kfa Julich
W-C Wang	Atmospheric and Environmental Research, Inc,
L.H. Weinstein	Boyce Thompson Institute for Plant Research, Ithaca
P.H. Wine	Georgia Institute of Technology
D.J. Wuebbles	Lawrence Livermore National Laboratory
R. Zellner	University of Hannover

REVIEWERS

D.L. Albritton	National Oceanic and Atmospheric Administration
J.G. Anderson	Harvard University
R.E. Banks	University of Manchester Institute of Science and Technology
J.J. Bufalini	US Environmental Protection Agency
A.W. Davison	Newcastle University
W.B. DeMore	Jet Propulsion Laboratory
D.D. Des Marteau	Clemson University
R.A. Duce	University of Rhode Island
A. Goldman	University of Denver

EXPERTS AND REVIEWERS INVOLVED IN AFEAS (Continued)

M.R. Hoffman	California Institute of Technology
C.J. Howard	National Oceanic and Atmospheric Administration
N. Ishikawa	F&F Research Centre, Tokyo
J.L. Moyers	National Science Foundation
V. Ramanathan	University of Chicago
A.R. Ravishankara	National Oceanic and Atmospheric Administration
F.S. Rowland	University of California, Irvine
P. Simon	Institut d'Aeronomie Spatiale de Belgique
H.O. Spauschus	Georgia Institute of Technology
S. Solomon	National Oceanic and Atmospheric Administration
A. Tuck	National Oceanic and Atmospheric Administration
R.T. Watson	National Aeronautics and Space Administration
S. Wofsy	Harvard University

Annex B Companies Sponsoring AFEAS

ANNEX B
COMPANIES SPONSORING AFEAS

Akzo Chemicals	Netherlands
Allied-Signal Corporation	USA
Asahi Glass Co., Ltd.	Japan
Atochem	France
Chemical Industries of Northern Greece, S.A.	Greece
Daikin Industries, Ltd,	Japan
E. I. du Pont de Nemours & Co., Inc.	USA
Hoechst AG	Germany
ICI Chemicals and Polymers Ltd.	UK
ISC Chemicals	UK
Kali-Chemie AG	Germany
LaRoche Chemicals	USA
Montefluos SpA	Italy
Pennwalt Corporation	USA
Racon (Atochem)	USA

Annex C Statement of Work

PRECEDING PAGE BLANK NOT FILMED

ANNEX C

STATEMENT OF WORK

Each reviewer should prepare a one page written review of each paper specified with their name in the following. The reviews should be sent to the chairman of the AFEAS science committee as early as possible and fifty copies of the reviews should be brought to the AFEAS conference.

The reviews should address the following questions:

1. Is there significant information relevant to the subject that is not included in the review paper?

2. Are the conclusions supported by the information presented in the review paper?

3. Are the findings reported in the executive summary supported by the information in the body of the paper? Are all of the important points covered in the executive summary? Does the summary provide the correct level of detail or is information included that should be removed?

I. Physical and Chemical Properties:

Since model calculations and evaluations of potential biological and health effects will require the information developed in these reviews as input, Experts answering these questions will be required to submit their review papers by not later than 28 February, 1989.

A. Solubility in Water, Vapor Pressure, Hydrolysis Rates

Based on information in the literature, supplied by AFEAS member companies and available from other sources, what are the recommended temperature dependent values of the solubility in pure water, solubility in sea water, vapor pressure, and hydrolysis rates for each of the HCFCs and HFCs? Expert - Mark McLinden

Reviewer - H.O. Spauschus

B. Reaction Rate Constants

Based on available information, what is the recommended temperature dependent rate constant for reaction of each of the HCFCs and HFCs with hydroxyl and $O(^1D)$? What are the error limits on these rate constants? Experts - Bob Hampson, Mike Kurylo and Stan Sander working together.

Reviewers - W. B. DeMore and A. R. Ravishankara

C. Absorption Cross-Sections

Based on available information, what are the recommended ultraviolet (190-400 nm) and infra-red (primarily in the 8 - 13 m range) cross-sections for each of the HCFCs and HFCs? What are the error limits on these cross-sections? Expert - Mario Molina

Reviewers - P. Simon and A. Goldman

D. Degradation Mechanisms

Based on available information, how will the HCFCs and HFCs degrade in the troposphere after

the initial hydrogen atom abstraction by hydroxyl, what are the intermediate and final products and what is the most likely atmospheric lifetime of each of these products? Is it likely that relatively stable fluorine-containing intermediates would be formed? How would the products be removed from the atmosphere? As this is one of the more important set of questions, four experts, or teams of experts, are being asked to address these questions. Experts - Tony Cox and R. Lesclaux working together; Roger Atkinson; Hiromi Niki; and Reinhardt Zellner.

Reviewers - All reviewers should compare the papers to identify inconsistencies and determine if they are due to uncertainties that cannot be resolved without further research or if they are due to errors in one or more of the papers. Specific responsibilities for more extensive reviews are:

J. G. Anderson - papers prepared by R. A. Cox and R. Lesclaux and R. Zellner

J. Bufalini - papers prepared by R. Atkinson and H. Niki

W. B .DeMore - papers prepared by H. Niki and R. Zellner

A.R. Ravishankara - papers prepared by R. Atkinson and R. A. Cox and R. Lesclaux

Each of the following reviewers should prepare a single review of the group of four papers. The group should be reviewed for completeness and consistency. Causes of any inconsistencies should be discussed. Each of these reviewers should suggest a single executive summary based on the four executive summaries.

F. S. Rowland

R. E. Banks

N. Ishikawa

II. Uncertainties in Atmospheric Lifetimes

Experts answering these questions will be required to submit their review papers by not later than 1 April, 1989.

A. Tropospheric Hydroxyl Concentrations

Based on measurements of the isotopic ratio of carbon in atmospheric carbon monoxide, what is the average tropospheric hydroxyl radical concentration and what are the uncertainties in the derived concentration? Given that the rate constant of the reactions of HCFCs and HFCs with hydroxyl are temperature dependent, what is your best estimate of lifetime (with uncertainty limits) of each of the HCFCs and HFCs? Experts - Andreas Volz-Thomas and R. G. Derwent working together.

Given the available data base on methyl chloroform and HCFC-22 (measured atmospheric concentrations and estimated global emissions), what are the calculated atmospheric lifetimes of these compounds and how sensitive are the lifetime to variations in these data, e.g. latitudinal, seasonal,

vertical profile? Calculate the effect of a reasonable variation in each of these parameters in turn. Assuming that reaction with OH is the only sink for methyl chloroform and HCFC-22, how do uncertainties in the data base for these compounds extrapolate to influence the derived OH concentration? Extend the sensitivity calculation from effect on lifetime to effect on *OH* and hence on the lifetimes of alternative fluorocarbons. Based on this analysis, what is your best estimate of lifetime (with uncertainty limits) of each of the HCFCs and HFCs.

Are the inferred lifetimes for methyl chloroform and HCFC-22 consistent with the assumption that reaction with OH is the only sink? Is it possible that there is another sink for one or other compound, e.g. hydrolysis of methyl chloroform? Expert - Michael Prather

Reviewer - S. Wofsy

Individual reviews should be prepared for each paper and the conclusions of the papers should be compared. If there are inconsistencies the reviewer should determine if they are due to uncertainties that cannot be resolved without further research or if one or both of the papers contain errors.

B. Hydrolysis

Based on available information on hydrolysis rates, what are the most likely atmospheric lifetimes of methyl chloroform, HCFC-22 and the other HCFCs and HFCs against hydrolysis? (Estimates of average hydroxyl concentrations derived using measurements of methyl chloroform are based on the assumption that there are no other significant atmospheric sinks of methyl chloroform. This question is being asked to determine if that is a valid assumption.) Experts - Paul Wine and Bill Chameides working together.

What are the atmospheric lifetimes of the compounds identified in I.D. against hydrolysis? What are the ultimate products that would be formed in solution? Experts - Paul Wine and Bill Chameides working together.

Reviewers - M. R. Hoffmann and D. D. Des Marteau

In addition to preparing reviews of the papers the reviewers should prepare brief summaries of other potentially important liquid phase reactions involving compounds identified in I.D. and not addressed by AFEAS.

III. Natural Sources

Experts answering these questions will be required to submit their review paper by not later than 1 May, 1989.

What are the source strengths and atmospheric concentrations of compounds containing chlorine and/or fluorine due to natural sources? What are natural concentrations of fluoride in ground water? What are the concentrations of fluoride from natural sources in rain water and surface waters (oceans, rivers, lakes)? What concentrations are found in metropolitan water supplies before and after fluoridation? What are the source strengths of other inorganic compounds that would be converted to acidic compounds in the atmosphere? Expert - J. Friend

Reviewers - J. L. Moyers and R. A. Duce

IV. Model Calculations

Experts answering these questions will be required to submit their review papers by not later than 1 May, 1989.

A. Stratospheric Ozone

Given the information supplied by the experts answering I.B., I.C. and II., what are the calculated ozone depletion potentials (including uncertainties) of the HCFCs? Based on available information, could HFCs contribute to ozone depletion? Experts - Don Fisher, Ivar Isaksen, Dak Sze and Don Wuebbles working together.

Reviewers - S. Solomon and A. F. Tuck

B. Tropospheric Ozone

Given the information supplied by the experts answering I.B., is it likely that the HFCs and HCFCs would contribute to production of photochemical oxidants in the vicinity of release? on a global basis, how would emissions of HCFCs and HFCs (currently, emissions of CFCs are about one billion kilograms per year) compare to natural sources of ozone precursors? Expert - Hiromi Niki.

Reviewer - J. Bufalini

C. Global Warming

Given the information supplied by the experts answering I.B., I.C. and II., what are the halocarbon global warming potentials (including uncertainty limits) of the HCFCs and HFCs? Experts - Don Fisher, Dak Sze, and one other climate modeler, working together.

Reviewer - V. Ramanathan

V. Biological and Health Effects

Experts answering these questions will be required to submit their review papers by not later than I May, 1989.

Based on the answers to these questions in sections I. and II., is it likely that the decomposition products from annual emissions of one billion kg. (an amount that is approximately equal to current emissions of CFCs) could contribute to biological or health effects? The organisms to be considered should range from humans all the way down to microorganisms. The review should address the following topics for each of the classes of degradation compounds on the list:

1. Known acute and chronic affects to all concentrations, but with emphasis on the lowest concentrations for which data are available.

2. Existence of a dose-response threshold.

3. Availability of data on quantitative dose-response relationships.

4. Biochemists reaction mechanisms, if known.

5. Repair mechanisms and/or ability of the organism to adapt.

6. Potential effects at projected concentrations corresponding to hypothetical emissions for a given parent compound of 1 billion kg/year at steady state.

7. Most important research needed to resolve uncertainties relevant to the above items.

Experts - L. S. Kaminsky; and L. H. Weinstein and D. C McCune working together.

Reviewer - A. Davison

Individual reviews should be prepared for each paper and the conclusion of the papers should be compared. If there are inconsistencies the reviewer should determine if they are due to uncertainties that cannot be resolved without further research or if one or both of the papers contain errors.

REFERENCES

AFEAS REFERENCE LIST

Adachi, H., and N. Basco, Kinetic spectroscopy study of the reaction of $C_2H_5O_2$ with NO, *Chem. Phys. Lett.*, *64*, 431-434, 1979a.

Adachi, H., and N. Basco, The reaction of ethylperoxy radicals with NO_2, *Chem. Phys. Lett.*, *67*, 324-328, 1979b.

Adachi, H., and N. Basco, Reactions of isopropylperoxy radicals with NO and NO_2, *Int. J. Chem. Kinet.*, *14*, 1243-1251, 1982.

Addison, M. C., R. J. Donovan, and J. Garraway, Reactions of $O(^1D)$ and $O(^3P)$ with halogenomethanes, *Faraday Disc. Chem. Soc.*, *67*, 286-296, 1979.

Afanassiev, A. M., K. Okazaki, and G. R. Freeman, Effect of solvation energy on electron reaction rates in hydroxylic solvents, *J. Phys. Chem.*, *83*, 1244-1249, 1979.

Airaksinen, M. M., and T. Tammisto, Toxic actions of the metabolites of halothane: LD50 and some metabolic effects of trifluorethanol and trifluoroacetate acid in mice and guinea pigs, *Ann. Med. Exp. Fenniae*, *46*, 242-248, 1968.

Airaksinen, M. M., P. H. Rosenberg, and T. Tammisto, A possible mechanism of toxicity of trifluoroethanol and other halothane metabolites, *Acta Pharmacol. Toxicol.*, *28*, 299-304, 1970.

Alfassi, Z. B., S. Mosseri, and P. Neta, Halogenated alkyl peroxyl radicals as oxidants: Effects of solvents and of substituents on rates of electron transfer, *J. Phys. Chem.*, *91*, 3383-3385, 1987.

Allied-Signal Corporation, unpublished data, private communication with S. R. Orfeo and R. G. Richard, Buffalo, NY, 1989.

Ambrose, D., D. H. S. Sprake, and R. Townsend, Thermodynamic properties of aliphatic halogen compounds, part 1 -- vapour pressure and critical properties of 1,1,1-trichloroethane, *J. Chem. Soc., Faraday Trans. 1*, *69*, 839-841, 1973.

Anastasi, C., D. J. Waddington, and A. Woolley, Reactions of oxygenated radicals in the gas phase. Part 10 - Self reactions of ethylperoxy radicals, *J. Chem. Soc., Faraday Trans. 1*, *79*, 505-506, 1983.

Anastasi, C., I. W. M. Smith, and D. A. Parkes, Flash photolysis study of the spectra of CH_3O_2 and $C(CH_3)_3O_2$ radicals and the kinetics of their mutual reactions and with NO, *J. Chem. Soc., Faraday Trans. 1*, *74*, 1693-1701, 1978.

Anbar, M., and E. J. Hart, The reaction of haloaliphatic compounds with hydrated electrons, *J. Phys. Chem.*, *69*, 271-274, 1965.

Andon, R. J. L., J. F. Counsell, D. A. Lee, and J. F. Martin, Thermodynamic properties of aliphatic halogen compounds, part 2 -- Heat capacity of 1,1,1-trichloroethane, *J. Chem. Soc., Faraday Trans. 1*, *69*, 1721-1726, 1973.

REFERENCES

Ares, J. O., Fluoride cycling near a coastal emission source, *J. Air Pollut. Control Assoc.*, *28*, 344-349, 1978.

Ares, J. O., Identification of aluminum species in acid forest soil solution on the basis of Al:F reaction kinetics: 2. An example at the Solling area, *Soil Sci.*, *142*, 13-19, 1986.

Artaxo, P., H. Storms, F. Bruynseels, R. Van Grieken, and W. Maenhaut, Composition and sources of aerosols from the Amazon Basin, *J. Geophys, Res.*, *93*, 1605-1615, 1988.

ASHRAE, *ASHRAE Handbook of Fundamentals*, American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Atlanta, 1985.

ASHRAE, *ASHRAE Thermodynamic Properties of Refrigerants*, American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Atlanta, 1987.

Atkinson, R., Kinetics and mechanisms of the gas-phase reaction of the hydroxyl radical with organic compounds under atmospheric conditions, *Chem. Rev.*, *86*, 69-201, 1986.

Atkinson, R., A structure-activity relationship for the estimation of rate constants for the gas-phase reactions of OH radicals with organic compounds, *Int. J. Chem. Kinet.*, *19*, 799-828, 1987.

Atkinson, R., Gas-phase tropospheric chemistry of organic compounds: A review, *Atmos. Environ.*, in press, 1989a.

Atkinson, R., Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds, *J. Phys. Chem. Ref. Data*, in press, 1989b.

Atkinson, R., and A. C. Lloyd, Evaluation of kinetic and mechanistic data for modeling of photochemical smog, *J. Phys. Chem. Ref. Data*, *13*, 315-444, 1984.

Atkinson, R., and S. M. Aschmann, Kinetics of the gas phase reactions of Cl atoms with a series of organics at 296± 2 K and atmospheric pressure, *Int. J. Chem. Kinet.*, *17*, 33-41, 1985.

Atkinson, R., and W. P. L. Carter, Kinetics and mechanisms of the gas-phase reactions of ozone with organic compounds under atmospheric conditions, *Chem. Rev.*, *84*, 437-470, 1984.

Atkinson, R., D. A. Hansen, and J. N. Pitts, Jr., Rate constants for the reaction of OH radicals with CHF_2Cl, CF_2Cl_2, $CFCl_3$, and H_2 over the temperature range 297-434 K, *J. Chem. Phys.*, *63*, 1703-1706, 1975.

Atkinson, R., D. L. Baulch, R. A. Cox, R. F. Hampson, J. A. Kerr, and J. Troe, Evaluated kinetic and photochemical data for atmospheric chemistry: Supplement III, *Int. J. Chem. Kinet.*, *21*, 115, 1989.

Atkinson, R., D. L. Baulch, R. A. Cox, R. F. Hampson, Jr., J. A. Kerr, and J. Troe, Evaluated kinetic and photochemical data for atmospheric chemistry. Supplement III, *J. Phys. Chem Ref. Data*, *18*, 881-1097, 1989.

Atkinson, R., G. M. Breuer, J. N. Pitts, Jr., and H. L. Sandoval, Tropospheric and stratospheric sinks for halocarbons: Photooxidation, $O(^1D)$ atom, and OH radical reactions, *J. Geophys. Res.*, *81*, 5765-5770, 1976.

Atkinson, R., S. M. Aschmann, and A. M. Winer, Alkyl nitrate formation from the reaction of a series of branched RO_2 radicals with NO as a function of temperature and pressure, *J. Atmos. Chem.*, *5*, 91-102, 1987.

Atkinson, R., S. M. Aschmann, W. P. L. Carter, A. M. Winer, and J. N. Pitts, Jr., Alkyl nitrate formation from the NO_x-air photo-oxidations of C_2-C_8 n-alkanes, *J. Phys. Chem.*, *86*, 4563-4569, 1982.

Auerbach, I., F. H. Verhoek, and A. L. Henne, Kinetics studies on the decarboxylation of sodium trifluoroacetate in ethylene glycol, *J. Am. Chem. Soc.*, *72*, 299-300, 1950.

Baden, J. M., M. Brinkenhoff, R. S. Wharton, B. A. Hitt, V. F. Simmon, and R. I. Mazze, Mutagenicity of volatile anesthetics: Halothane, *Anesthesiology*, *45*, 311-318, 1976.

Bahnemann, D. W., C. Kormann, and M. R. Hoffman, Preparation and characterization of quantum size zinc oxide: A detailed spectroscopic study, *J. Phys. Chem.*, *91*, 3789-3798, 1987.

Baker, J. W., and D. M. Easty, Hydrolytic decomposition of esters of nitric acid. Part I. General experimental techniques. Alkaline hydrolysis and neutral solvolysis of methyl, ethyl, isopropyl, and tert-butylnitrates in aqueous alcohol, *J. Chem. Soc.*, 1193-1207, 1952.

Balkas, T. I., The radiolysis of aqueous solutions of methylene chloride, *Int. J. Radiat. Phys. Chem*, *4*, 199-208, 1972.

Balkas, T. I., J. H. Fendler, and R. H. Schuler, Radiolysis of solutions of methyl chloride. The concentration dependence of scavenging electrons within spurs, *J. Phys. Chem*, *74*, 4497-4505, 1970.

Balkas, T. I., J. H. Fendler, and R. H. Schuler, The radiation chemistry of aqueous solutions of $CFCl_3$, CF_2Cl_2, and CF_3Cl, *J. Phys. Chem*, *75*, 455-466, 1971.

Balla, R. J., H. H. Nelson, and J. R. McDonald, Kinetics of the reactions of isopropoxy radicals with NO, NO_2, and O_2, *Chem. Phys.*, *99*, 323-335, 1985.

Ballinger, P., and F. A. Long, Acid ionization constants of alcohols. II. Acidities of some substituted methanols and related compounds, *J. Am. Chem. Soc.*, *82*, 795-798, 1960.

Barnard, W. R., and D. K. Nordstrom, Fluoride in precipitation. II. Implications for the geochemical cycling of fluorine, *Atmos. Environ.*, *16*, 105-111, 1982.

Batt, L., The gas phase decomposition of alkoxy radicals, *Int. J. Chem. Kin.*, *11*, 977, 1977.

Batt, L., Reactions of alkoxy and alkyl peroxy radicals, *Int. Rev. Phys. Chem.*, *6*, 53-90, 1987.

REFERENCES

Batt, L., and R. Walsh, A reexamination of the pyrolysis of bis trifluoromethyl peroxide. Addendum: Concerning $D(CF_3O_2\text{-}CF_3)$ and $D(CF_3\text{-}O_2)$, *Int. J. Chem. Kinet.*, *15*, 605-607, 1983.

Batt, L., M. MacKay, I. A. B. Reid, and P. Stewart, The pressure dependent decomposition of the trifluoromethoxy radical, *9th International Symp. Gas Kinetics*, University of Bordeaux, Bordeaux, France, July 20-25, 1986.

Baulch, D. L., R. A. Cox, P. J. Crutzen, R. F. Hampson, Jr., J. A. Kerr, J. Troe, and R. T. Watson, Evaluated kinetic and photochemical data for atmospheric chemistry: Supplement I, *J. Phys. Chem. Ref. Data*, *11*, 327-496, 1982.

Baulch, D. L., R. A. Cox, R. F. Hampson, Jr., J. A. Kerr, J. Troe, and R. T. Watson, CODATA Task Group on Chemical Kinetics, Evaluated kinetic and photochemical data for atmospheric chemistry, *J. Phys. Chem. Ref. Data*, *11*, 327-496, 1982; 13, 1259-1380, 1984.

Baulch, D. L., R. A. Cox, R. F. Hampson, Jr., J. A. Kerr, J. Troe, and R. T. Watson, Evaluated kinetic and photochemical data for atmospheric chemistry, *J. Phys. Chem. Ref. Data*, *9*, 295-471, 1980.

Beilsteins Handbuch der Organischen Chemie, Vierte Auflage, Springer, 1960.

Benson, S. W., *Thermochemical Kinetics, 2nd ed.*, Wiley, New York, NY, 1976.

Berdnikov, V. M., and N. M. Bazhin, Oxidation-reduction potentials of certain inorganic radicals in aqueous solutions, *Russ. J. Phys. Chem. Engl. Trans.*, *44*, 395-398, 1970.

Bernstein, P. A., F. A. Hohorst, and D. D. DesMarteau, Trifluoromethyl hydroperoxide. Properties and reactions with some acid fluorides, *J. Am. Chem. Soc.*, *93*, 3883-3886, 1971.

Bertrand, L., J. A. Franklin, P. Goldfinger, and G. Huybrechts, The point of attack of a chlorine atom of trichloroethylene, *J. Phys. Chem.*, *72*, 3926, 1968.

Betrand, L., L. Exsteen-Meyers, J. A. Franklin, G. Heubrecht, and J. Olbregts, Chlorine photosensitized oxidations of chloroethanes and chloroethylenes in the gas phase, *Int. J. Chem. Kin.*, *3*, 89, 1971.

Betterton, E. A., and M. R. Hoffman, Henry's law constants for some environmentally important aldehydes, *Environ. Sci. Technol.*, *22*, 1415-1418, 1988.

Bewers, J. M., and H. H. Haysom, The terrigenous dust contribution to fluoride and iodide in atmospheric precipitation, *J. Rech. Atmos.*, *13*, 689-697, 1974.

Bewers, J. M., and P. A. Yeats, Fluoride in global circulation, *Limnology and Oceanography, 20,* 149-150, 1975.

Bielski, B. H. J., Reevaluation of the spectral and kinetic properties of HO_2 and O_2-free radicals, *Photochem. Photobiol.*, *28*, 645-649, 1978.

Blake, D. A., H. F. Cascorbi, R. S. Rozman, and F. J. Meyer, Animal Toxicity of 2,2,2-trifluoroethanol, *Toxicol. Appl. Pharmacol.*, *15*, 83-91, 1969.

Blake, D. A., M. C. DiBlasi, and G. B. Gordon, Absence of mutagenic activity of trifluoroethanol and its metabolites in salmonella typhimurium, *Fund. Appl. Toxicol.*, *1*, 414-418, 1981.

Blake, D. A., V. H. Woo, S. C. Tyler, and F. S. Rowland, Methane concentrations and source strengths in urban locations, *Geophys. Res. Lett.*, *11*, 1211-1214, 1984.

Bonsang, B., and G. Lambert, Nonmethane HC in an oceanic atmosphere, *J. Atmos. Chem.*, *2*, 257-271, 1985.

Braen, S. N., and L. H. Weinstein, Uptake of fluoride and aluminum by plants grown in contaminated soils, *Water Air Soil Pollut.*, *24*, 215-223, 1985.

Brimblecombe, P., and S. L. Clegg, The solubility and behavior of acid gases in the marine aerosol, *J. Atmos. Chem.*, *7*, 1-18, 1988.

Buat-Menard, P., J. Morelli, and R. Chesselet, Water-soluble elements in atmospheric particulate matter over tropical and equatorial Atlantic, *J. Res. Atmos.*, *8*, 661-673, 1974.

Bullock, G. and R. Cooper, Reactions of aqueous trifluoromethyl radicals, *Trans. Far. Soc.*, *66*, 2055-2064, 1970.

Bunton, C. A., and J. H. Fendler, The hydrolysis of acetyl fluoride, *J. Org. Chem.*, *31*, 2307-2312, 1966.

Burreson, B. J., R. E. Moore, and P. Roller, Haloforms in the essential oil of alga Asparagopsis taxiformis (rhodophyta), *Tetrahedron Lett.*, *7*, 473-476, 1975.

Calvert, J. G., and J. N. Pitts, Jr., *J. Photochemistry*, Wiley, New York, 1967.

Caralp, F., A. M. Dognon, and R. Lesclaux, *8th International Symposium on Gas Kinetics, University of Nottingham*, Nottingham, U.K., July 15-20, 1984.

Caralp, F., and R. Lesclaux, Rate constant for the reaction of the $CFCl_2$ radical with oxygen in the pressure range 0.2-12 torr at 298 K, *Chem. Phys. Lett.*, *102*, 54-58, 1983.

Caralp, F., R. Lesclaux, and A. M. Dognon, Kinetics of the reaction of CF_3 with O_2 over the temperature range 233-373 K, *Chem. Phys. Lett.*, *129*, 433, 1986.

Caralp, F., R. Lesclaux, M.-T. Rayez, J.-C. Rayez, and W. Forst, Kinetics of the combination reactions of chlorofluoromethylperoxy radicals with NO_2 in the temperature range 233-373 K, *J. Chem. Soc., Faraday Trans. 2*, *84*, 569-585, 1988a.

Caralp, F., R. Lesclaux, M.-T. Rayez, J.-C. Rayez, and W. Forst, *J. Chem. Soc., Faraday Trans. 2*, *84*, 429, 1988b.

Carr, R. W., Jr., D. G. Peterson, and F. K. Smith, Flash photolysis of 1,3-dichlorotetrafluoroacetone in the presence of oxygen. Kinetics and mechanisms of the oxidation of the chlorodifluoromethyl radicals, *J. Phys. Chem.*, *90*, 607-614, 1986.

REFERENCES

Carter, W. P. L., and R. Atkinson, Atmospheric chemistry of alkanes, *J. Atmos. Chem.*, *3*, 337-405, 1985.

Carter, W. P. L., and R. Atkinson, Alkyl nitrate formation from the atmospheric photooxidation of alkanes: A revised estimation method, *J. Atmos. Chem.*, *8*, 165-173, 1989.

Cattell, F. C., J. Cavanagh, R. A. Cox, and M. E. Jenkin, A kinetics study of reactions of HO_2 and $C_2H_5O_2$ using diode laser absorption spectroscopy, *J. Chem. Soc., Faraday Trans. 2*, *82*, 1999-2018, 1986.

Chameides, W. L., The photochemistry of a remote marine stratiform cloud, *J. Geophys. Res.*, *89*, 4739-4755, 1984.

Chameides, W. L., and D. D. Davis, Chemistry in the troposphere, *Special Report in Chem. and Eng. News*, *60*, 38-52, 1982.

Chameides, W. L., S. C. Liu, and R. C. Cicerone, Possible variations in atmospheric methane, *J. Geophys. Res.*, *82*, 1795, 1977.

Chang, J. S., and F. Kaufman, Kinetics of the reactions of hydroxyl radicals with some halocarbons: $CHFCl_2$, CHF_2Cl, CH_3CCl_3, C_2HCl_3, and C_2Cl_4, *J. Phys. Chem.*, *66*, 4989-4994, 1977.

Chemical Manufacturers Association, CMA, *Production, sales and calculated release of CFC 11 and CFC 12 through 1982*, 1983.

Chemical Manufacturers Association, CMA, *Production, sales and calculated release of CFC 11 and CFC 12 through 1983*, October, 1984.

Chemical Manufacturers Association, CMA, *Production, sales and calculated release of CFC 11 and CFC 12 through 1987*, 1988.

Chen, S. S., A. S. Rodgers, J. Chao, R. C. Wilheit, and B. J. Zwolinski, Ideal gas thermodynamic properties of six fluoroethanes, *J. Phys. Chem. Ref. Data*, *4*, 441, 1975.

Cherneeva, L. I., Experimental investigation of the thermodynamic properties of Freon 142, *Teploenergetika 1958(7)*, 38-43, 1958.

Chesselet, R., J. Morelli, and P. Buat-Menard, Some aspects of the geochemistry of marine aerosols, *The Changing Chemistry of the Oceans*, D. Dryssen and D. Jagner, eds., 94-120, John Wiley, New York, 1972.

Cicerone, R. J., Halogens in the atmosphere, *Rev. Geophys. Space Phys.*, *19*, 123-139, 1981.

Clegg, S. L., and P. Brimblecombe, The dissociation constant and Henry's Law constant of HCl in aqueous solution, *Atmos. Environ.*, *20*, 2483-2485, 1986.

Clemitshaw, K. C., and J. R. Sodeau, Atmospheric chemistry at 4.2 K: A matrix isolation study of the reaction between CF_3O_2 radicals and NO, *J. Phys. Chem.*, *91*, 3650-3653, 1987.

Clyne, M. A. A., and P. M. Holt, Reaction kinetics involving ground $X^2\Pi$ and excited $A^2\Sigma$ hydroxyl radicals. Part 1. Quenching kinetics of OH $A^2\Sigma$ and rate constants for reactions of OH $X^2\Pi$ wth CH_3CCl_3 and CO, *J. Chem. Soc. Faraday Trans. 2, 75*, 569-581, 1979a.

Clyne, M. A. A., and P. M. Holt, Reaction kinetics involving ground $X^2\Pi$ and excited $A^2\Sigma$ hydroxyl radicals. Part 2. Rate constants for reactions of OH $X^2\Pi$ wth halogenomethanes and halogenoethanes, *J. Chem. Soc. Faraday Trans. 2, 75*, 582-591, 1979b.

Cohen, N., and K. R. Westberg, Chemical kinetic data sheets for high-temperature chemical reactions, vol. II, *Aerospace Report No. ATR-88(7073)-3*, Nov. 14, 1988.

Cohen, N., and S. W. Benson, Transition-state-theory calculations for reactions of OH with haloalkanes. I. Halomethanes, *Aerospace Report No. ATR-85(7072)-1, I*, The Aerospace Corporation, El Segundo, CA, 1985.

Cohen, N., and S. W. Benson, Transition-state-theory calculations for reactions of OH with haloalkanes. I. Haloethanes, *Aerospace Report No. ATR-85(7072)-1, II*, The Aerospace Corporation, El Segundo, CA, 1985.

Cooper, R., J. B. Cumming, S. Gordon, and W. A. Mulac, The reactions of the halomethyl radicals CCl_3 and CF_3 with oxygen, *Radiat. Phys. Chem., 16*, 169, 1980.

Cox, R. A., *Tropospheric Ozone - Regional & Global Scale Interactions, NATO ASI Series C, vol. 227*, ed. I. S. Isaksen, D. Reidel, Dordrecht, 1988.

Cox, R. A., and G. S. Tyndall, Rate constants for reactions of CH_3O_2 in the gas phase, *Chem. Phys. Lett, 65*, 357-360, 1979.

Cox, R. A., and G. S. Tyndall, Rate constants for the reactions of CH_3O_2 with HO_2, NO, and NO_2 using molecular modulation spectrometry, *J. Chem. Soc., Faraday Trans. 2, 76*, 153-163, 1980.

Cox, R. A., and M. J. Roffey, *Environ. Sci. Technol, 11*, 900, 1977.

Cox, R. A., R. G. Derwent, A. E. J. Eggleton, and J. E. Lovelock, Photochemical oxidation of halocarbons, *Atmos. Environ., 10*, 305-308, 1976.

Craggs, C., and A. W. Davison, The effect of simulated rainfall on grass fluoride concentrations, *Environ. Pollut. (Series B), 9*, 309-318, 1985.

Crutzen, P. J., Tropospheric ozone: An overview, *Tropospheric Ozone*, I. S. A. Isaksen, ed., Reidel, Dordrecht, Holland, 3-32, 1988.

Crutzen, P. J., The global distribution of hydroxyl, *Atmos. Chem.*, E. D. Goldberg, ed., Springer-Verlag, Berlin, 313-328, 1982.

Crutzen, P. J., Photochemical reactions initiated by and influencing ozone in unpolluted tropospheric air, *Tellus, 26*, 47-57, 1974.

Crutzen, P. J., The possible importance of CSO for the sulphate layer of the stratosphere, *Geophys. Res. Lett., 3*, 73-76, 1976.

REFERENCES

Crutzen, P. J., The role of NO and NO_2 in the chemistry of the stratosphere and troposphere, *Annual Rev. Earth Planet Sci.*, *7*, 443-472, 1979.

Crutzen, P. J., and L. T. Gidel, A two dimensional model of the atmosphere, 2. The tropospheric budgets of the anthropogenic chlorocarbons, CO, CH_4, CH_3Cl, and the effect of various NO_x sources on tropospheric ozone, *J. Geophys. Res.*, *88*, 1983.

Crutzen, P. J., and J. Fishman, Average concentrations of OH in the troposphere, and the budgets of CH_4, CO, H_2, and CH_3CCl_3, *Geophys. Res. Lett.*, *4*, 321-324, 1977.

Cunnold, D. M., R. G. Prinn, R. A. Rasmussen, P. G. Simmonds, F. N. Alyea, C. A. Cardelino, A. J. Crawford, P. J. Fraser, and R. D. Rosen, The atmospheric lifetime experiment, 3: Lifetime methodology and application to 3 years of $CFCl_3$ data, *J. Geophys. Res.*, *88*, 8379-8400, 1983.

Cunnold, D. M., R. G. Prinn, R. A. Rasmussen, P. G. Simmonds, F. N. Alyea, C. A. Cardelino, A. J. Crawford, P. J. Fraser, and R. D. Rosen, The atmospheric lifetime experiment, 4: Results for CF_2Cl_2 based on 3 years of data, *J. Geophys. Res.*, *88*, 8401-8414, 1983.

Cunnold, D. M., R. G. Prinn, R. A. Rasmussen, P. G. Simmonds, F. N. Alyea, C. A. Cardelino, A. J. Crawford, P. J. Fraser, and R. D. Rosen, Atmospheric lifetime and annual release estimates for $CFCl_3$ and CF_2Cl_2 from 5 years of ALE data, *J. Geophys. Res.*, *91*, 10,797-10,817, 1986.

Curtis, A. R., and P. W. Sweetenham, *FACSIMILE/CHECKMAT User's Manual, AERE Report R12805*, Harwell Laboratory, Oxfordshire, England, 1987.

Dagaut, P., T. J. Wallington, and M. J. Kurylo, Temperature dependence of the rate constant for the HO_2 + CH_3O_2 gas-phase reaction, *J. Phys. Chem.*, *92*, 3833-3836, 1988a.

Dagaut, P., T. J. Wallington, and M. J. Kurylo, Flash photolysis kinetic absorption spectroscopy study of the gas-phase reaction HO_2 + $C_2H_5O_2$ over the temperature range 228-380 K, *J. Phys. Chem.*, *92*, 3836-3839, 1988b.

Dagaut, P., T. J. Wallington, and M. J. Kurylo, A flash photolysis investigation of the UV absorption spectrum and self-reaction kinetics of $CH_2ClCH_2O_2$ radicals in the gas phase, *Chem. Phys. Lett.*, *146*, 589-595, 1988c.

Dagaut, P., T. J. Wallington, and M. J. Kurylo, The UV absorption spectra and kinetics of the self reactions of CH_2ClO_2 and CH_2FO_2 radicals in the gas phase, *Int. J. Chem. Kinet.*, *20*, 815-826, 1988d.

Dahlem Conference, *Report of the Dahlem Workshop on the nature of seawater, March 10-15, 1975*, E. D. Goldberg, ed., Dahlem Conferenzen, Publisher, Berlin, 1976.

Daikin, DaiflonGas technical information, Osaka, Japan, 1989.

Dale, O., The interaction of enflurane, halothane, and the halothane metabolite trifluoroacetic acid with the binding of acidic drugs to human serum albumin, *Biochem. Pharmacol.*, *35*, 557-561, 1986.

Dallmeier, E., and D. Henschler, Determination and pharmacokinetics of trifluoroacetic acid after inhalation of low concentrations of halothane, *Naunyn-Schmiedebergs Arch. Pharmacol.*, *297*, R20, 1977.

Dallmeier, E., and D. Henschler, Halothan-Belastung am arbeitsplatz im operationssaal, *Deutsche Medizinische Wochenschrift*, *106*, 324-328, 1981.

Danckwerts, P. V., *Gas-Liquid Reactions*, *276 pp.*, McGraw-Hill, 1970.

Davidson, J. A., H. I. Schiff, T. J. Brown, and C. J. Howard, Temperature dependence of the rate constants for reactions of $O(^1D)$ atoms with a number of halocarbons, *J. Chem. Phys.*, *69*, 4277-4279, 1978.

Davis, D. D., G. Machado, B. Conaway, Y. Oh, and R. T. Watson, A temperature dependent kinetics study of the reaction of OH with CH_3Cl, CH_2Cl_2, $CHCl_3$, and CH_3Br, *J. Chem. Phys.*, *65*, 1268-1274, 1976.

Davis, D. D., J. D. Bradshaw, M. O. Rogers, S. T. Sandholm, and S. Kesheng, Free tropospheric and boundary layer measurements of NO over the central and eastern north pacific ocean, *J. Geophys. Res*, *92*, D2, 2049-2070, 1987.

Davison, A. W., Uptake, transport and accumulation of soil and airborne fluorides by vegetation, *Fluorides: Effects on Vegetation, Animals, and Humans,* Ed. by Shupe, J. L., Peterson, H. B., and Leone, N. C., Paragon Press, Salt Lake City, UT, 61-82, 1983.

DeAngelo, A. B., S. Herren-Freund, M. A. Pereira, N. E. Shults, and J. E. Klaunig, Species sensitivity to the induction of peroxisome proliferation by trichloroethylene and its metabolites, *The Toxicologist*, *6*, 113, 1986.

Dean, J. A., ed., *Lang's Handbook of Chemistry, 12th Edition*, McGraw-Hill, 1979.

Delmas, R. J., M. Briat, and M. Legrand, Chemistry of south polar snow, *J. Geophys. Res.*, *87*, 4314-4318, 1982.

DeMore, W. B., M. J. Molina, S. P. Sander, D. M. Golden, R. F. Hampson, M. J. Kurylo, C. J. Howard, and A. R. Ravishankara, Chemical kinetics and photochemical data for use in stratospheric modeling, *JPL Publication 87-41*, *Evaluation No. 8*, Jet Propulsion Laboratory, Pasadena, CA, 196, 1987.

Derwent, R. G., Two-dimensional model studies of the impact of aircraft exhaust emissions on tropospheric ozone, *Atmos. Environ.*, *16*, 1997-2007, 1982.

Derwent, R. G., and A. E. J. Eggleton, Halocarbon lifetimes and concentration distributions calculated with a two-dimensional model, *Atmos. Environ.*, *12*, 1261-1270, 1978.

Derwent, R. G., and A. R. Curtis, Two-dimensional model studies of some trace gases and free radicals in the troposphere, *AERE Report R8853*, H. M. Stationery Office, London, 1977.

Derwent, R. G., and A. Volz-Thomas, The tropospheric lifetimes of halocarbons and their reactions with OH radicals, *AFEAS Report*, Section V, this report, 1989.

REFERENCES

Dewar, M. J. S., and H. S. Rzepa, Ground state of molecules. 53. MNDO calculations for molecules containing chlorine, *J. Comput. Chem.*, *4*, 158-169, 1983.

Dilling, W. L., Interphase transfer processes. II. Evaporation rates of chloromethanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions. Comparisons with theoretical predictions, *Env. Sci. Technol.*, *11*, 405-409, 1977.

Dimitriates, B., and M. Dodge, ed., *Proceedings of the empirical kinetic modeling approach (EKMA) validation workshop*, EPA-600/9-83-014, U.S. Environ. Prot. Agency, Research Triangle Park, N.C., August, 1983.

Dobé S., T. Berces, and F. Marta, Gas phase decomposition and isomerization of 2-pentoxy radicals, *Int. J. Chem. Kin.*, *18*, 329, 1986.

Dodge M., Combines use of modeling techniques and smog chamber data to derive ozone-precursor relationships, *Proceedings of the International Conf. of Photochemical Oxidant Pollution and its Control, II*, EPA-600/3-77.001b, 881-889, U.S. Environ. Prot. Agency, Research Triangle Park, N.C., 1977a.

Dodge, M., Effect of selected parameters on predictions of a photochemical model, *EPT-600/3-77-048, U.S. Environ. Prot. Agency*, Research Triangle Park, N.C., June 1977b.

Dognon, A. M., F. Caralp, and R. Lesclaux, Reactions des radicaux chlorofluoromethyl peroxyles avec NO: Etude cinetique dans le domaine de temperature comris entre 230 et 430 L, *J. Chim. Phys.*, *82*, 349-352, 1985.

Doley, D., Experimental analysis of fluoride susceptibility of grape vine (Vitis vinefera L.): Foliar fluoride accumulation in relation to ambient concentration and windspeed, *New Phytol*, *96*, 337-351, 1984.

Donahue, T. M., R. J. Cicerone, S. C. Liu, and W. L. Chameides, Effect of odd hydrogen on ozone depletion on chlorine reactions, *Geophys. Res. Lett.*, *3*, 105-108, 1976.

Donovan, R. J., K. Kaufmann, and J. Wolfrum, Reactions of $O(^1D)$ with chlorofluoromethanes and CCl_4, *Nature*, *262*, 204-205, 1976.

Downing, R. C., *Fluorocarbon Refrigerants Handbook*, Prentice Hall, Englewood Cliffs, NJ, 1988.

Duce, R. A., On the source of gaseous chlorine in the marine atmosphere, *J. Geophys. Res.*, *74*, 4597-4599, 1969.

Duce, R. A., and E. J. Hoffman, Chemical fractionation at the air/sea interface, *Ann. Rev. Earth and Planet. Sci.*, *4*, 187-228, 1976.

Duce, R. A., J. W. Winchester, and T. Van Nahl, Iodine, bromine and chlorine in the Hawaiian marine atmosphere, *J. Geophys. Res.*, *70*, 1775-1799, 1965.

Duce, R. A., W. H. Zoller, and J. L. Moyers, Particulate and gaseous halogens in the Antarctic atmosphere, *J. Geophys. Res.*, *78*, 7802-7811, 1973.

Dunnold, D., M., Fluorocarbon lifetime and releases from 5 years of ALE data, paper presented at CSIRO symposium, *The Scientific Application of Baseline Observations of Atmospheric Composition*, Aspendale, Australia, Nov. 7-9, 1984.

DuPont, "Freon technical information" data sheets and unpublished data, *private communication with C. A. McCain and T. C. Berger*, Wilmington, DE, 1989.

Eberson, L., Studies on the Kolbe electrolytic synthesis IV. A theoretical investigation of the mechanism by standard potential calculations, *Acta. Chem. Scand.*, *17*, 2004-2018, 1963.

Eberson, L., Electron-transfer reactions in organic chemistry, *Advances in Physical Organic Chemistry*, *18*, V. Gold and D. Bethell, eds., Academic Press, New York, 79-185, 1982.

Edney, E. O., J. W. Spence, and P. L. Hanst, Peroxy nitrate air pollutants: Synthesis and thermal stability, *Nitrogenous Air Pollutants*, D. Grosjean, ed., 111-135, Ann Arbor Science, Mich., 1979.

Edney, E. O., J. W. Spence, and P. L. Hanst, Synthesis and thermal stability of peroxy alkyl nitrates, *J. Air Pollut. Control Assoc.*, *29*, 741-763, 1979.

Ehhalt, D. H., The atmospheric cycle of methane, *Tellus*, *26*, 58-70, 1974.

Ehhalt, D. H., How has the atmospheric concentration of CH_4 changed?, *The Changing Atmosphere, Physical, Chemical, and Earth Science Research Report 7*, Wiley-Interscience, Chichester, England, 25-32, 1988.

Elcombe, C. R., M. S. Rose, and I. S. Pratt, Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene, *Toxicol. Appl. Pharmacol.*, *79*, 365-376, 1985.

Ellenrieder, W., and M. Reinhard, ATHIAS -- an information system for abiotic transformations of halogenated hydrocarbons in aqueous solutions, *Chemosphere*, *17*, 331-344, 1988.

Erchel, E., World Water Balance, Elsevier, 1975.

Erickson, III, D. J., and R. A. Duce, On the global flux of atmospheric sea salt, *J. Geophys. Res.*, *93*, 14,079-14,088, 1988.

Eriksson, E., The yearly circulation of chloride and sulfur in nature: meteorological, geochemical and pedological implications, 1, *Tellus*, *11*, 373-403, 1959.

Eriksson, E., The yearly circulation of chloride and sulfur in nature: meteorological, geochemical and pedological implications, 2, *Tellus*, *12*, 63-109, 1960.

Ernst, J., H. Gg. Wagner, and R. Zellner, A combined flash photolysis/shock-tube study of the absolute rate constants for reactions of the hydroxyl radical with CH_4 and CF_3H around 1300 K, *Ber. Bunsenges. Phys. Chem.*, *82*, 409-414, 1978.

REFERENCES

Farmer, C. B., O. F. Raper, and R. H. Norton, Spectroscopic detection and vertical distribution of HCl in the troposphere and stratosphere, *Geophys. Res. Lett.*, *3*, 13-16, 1976.

Faust, S. D., and O. M. Aly, *Chemistry of Natural Waters*, Ann Arbor Science, Ann Arbor, 1981.

Finlayson-Pitts, B. J., and J. N. Pitts, Jr., *Atmospheric Chemistry: Fundamentals and experimental techniques*, Wiley, New York, 1986.

Fiserova-Bergerova, V., Metabolism and toxicity of 2,2,2-trifluoroethyl vinyl ether, *Environ, Health Perspect.*, *21*, 225-230, 1977.

Fisher, D. A., C. H. Hales, D. L. Filkin, M. K. W. Ko, N. D. Sze, P. S. Connell, D. J. Wuebbles, I. S. A. Isaksen, and F. Strodal, Relative effects on stratospheric ozone of halogenated methanes and ethanes of social and industrial interest, *AFEAS Report*, Section VIII, this report, 1989a.

Fisher, D. A., C. H. Hales, W.-C. Wang, M. K. W. Ko, and N. D. Sze, Relative effects on global warming of halogenated methanes and ethanes of social and industrial interest, *AFEAS Report*, Section IX, this report, 1989b.

Fletcher, I. S. and D. Husain, Absolute reaction rates of oxygen (^1D) with halogenated parafins by atomic absorption spectroscopy in the vaccuum ultraviolet, *J. Phys. Chem.*, *80*, 1837-1840, 1976.

Flühler, H., Polomski, J., and P. Blaser, Retention and movement of fluoride in soils, *J. Environ Qual.*, *11*, 461-468, 1982.

Force, A. P., and J. R. Wiesenfeld, Collisional deactivation of $O(^1D)$ by the halomethanes. Direct determination of reaction efficiency, *J. Phys. Chem.*, *85*, 782-785, 1981.

Fraser, J., and L. S. Kaminsky, Metabolism of 2,2,2-trifluoroethanol and its relationship to toxicity, *Toxicol. Appl. Pharmacol.*, *89*, 202-210, 1987.

Fraser, J., and L. S. Kaminsky, 2,2,2-Trifluoroethanol intestinal and bone marrow toxicity: the role of its metabolism to 2,2,2-Trifluoroacetaldehyde and trifluoroacetic acid, *Toxicol. Appl. Pharmacol.*, *94*, 84-92, 1988.

Galloway, J. N., G. E. Likens, W. C. Keene, and J. M. Miller, The composition of precipitation in remote areas of the world, *J. Geophys. Res.*, *87*, 8771-8786, 1982.

Gehring, D. G., Private communication, E. I. DuPont de Nemours, Inc., 1987.

Gerkens, R., and J. A. Franklin, Hydrolysis of 1,1,1-trichloroethane, manuscript in preparation, 1989.

Gibbs, R. J., Mechanisms controlling world water chemistry, *Science*, *170*, 1088-1090, 1970.

Gillespie, H. M., and R. J. Donovan, Reaction of $O(^1D)$ atoms with chlorofluoromethanes: Formation of ClO, *Chem. Phys. Lett.*, *37*, 468-470, 1976.

Gillespie, H. M., J. Garraway, and R. J. Donovan, Reaction of $O(2^1D_2)$ with halomethanes, *J. Photochem.*, *7*, 29-40, 1977.

Gillotay, D., P. C. Simon, and G. Brasseur, *Planet. Space Sci.*, in press, 1989.

Giorgi, F. and W. L. Chameides, The rainout parameterization in a photochemical model, *J. Geophys. Res.*, *90*, 7872-7880, 1985.

Goldman, P., The carbon-fluorine bond in compounds of biological interest, *Science*, *164*, 1123-1130, 1969.

Goldman, P., The enzymatic cleavage of the carbon-fluorine bondin fluoroacetate, *J. Biol. Chem.*, *240*, 3434-3438, 1965.

Goldman, P., and G. W. A. Milne, Carbon-fluorine bond cleavage. II. Studies on the mechanism of the defluorination of fluoroacetate, *J. Biol. Chem.*, *241*, 5557-5559, 1966.

Goldman, P., G. W. A. Milne, and D. B. Keister, Carbon-halogen bond cleavage. III. Studies on bacterial halidohydrolases, *J. Biol. Chem.*, *243*, 428-434, 1968.

Goldstein, E., B. L. Hammond, B. Sadri, and Y.-P. Hsia, Theoretical study of the reactions of $O(^3P)$ atoms with a series of fluoroolefins, *J. Molecul. Struct., THEOCHEM*, *105*, 315-324, 1983.

Goodwin, R. D., and W. M. Haynes, Thermophysical properties of isobutane from 114 to 700 K at pressures to 70 MPa, *National Bureau of Standards, Technical Note 1051*, U. S. Government Printing Office, Washington, DC, 1982.

Gossett, J. M., Measurement of Henry's law constants for C_1 and C_2 chlorinated hydrocarbons, *Env. Sci. Technol.*, *21*, 202-208, 1987.

Green, R. G., and R. P. Wayne, Relative rate constants for the reactions of $O(^1D)$ atoms with fluorocarbons and N_2O, *J. Photochem.*, *6*, 371-374, 1976/77a.

Green, R. G., and R. P. Wayne, Vaccuum ultra-violet absorption spectra of halogenated methanes and ethanes, *J. Photochem.*, *6*, 375-377, 1976/77b.

Greenberg, J. P., and P. R. Zimmerman, Nonmethane hydrocarbons in remote tropical, continental, and marine atmospheres, *J. Geophys. Res.*, *89*, 4767-4778, 1984.

Gregory, G. L., et al., Air chemistry over the tropical forest of Guyana, *J. Geophys. Res.* *91*, 8603-8612, 1986.

Guderian, R., Air Pollution: Phytotoxicity of acidic gases and its significance in air pollution control, Springer Verlag, Berlin, 127 pp., 1977.

Gutman, D., N. Sanders, and J. E. Butler, Kinetics of the reactions of methoxy and ethoxy radicals with oxygen, *J. Phys. Chem.*, *86*, 66-70, 1982.

Hacket, P. A., and D. Phillips, *J. Chem. Soc. Farad. I*, *68*, 329, 1962.

REFERENCES

Hammitt, J. K., F. Camm, P. S. Connell, W. E. Mooz, K. A. Wolf, D. J. Wuebbles, and A. Bemazai, Future emission scenarios for chemicals that may deplete stratospheric ozone, *Nature*, *330*, 711-716, 1987.

Hampson, R. F., M. J. Kurylo, and S. P. Sander, Evaluated rate constants for selected HCFCs and HCFs with OH and O(^{1}D), *AFEAS Report*, Section III, this report, 1989.

Handwerk, V., and R. Zellner, Kinetics of the reactions of OH radicals with some halocarbons ($CHClF_2$, CH_2ClF, CH_2ClCF_3, CH_3CClF_2, CH_3CHF_2) in the termperature range 260-370 K, *Ber. Bunsenges. Phys. Chem.*, *82*, 1161-1166, 1978.

Hansen, J., G. Russell, D. Rind, P. Stone, A. Lacis, S. Lebedeff, R. Ruedy, and L. Travis, Efficient 3-D global models for climate studies: Models I and II, *Mon. Weather Rev.*, *111*, 609-662, 1983.

Harris, S. J., and J. A. Kerr, A kinetic and mechanistic study of the formation of alkyl nitrates in the photooxidation of n-heptane studied under atmospheric conditions, *Int. J. Chem. Kinet.*, *21*, 207-218, 1989.

Hart, E. J., S. Gordon, and J. K. Thomas, Rate constants for hydrated electron reactions with organic compounds, *J. Phys. Chem.*, *68*, 1271-1274, 1964.

Hartmann, J. Karthäuser, and R. Zellner, Kinetics of the reactions CH_3O_2 + HO_2 studied by laser photofragment emission, *submitted to J. Phys. Chem*, 1989.

Hartmann, J. Karthäuser, J. P. Sawersyn, and R. Zellner, Kinetics and HO_2 product yield of the reaction C_2H_5O + O_2 between 298 and 411 K, *submitted to J. Phys. Chem*, 1989.

Hautecloque. S., On the photooxidation of gaseous $CHCl_3$, *J. Photochem.*, *14*, 157, 1980.

Hendry, D. G., and R. A. Kenley, Atmospheric reaction products of organic compounds, *EPA-560/12-79-001*, June, 1979.

Herren-Freund, S., M. Pereira, M. Khoury, and G. Olson, Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene, *Toxicol. Appl. Pharmacol.*, *90*, 183-189, 1987.

Herron, J. T., Private communication, 1989.

Higashi, Y., M. Ashizawa, Y. Kabata, T. Majima, M. Uematsu, and K. Watanabe, Measurements of vapor pressure, vapor-liquid coexistence curve and critical parameters of refrigerant 152a, *JSME Int. J.*, *30*, 1106-1112, 1987.

Hine, J., and D. C. Duffey, Methylene derivatives as intermediates in polar reactions. XV. The decomposition of dichlorofluoroacetic acid, *J. Am. Chem. Soc.*, *81*, 1129-1131, 1959a.

Hine, J., and D. C. Duffey, Methylene derivatives as intermediates in polar reactions. XVI. The decomposition of chlorodifluoroacetic acid, *J. Am. Chem. Soc.*, *81*, 1131-1136, 1959b.

Hine, J., R. Wiesboeck, and R. G. Ghirardelli, The kinetics of the base-catalyzed deuterium exchange of 2,2-dihalo-1,1,1-trifluoroethanes, *J. Am. Chem. Soc.*, *83*, 1219-1222, 1961.

Hitchcock, D. R., L. L. Spiller, and W. E. Wilson, Sulfuric acid aerosols and HCl release in coastal atmospheres: Evidence of rapid formation of sulfuric acid particulates, *Atmos. Environ.*, *14*, 165-182, 1980.

HMSO, Chlorofluorocarbons and their effect on stratospheric ozone, *Pollution Paper 5, Department of the Environment*, H.M. Stationery Office, London, 1976.

Hogo, H., and M. W. Gery, User's guide for executing OZIPM-4 with CPM-IV or optional mechanisms, Volume I, *EPA Report No. 600/8-88/073*, Research Triangle Park, N.C., 1988.

Hohorst, F. A., and D. D. DesMarteau, Some reactions of CF_3OO derivatives with inorganic compounds. Synthesis and vibrational spectrum of trifluoromethyl peroxynitrate, *Inorg. Chem.*, *13*, 715-719, 1974.

Holaday, D. A., and R. Cummah, Personal communication, reported in *Fiserova-Bergerova,* 1977.

Holaday, D. A., and R. Cummah, Annual Meeting, American Society of Anesthesiologists, San Francisco, 1976.

Holdren, M. W., C. W. Spicer, and J. M. Hales, Peroxyacetyl nitrate solubility and decomposition rate in acidic water, *Atmos. Environ.*, *18*, 1171-1173, 1984.

Hong, H., and D. R. Kester, Redox state of iron in the offshore waters of Peru, *Limnol. Oceanogr.*, *31*, 512-524, 1986.

Horiuchi, N., C-F bond rupture of monofluoroacetate by soil microbes. Properties of the bacteria and the enzyme, *Seikagaku*, *34*, 92-98, 1962.

Howard, C. J., and K. M. Evenson, Rate constants for the reactions of OH with CH_4 and fluorine, chlorine, and bromine substituted methanes at 296 K, *J. Chem. Phys.*, *64*, 197-202, 1976a.

Howard, C. J., and K. M. Evenson, Rate constants for the reactions of OH with ethane and some halogen substituted ethanes at 296 K, *J. Chem. Phys.*, *64*, 4303-4306, 1976b.

Hubrich, C., and F. Stuhl, The ultraviolet absorption of some halogenated methanes and ethanes of atmospheric interest, *J. Photochem.*, *12*, 93-107, 1980.

Hudson, R. F., and G. E. Moss, The mechanism of hydrolysis of acid chlorides. Part IX. Acetyl chloride, *J. Chem. Soc.*, 5157-5163, 1962.

Huie, R. E., and P. Neta, Chemical behavior of SO_3^- and SO_5^- radicals in aqueous solutions, *J. Phys. Chem.*, *88*, 5665-5669, 1984.

REFERENCES

Huie, R. E., D. Brault, and P. Neta, Rate constants for one-electron oxidation by the $CF_3O_2\bullet$, $CCl_3O_2\bullet$, and $CBr_3O_2\bullet$ radicals in aqueous solutions, *Chem. Biol. Interactions*, *62*, 227-235, 1987.

Hurst, D. F., and F. S. Rowland, Seasonal variations in the latitudinal distribution of tropospheric carbon monoxide: 1986-1988, *EOS*, *70*, 288, 1989.

Hutton, J. T., Chloride in rainwater in relation to distance from the ocean, *Search*, *7*, 207-208, 1976.

Huybrechts, G., and L. Meyers, Gas-phase chlorine-photosensitized oxidation of trichloroethylene, *Trans. Faraday Soc.*, *62*, 2191-2204, 1966.

Huybrechts, G., G. Martens, L. Meyers, J. Olbregts, and K. Thomas,*Trans. Faraday Soc.*, *61*, 1921, 1965.

Huybrechts, G., J. Olbregts, and K. Thomas, Gas-phase chlorine-photosensitized oxidation and oxygen-inhibited photochlorination of tetrachloroethylene and pentachloroethylene, *Trans. Faraday Soc.*, *63*, 1647-1655, 1967.

Irmann, R. B., A simple correlation between water solubility and structure of hydrocarbons and halohydrocarbons, *Chem. Ing. Tech.*, *37*, 789-798, 1965.

Ishii, D. N., and A. N. Corbascio, Some metabolic effects of halothane on mammalian tissue culture cells in vitro, *Anesthesiology*, 427-438, 1971.

Jacob, D. J., Chemistry of OH in remote clouds and its role in the production of formic acid and peroxymonosulfate, *J. Geophys. Res.*, *91*, 9807-9826, 1986.

Jacob, D. J., and S. C. Wofsy, Photochemical production of carboxylic acids in a remote continental atmosphere, *Acid Deposition Processes at High Elevation Sites*, , M. H. Unsworth and D. Fowler, eds., D. Reidel, Hingham, MA, in press, 1989.

Jacobsen, J. S., L. I. Heller, and P. van Leuken, Acidic precipitation at a site within the northeaster conurbation, *Water Air Soil Pollut.*, *6*, 339-349, 1976.

JANAF Thermochemical Tables, 2nd Ed., Stull, R., and H. Prophet, eds., 1979.

Japanese Association of Refrigeration, Thermophysical properties of refrigerants, chlorodifluoromethane R22, *JAR*, , Tokyo, 1975.

Jayanty, R. K. M., R. Simonaitis, and J. Heicklen, The phytolysis of chlorofluoromethanes in the presence of O_2 or O_3 at 213.9 nm and their reactions with $O(^1D)$, *J. Photochem.*, *4*, 382-398, 1975.

Jenkin, M. E., R. A. Cox, G. D. Hayman, and L. J. Whyte, Kinetic study of the reactions $CH_3O_2 + CH_3O_2$ and $CH_3O_2 + HO_2$ using molecular modulation spectrometry, *J. Chem Soc., Faraday Trans. 2*, *84*, 913-930, 1988.

Jeong, K.-M., and F. Kaufman, Rates of the reactions of 1,1,1-trichloroethane (methyl chloroform) and 1,1,2-trichloroethane with OH, *Geophys. Res. Lett*, *6*, 757-759, 1979.

Jeong, K.-M., and F. Kaufman, Kinetics of the reaction of hydroxyl radical with methane and with nine Cl- and F-substituted methanes. I. Experimental results, comparisons, and applications, *J. Phys. Chem.*, *86*, 1808-1815, 1982a.

Jeong, K.-M., and F. Kaufman, Kinetics of the reaction of hydroxyl radical with methane and with nine Cl- and F-substituted methanes. 2. Calculation of rate parameters as a test of transition-state-theory, *J. Phys. Chem.*, *86*, 1816-1821, 1982b.

Jeong, K.-M., K.-J. Hsu, J. B. Jeffries, and F. Kaufman, Kinetics of the reactions of OH with C_2H_5, CH_3CCl_3, $CH_2ClCHCl_2$, $CH_2ClCClF_2$, and CH_2FCF_3, *J. Phys. Chem.*, *88*, 1222-1226, 1984.

Johnson, J. E., The lifetime of carbonyl sulfide in the troposphere, *Geophys. Res. Lett*, *8*, 938-940, 1981.

Junge, C. E., Air chemistry and radioactivity, 282pp., Academic Press, 1963.

Junge, C. E., and R. T. Werby, The concentration of Cl^-, Na^+, K_+, Ca^+ and $SO_4{}^=$ in rain water over the U.S., *J. Meteorol.*, *15*, 417-425, 1958.

Kabata, Y., S. Tanikawa, M. Uematsu, and K. Watanabe, Preprint, tenth symposium on thermophysical properties, Gaithersburg, MD, *Int. J. Thermophysics*, *10*, to be published, 1989.

Kagann, R. H., J. W. Elkins, and R. L. Sams, Absolute band strengths of halocarbons F-11 and F-12 in the 8- to 16-μm region, *J. Geophys. Res.*, *88*, 1427-1432, 1983.

Kanome, Y., and I. Fujita, B.S. Thesis, Department of Mechanical Engineering, Keio University, Yokahama, Japan, 1986.

Kelly, M., Isolation of bacteria able to metabolize fluoroacetate of fluoroacetamide, *Nature*, *208*, 809-810, 1965.

Kerr, J. A., and J. G. Calvert, Chemical transformation modules for eulerian acid deposition models, vol. I: The gas-phase chemistry, *NCAR Report DW 930237*, Dec., 1984.

Khalil, M. A. K., and R. A. Rasmussen, The atmospheric lifetime of methylchloroform (CH_3CCl_3), *Tellus*, *36B*, 317-332, 1984.

Khalil, M. A. K., and R. A. Rasmussen, Causes of increasing atmospheric methane: Depletion of hydroxyl radicals and the rise of emissions, *Atmos. Environ.*, *19*, 397-407, 1985.

Khalil, M. A. K., and R. A. Rasmussen, Increase of $CHClF_2$ in the earth's atmosphere, *Nature*, *292*, 823-824, 1981.

Khalil, M. A. K., and R. A. Rasmussen, Trichlorotrifluoroethane (F-113) trends at Pt. Barrow, Alaska, *Geophysical Monitoring for Climate Change, No. 13, Summary Report 1984*, U.S. Department of Commerce, ERL/NOAA, Boulder, CO, 1985.

Kinnison, D., H. Johnston, and D. J. Wuebbles, Ozone calculations with large nitrous oxide and chlorine changes, *J. Geophys. Res.*, *93*, 14,165-14,175, 1988.

REFERENCES

Kirsch, L. J. and D. A. Parkes, Recombination of tertiary butyl peroxy radicals. Part 1. Product yields between 298 and 373 K, *J. Chem. Soc., Faraday Trans. 1*, *77*, 293-307, 1981.

Kirsch, L. J. D. A. Parkes, T. J. Wallington, and A. Woolley, Self-reactions of isopropylperoxy radicals in the gas phase, *J. Chem. Soc., Faraday Trans. 1*, *74*, 2293-2300, 1978.

Klaasen, C., M. Amdur, and J. Doull (eds), *Casarett and Doull's Toxicology*, MacMillan Publishing Company, 13, 1986.

Kletskii, A. V., *Inz.-Fiz. Zh.*, (in Russian only), *7(4)*, 40-43, 1964.

Ko, M. K. W., K. K. Tung, D. K. Weisenstein, and N. D. Sze, A zonal-mean model of stratospheric tracer transport in isentropic coordinates: numerical simulations for nitrous oxide and nitric acid, *J. Geophys. Res.*, *90*, 2313-2329, 1985.

Ko, M. K. W., N. D. Sze, M. Livshits, M. B. McElroy, and J. A. Pyle, The seasonal and latitudinal behavior of trace gases and O_3 as simulated by a two-dimensional model of the atmosphere, *J. Atmos. Sci.*, *41*, 2381-2408, 1984.

Kohlen, R., H. Kratzke, and S. Mueller, Thermodynamic properties of saturated and compressed liquid difluorochloromethane, *J. Chem. Thermodynamics*, *17*, 1141-1151, 1985.

Kormann, C., D. W. Bahnemann, and M. R. Hoffman, Environmental photochemistry: is iron oxide an active photocatalyst? A comparative study of Fe_2O_3, ZnO, and TiO_2, *J. Photochem. Photobiol. A: Chem.*, in press, 1989.

Kostyniak, P., H. B. Bosmann, and F. A. Smith, Defluorination of fluoroacetate in vitro by rat liver subcellular fractions, *Toxicol. Appl. Pharmacol.*, *44*, 89-97, 1978.

Koubek, E., M. L. Haggett, C. J. Battaghlia, K. M. Ibne-Rasa, H. Y. Pyun, and J. O. Edwards, Kinetics and mechanism of the spontaneous decompositions of some peroxoacids, hydrogen peroxide, and t-butyl hydroperoxide, *J. Am. Chem. Soc.*, *85*, 2263-2268, 1963.

Kritz, M. A,. and J. Rancher, Circulation of Na, Cl and Br in the tropical marine atmosphere, *J. Geophys. Res.*, *85*, 1633-1639, 1980.

Kubota, H., Y. Tanaka, T. Makita, H. Kashiwagi, and M. Noguchi, Thermodynamic properties of 1-chloro-1,2,2,2-tetrafluoroethane (R124), *Int. J. Thermophsyics*, *9*, 85-101, 1988.

Kurylo, M. J., P. C. Anderson, and O. Klais, A flash photolysis resonance fluorescence investigation of the reaction OH + CH_3CCl_3 -> H_2O + CH_2CCl_3, *Geophys. Res. Lett.*, *6*, 760-762, 1979.

Kurylo, M. J., P. Dagaut, T. J. Wallington, and D. M. Neuman, Kinetic measurements of the gas-phase HO_2 + CH_3O_2 cross-disproportionation reaction at 298 K, *Chem. Phys. Lett.*, *139*, 513-518, 1987.

Lacis, A., J. Hansen, P. Lee, T. Mitchell, and S. Lebedeff, Greenhouse effect of trace gases, 1970-1980, *Geophys. Res. Lett.*, *8*, 1035-1038, 1981.

Lal, M., C. Schoneich, J. Monig, and K. D. Asmus, Rate constants for the reactions of halogenated organic radicals, *Int. J. Radiat. Biol.*, *54*, 773-785, 1988.

Lamb, B., A. Guenther, D. Gay, and H. Westberg, A national inventory of biogenic hydrocarbon emissions, *Atmos. Environ.*, *21*, 1695-1705, 1987.

Landing, W. M., and S. Westerlund, The solution chemistry of iron (II) in Framvaren Fjord, *Mar. Chem.*, *23*, 329-343, 1988.

Latimer, W. M., *The Oxidation States of the Elements and Their Potentials in Aqueous Solutions*, 2nd ed., pp. 45 & 128, Prentice-Hall, New York, 1952.

Lee, Y. N., Kinetics of some aqueous-phase reactions of peroxyacetylnitrate, *Conference of Gas-Liquid Chemistry of Natural Waters*, Brookhaven National Laboratory, Upton, NY, 1984.

Lee,Y. N., G. I. Senum, and J. S. Gaffney, Peroxyacetylnitrate stability, solubility, and reactivity: implications for tropospheric nitrogen cycles and precipitation chemistry, *Fifth International Conference of the Commission on Atmospheric Chemistry and Global Pollution*, Oxford, England, 1983.

Legrand, M., and R. J. Delmas, The ionic balance of Antarctic snow: A 10-year detailed record, *Atmos. Envrion.*, *18*, 1867-1874, 1984.

Legrand, M., and R. J. Delmas, Spatial variations of snow chemistry in Adelie Land, *Ann. Glaciol.*, *7*, 20-25, 1985.

Legrand, M., and R. J. Delmas, Formation of HCl in the Antarctic atmosphere, *J. Geophys. Res.*, *93*, 7153-7168, 1988.

Leighton, P. A., *Photochemistry of Air Pollution*, Academic Press, New York, 1961.

Lenhardt, T. M., C. E. McDade, and K. D. Bayes, Rates of reaction of butyl radicals with molecular oxygen, *J. Chem. Phys.*, *72*, 304-310, 1980.

Lesclaux, R., A. M. Dognon, and F. Caralp, Photo-oxidation of halomethanes at low temperature: The decomposition rate of CCl_3O and $CFCl_2O$ radicals, *J. Photochem. Photobiol., A: Chemistry*, *41*, 1-11, 1987.

Lesclaux, R., and F. Caralp, Determination of the rate constants for the reactions of $CFCl_2O_2$ radical with NO and NO_2 by laser photolysis and time resolved mass spectrometry, *Int. J. Chem. Kinet.*, *16*, 1117-1128, 1984.

Lesclaux, R., F. Caralp, A. M. Dognon, and D. Cariolle, The rate of formation of halomethyl peroxy nitrates in the stratosphere and their possible role as temporary reservoirs for ClO_x and NO_x species, *Geophys. Res. Lett.*, *13*, 933-936, 1986.

Levy, H., Normal atmosphere: Large radical and formaldehyde concentrations predicted, *Science*, *173*, 141-143, 1971.

REFERENCES

Lewis, R. S., S. P. Sander, S. Wagner, and R. T. Watson, Temperature-dependent rate constants for the reaction of ground-state chlorine with simple alkanes, *J. Phys. Chem.*, *84*, 2009-2015, 1980.

Liebhafsky, H. A., and A. Mohammed, The kinetics of the reduction, in acid solution, of hydrogen peroxide by iodide ion, *J. Am. Chem. Soc.*, *55*, 3977-3986, 1933.

Liebl, K. H., and W. Seiler, CO and H_2 destruction at the soil surface, *Proc. Symp. "Microbial Production and Utilisation of Gases"*, Goltze Druck, Gottingen, Federal Republic of Germany, 1976.

Lightfoot, P. D., B. Veyret, and R. Lesclaux, A flash-photolysis study of the CH_3O_2 + HO_2 reaction between 248 and 573 K, *J. Phys. Chem.*, *93*, 1989.

Lin, X., M. Trainer, and S. C. Liu, On the linearity of the tropospheric ozone production, *J. Geophys. Res.*, *93*, D12, 15,879-15,888, 1988.

Lind, J. A., and G. L. Kok, Henry's law determinations for aqueous solutions of hydrogen peroxide, methylhydroperoxide, and peroxyacetic acid, *J. Geophys. Res.*, *91*, 7889-7895, 1986.

Lingenfelter, R. E., Production of carbon 14 by cosmic ray neutrons, *Review in Geophysics*, *1*, 35-55, 1963.

Liss, P. S., Gas transfer: Experiments and geochemical implications, *Air-Sea Exchange of Gases and Particles*, NATO ASI Series, 559 pp., P. S. Liss and W. G. N. Slinn, eds., Reidel Publishing Company, 1983.

Liss, P. S., and P. G. Slater, Flux of gases across the air-sea interface, *Nature*, *247*, 181-194, 1974.

Liu, R., R. E. Huie, and M. J. Kurylo, Rate constants for the reactions of the OH radical with some hydrochlorofluorocarbons over the temperature range 270 to 400k, *submitted to J. Phys. Chem.*, 1989.

Liu, S. C., M. Trainer, F. C. Fehsenfeld, D. D. Parrish, E. J. Williams, D. W. Fahey, G. Hubler, and P. C. Murphy, Ozone production in the rural troposphere and the implications for regional and global ozone distributions, *J. Geophys. Res.*, *92*, 4191, 1987.

Livingstone, D. A., Chemical composition of rivers and lakes, *U.S. Geol. Surv. Profess. Paper 440-G*, 1963.

Lloyd, S. C., D. M. Blackburn, and P. M. D. Foster, Trifluoroethanol and its oxidative metabolites: Comparison of in vivo and in vitro effects in rat testis, *Fd. Chem. Toxic.*, *24*, 653-654, 1986.

Lloyd, S. C., D. M. Blackburn, and P. M. D. Foster, Trifluoroethanol and its oxidative metabolites: Comparison of in vivo and in vitro effects in rat testis, *Toxicol. Appl. Pharmacol.*, *92*, 390-401, 1988.

Logan, J. A., Tropospheric ozone: Seasonal behavior, trends, and anthropogenic influence, *J. Geophys. Res.*, *90*, 10,463-10,482, 1985.

Logan, J. A., M. J. Prather, S. C. Wofsy, and M. B. McElroy, Tropospheric chemistry: A global perspective, *J. Geophys. Res.*, *86*, 7210-7254, 1981.

Lorenz, K., D. Räsa, R. Zellner, and B. Fritz, Laser photolysis-LIF kinetic studies of the reactions of CH_3O and CH_2CHO with O_2 between 300 and 500 K, *Ber. Bunsenges Phys. Chem.*, *89*, 341-342, 1985.

Louis, J. F., Mean meridional circulation. The natural stratosphere of 1974, *CIAP Monograph 1, Dept. of Trans., DOT-TST-75-51*, 6-23 to 6-49, 1975.

Lovelock, J. E., R. J. Maggs, and R. J. Wade, Halogenated hydrocarbons in and over the Atlantic, *Nature*, *241*, 194-196, 1973.

Lyman, W. J., Estimation of physical properties, *Environmental Exposure from Chemicals, I*, W. B. Neely and G. E. Blau, eds., CRC Press, Boca Raton, FL, 13-47, 1985.

Lyman, W. J., W. F. Reehl, and D. H. Rosenblatt, *Handbook of Chemical Property Estimation Methods*, McGraw-Hill Book Company, New York, 1982.

Mabey, W., and T. Mill, Critical review of hydrolysis of organic compounds under environmental conditions, *J. Phys. Chem. Ref. Data*, *7*, 383-483, 1978.

MacIntyre, F., Why the sea is salt, *Scientific American*, *233*, 104-115, 1970.

Mackay, D., and W. Y. Shiu, A critical review of Henry's law constants for chemicals of environmental interest, *J. Phys. Chem. Ref. Data*, *10*, 1175-1199, 1981.

MacLean, D. C., L. H. Weistein, D. C. McCune, and R. E. Schneider, Fluoride-induced suture red spot in "Elberta' peach", *Environ. Exp. Bot.*, *24*, 353-367, 1984.

Madhavan, V., H. Levanon, and P. Neta, Decarboxylation by SO_4^-radicals, *Radiat. Res.*, *76*, 15-22, 1978.

Maenhaut, W., W. H. Zoller, R. A. Duce, and G. L. Hoffmann, Concentration and size distribution of particular trace elements in the South Polar atmosphere. *J. Geophys. Res.*, *84*, 2021-2031, 1979.

Magid, H., Allied Signal Corporation, Private communication, 1988.

Mahadevan, T. N., V. Meenakashy, and U. C. Mishra, Fluoride cycling in nature through precipitation, *Atmos. Environ.*, *20*, 1745-1749, 1986.

Makide, Y., and F. S. Rowland, Tropospheric concentrations of methyl chloroform, CH_3CCl_3, in January 1978 and estimates of atmospheric residence times for hydrohalocarbons, *Proc. Nat'l Acad. Sci.(USA)*, *78*, 5933-5937, 1981.

Marais, J. S. C., monofluoroacetic acid, the toxic principle of "Gifblaar" Dichapetalum cymosum (Hook), *Engl. Onderstepoort J. Vet Sci. Animal Ind*, *20*, 67-73, 1944.

Mario, M., K. Fiyu, R. Takiyama, F. Chikasue, H. Kikuchi, and L. Ribaric, Quantitative analysis of trifluoroacetate in the urine and blood by isotachophoresis, *Anesthesiology*, *53*, 56-59, 1980.

REFERENCES

Martens, C. S., J. J. Wesolowski, R. C. Harriss, and R. Kaifer, Chlorine loss for Puerto Rican and San Francisco Bay area marine aerosols, *J. Geophys. Res*, *78*, 8778-8792, 1973.

Martens, G. J., M. Godfroid, J. Delvaux, and J. Verbeyst, Gas phase hydrogen abstraction from asymmetrically halogenated ethanes by chlorine atoms, *Int. J. Chem. Kin.*, *8*, 153, 1976.

Martin, J.-P., and G. Paraskevopoulos, A kinetic study of the reactions of OH radicals with fluoroethanes. Estimates of C-H bond strengths in fluoroalkanes, *Can. J. Chem.*, *61*, 861-865, 1983.

Mathias, E., E. Sanhueza, I. C. Hisatsune, and J. Heicklen, The chlorine atom sensitized oxidation and the ozonolysis of C_2Cl_4, *Can. J. Chem.*, *52*, 3852-3862, 1974.

McAdam, K., B. Veyret, and R. Lesclaux, UV absorption spectra of HO_2 and CH_3O_2 radicals and the kinetics of their mutual reactions at 298 K, *Chem. Phys. Lett*, *133*, 39-44, 1987.

McAdam, K. G., and R. W. Walker, Arrhenius parameters for the reaction $C_2H_5 + O_2 \rightarrow C_2H_4 + HO_2$, *J. Chem. Soc., Faraday Trans. 2*, *83*, 1509-1517, 1987.

McCaulley, J. A., S. Anderson, J. B. Jeffries, and F. Kaufman, Kinetics of the reaction of CH_3O with NO_2, *Chem. Phys. Lett*, *115*, 180-186, 1985.

McClenahen, J. R., Distribution of soil fluorides near an airborne fluoride source, *J. Environ. Qual.*, *5*, 472-475, 1976.

McCune, D. C., On the establishment of air quality criteria, with reference to the effects of atmospheric fluorine on vegetation, *Air Quality Monograph 69-3* , American Petroleum Institute, New York, 33 pp., 1969.

McCune, D. C., D. H. Silberman, and L. H. Weinstein, Effects of relative humidity and free water on the phytotoxicity of hydrogen fluoride and cryolite, *Proc. Int. Clean Air Congr., 4th, Tokyo, 16-20 May 1977*, Japanese Union of Air Pollution Prevention Associations, Tokyo, 116-119, 1977.

McFarland, M., D. Kley, J. W. Drummond, A. L. Schmeltekopf, and R. H. Winkler, Nitric oxide measurements in the equatorial Pacific region, *Geophys. Res. Lett.*, *6*, 605-608, 1979.

McKay, C., M. Pandow, and R. Wolfgang, On the chemistry of natural radiocarbon, *J. Geophys. Res.*, *68*, 3829-3931, 1963.

McLinden, M. O., Physical properties of alternatives to the fully halogenated chlorofluorocarbons, *AFEAS Report,* Section II, this report, 1989.

McLinden, M. O., J. S. Gallagher, L. A. Weber, G. Morrison, D. Ward, A. R. H. Goodwin, M. R. Moldover, J. W. Schmidt, H. B. Chae, T. J. Bruno, J. F. Ely, and M. L. Huber, Measurement and formulation of thermodynamic properties of refrigerants 134 (1,1,1,2-tetrafluoroethane) and 123 (1,1-dichloro-2,2,2-trifluoroethane), *ASHRAE Trans. 95*, to be published, 1989.

McMillen, D. F., and D. M. Golden, Hydrocarbon bond dissociation energies, *Ann. Rev. Phys. Chem.*, *33*, 493-532, 1982.

Mears, W. H., R. F. Stahl, S. R. Orfeo, R. C. Shair, L. F. Kells, W. Thompson, and H. McCann, Thermodynamic properties of halogenated ethanes and ethylenes, *Ind. Eng. Chem.*, *47*, 1449-1454, 1955.

Midgley, P. M., The production and release to the atmosphere of 1,1,1-trichloroethane (methyl chloroform), *Atmos. Env.*, *23, No. 12*, 1989.

Miller, C., D. L. Filkin, A. J. Owens, J. M Steed, and J. P. Jesson, A two-dimensional model of stratospheric chemistry and transport, *J. Geophys. Res.*, *86*, 12,039, 1981.

Miller, C., J. M. Steed, D. L. Filkin, and J. P. Jesson, The fluorocarbon ozone theory, 7, one-dimensional modeling, an assessment of anthropogenic perturbations, *Atmos. Environ.*, *15*, 729, 1981a.

Moffett, J. W., and R. G. Zika, Reaction kinetics of hydrogen peroxide with copper and iron in seawater, *Env. Sci. Technol.*, *21*, 804-810, 1987a.

Moffett, J. W., and R. G. Zika, Photochemistry of copper complexes in seawater, *Photochemistry of Environmental Aquatic Systems*, ACS Symposium Series No. 327, R. G. Zika and W. J. Cooper, eds., Chapter 9, 116-330, 1987b.

Mohammed, A., and H. A. Liebhafsky, The kinetics of the reduction of hydrogen peroxide by the halides, *J. Am. Chem. Soc.*, *56*, 1680-1685, 1934.

Molina, M. J., and F. S. Rowland, Stratospheric sink for chlorofluorocarbons. Chlorine atom-catalyzed destruction of ozone, *Nature*, *249*, 810-812, 1974.

Molina, M. J., and G. Arguello, Ultraviolet absorption spectrum of methylhydroperoxide vapor, *Geophys. Res. Lett.*, *6*, 953, 1979.

Molina, M. J., and L. T. Molina, Work in progress, 1990.

Monig, J., D. Bahnemann, and K. D. Asmus, One electron reduction of CCl_4 in oxygenated aqueous solutions: A CCl_3O_2-free radical mediated formation of Cl- and CO_2, *Chem. Biol. Interactions*, *45*, 15-27, 1983.

Moortgat, G., B. Veyret, and R. Lesclaux, Absorption spectrum and kinetics of reactions of the acetylperoxy radical, *J. Phys. Chem.*, *93*, 2362-2368, 1989.

Moortgat, G. K., B. Veyret, and R. Lesclaux, Rate constants for the reaction CH_3COO_2 + HO_2, *J. Phys. Chem.*, *93*, in press, 1989.

Moortgat, G. K., J. P. Burrows, W. Schneider, G. S. Tyndall, and R. A. Cox, A study of the HO_2 + CH_3CHO reaction in the photolysis of CH_3CHO, and its consequences for atmospheric chemistry, *Proc. 4th European Symposium on the Physico-Chemical Behavior of Atmospheric Pollutants*, D. Riedel Publ. Co., Dordrecht, 271-281, 1987.

Morel, O., R. Simonaitis, and J. Heicklen, Ultraviolet absorption spectra of HO_2NO_2, $CCl_3O_2NO_2$, $CCl_2FO_2NO_2$, and $CH_3O_2NO_2$, *Chem. Phys. Lett.*, *73*, 38-42, 1980.

REFERENCES

Morrison, G., unpublished data, National Institute of Standards and Technology, Gaithersburg, MD, 1989.

Morrison, S. R., *Electrochemistry at Semiconductor and Oxidized Metal Electrodes*, Plenum, New York, 1980.

Müller, K. L., and H. J. Schumacher, *Z. Phys. Chem., B37*, 365, 1937a.

Müller, K. L., and H. J. Schumacher, *Z. Phys. Chem., B35*, 455, 1937b.

Murray, J.J. ed., *Appropriate use of fluorides for human health*, World Health Organization, 1-129, 1986.

NAS, *Halocarbons: Effects on stratospheric ozone*, National Academy of Science, Washington, DC, 1976.

NASA Panel for Data Evaluation, Chemical kinetics and photochemical data for use in stratospheric modeling, Evaluation Number 8, W. B. Demore, M. J. Molina, S. P. Sander, D. M. Golden, R. F. Hampson, M. J. Kurylo, C. J. Howard, and A. R. Ravishankara, *JPL Publ. 87-41*, Sept. 15, 1987.

NASA/WMO, Atmospheric ozone 1985: assessment of our understanding of the processes controlling its present distribution and change, *WMO Report No. 16*, sponsored by WMO, NASA, NOAA, FAA, UNEP, CEC, and BMFT, Washington, DC, 1986.

National Research Council, *Biologic Effects of Atmospheric Pollutants: Flourides*, National Academy of Sciences, Washington, DC, 1971.

National Research Council, *Chlorine and Hydrogen Chloride*, National Academy of Sciences, Washington, DC, 1976.

Neely, W. B., Hydrolysis, *Environmental Exposure from Chemicals, I*, W. B. Neely and G. E. Blau, eds., CRC Press, Boca Raton, FL, 157-173, 1985.

Neely, W. B., and J. H. Plonka, Estimation of time-averaged hydroxyl radical concentrations in the troposphere, *Environ. Sci. Tech., 12*, 317-321, 1978.

Nelson, L., J. J. Treacy, and H. W. Sidebottom, Oxidation of methylchloroform, *Proc. 3rd European Symposium on the Physico-Chemical Behaviour of Atmospheric Pollutants*, B. Versino and G. Angeletti, eds., D. Riedel Publ. Co., Dordrecht, 258-263, 1984.

Newell, R. E., J. W. Kidson, G. Vincent, and G. J. Boer, *The general circulation of the tropical atmosphere and interactions with extratropical latitudes, Vol. 1*, MIT Press, Cambridge, MA, 1972.

Nicksic, S. W., J. Harkins, and P. K. Mueller, Some analyses for PAN and studies of its structure, *Atmos. Environ., 1*, 11-18, 1967.

Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach, FTIR spectroscopic study of haloalkyl peroxynitrates formed via $ROO + NO_2 \rightarrow ROONO_2$ ($R=CCl_3$, $CFCl_2$, and CF_2Cl), *Chem. Phys. Lett., 61*, 100-104, 1979.

Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach, An FTIR study of the Cl-atom-initiated oxidation of CH_2Cl_2 and CH_3Cl, *Int. J. Chem. Kinet.*, *12*, 1001-1012, 1980a.

Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach, FTIR studies of the kinetics and mechanism for the reaction of Cl atom with formyl chloride, *Int. J. Chem. Kinet.*, *12*, 915-920, 1980b.

Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach, FTIR spectroscopic observation of peroxyalkyl nitrates formed via ROO + NO_2 -> $ROONO_2$, *Chem. Phys. Lett.*, *55*, 289-292, 1978.

Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach, Fourier transform infrared studies of the self-reaction of CH_3O_2 radicals, *J. Phys. Chem.*, *85*, 877-881, 1981.

Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach, Fourier transform infrared studies of the self-reaction of $C_2H_5O_2$ radicals, *J. Phys. Chem.*, *86*, 3825-3829, 1982.

Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach, FTIR study of the kinetics and mechanism for Cl-atom-initiated reactions of acetaldehyde, *J. Phys. Chem.*, *89*, 588-591, 1985.

Nip, W. S., D. L. Singleton, R. Overand, and G. Paraskevopoulos, Rates of OH radical reactions. 5. Reactions with CH_3F, CH_2F_2, CHF_3, CH_3CH_2F and CH_3CHF_2 at 297 K, *J. Phys. Chem.*, *83*, 2440-2443, 1979.

Okabe, H., *Photochemistry of Small Molecules*, J.Wiley & Sons, 1978.

Orlando, J. J., J. B. Burkholder, and A. R. Ravishankara, Atmospheric chemistry of hydrofluoroethanes and hydrochlorofluoroethanes: II. UV absorption cross-sections, *to be submitted to J. Geophys. Res.*, 1990.

Owens, A. J., C. H. Hales, D. L. Filkin, C. Miller, J. M. Steed, and J. P. Jesson, A coupled one-dimensional radiative-convective, chemistry transport model of the atmosphere, *J. Geophys. Res.*, *90*, 2283-2311, 1985.

Packer, J. E., R. L. Willson, D. Bahnemann, and K. D. Asmus, Electron transfer reactions of halogenated aliphatic peroxyl radicals: Measurement of absolute rate constants by pulse radiolysis, *J. C. S. Perkin, Trans. II*, 296-299, 1980.

Paraskevopoulos, G., D. L. Singleton, and R. S. Irwin, Rates of OH radical reactions. 8. Reactions with CH_2FCl, CHF_2Cl, $CHFCl_2$, CH_3CF_2Cl, CH_3Cl, and C_2H_5Cl at 297 K, *J. Phys. Chem.*, *85*, 561-564, 1981.

Parkes, D. A., The roles of alkylperoxy and alkoxy radicals in alkyl radical oxidation at room temperature, *15th International Symp. Combustion, 1974*, The Combustion Institute, Pittsburgh, PA, 795-805, 1975.

Parmelee, H. M., Water solubility of Freon refrigerants, *Refrig. Eng.*, *61*, 1341-1345, 1953.

Parungo, F. P., C. T. Nagamoto, J. Rosinski, and P. L. Haagenson, A study of marine aerosols over the Pacific Ocean, *J. Atmos. Chem.*, *4*, 199-226, 1986.

REFERENCES

Pate, C. T., B. J. Finlayson, and J. N. Pitts, Jr., A longpath infrared spectroscopic study of the reaction of methylperoxy free radicals with nitric oxide, *J. Am. Chem. Soc.*, *96*, 6554-6558, 1974.

Pattison, F. L. M., Fluoroacetates, *Toxic Aliphatic Fluorine Compounds*, Elsevier Publishing Co., London, 12-81, 1959.

Peirson, D. H., P. A. Cawse, and R. S. Cambray, Chemical uniformity of airborne particulate material, and a maritime effect, *Nature, 251,* 675-679, 1974.

Penkett, S. A., N. J. D. Prosser, R. A. Rasmussen, and M. A. K. Khalil, Atmospheric measurements of CF_4 and other fluorocarbons containing the CF_3 grouping, *J. Geophys. Res.*, *86*, 5172-5178, 1981.

Perry, R. A., R. Atkinson, and J. N. Pitts, Jr., Rate constants for the reaction of OH radicals with $CHFCl_2$ and CH_3Cl over the temperature range 298-423 K and with CH_2Cl_2 at 298 K, *J. Chem. Phys.*, *64*, 1618-1620, 1976.

Peters, L. K., Gases and their precipitation scavenging in the marine atmosphere, *Air-Sea Exhange of Gases and Particles, NATO ASI Series*, 559 pp., P. S. Liss and W. G. N. Slinn, eds., Reidel Publishing Company, 1983.

Peters, R. A., Lethal synthesis, *Proc. Royal Soc.*, *B139*, 143-170, 1952.

Peters, R. A., R. J. Hall, P. F. V. Ward, and N. Sheppard, The chemical nature of the toxic compounds containing fluorine in the seeds of Dichapetalum toxicarium, *Biochem J.*, *77*, 17-23, 1960.

Pickard, J. M., and A. S. Rodgers, Kinetics of the gas-phase reaction of $CH_3F + I_2 <-> CH_2FI + HI$: the C-H bond dissociation energy in methyl and methylene fluorides, *Int. J. Chem. Kinet.*, *15*, 569-577, 1983.

Pitts, J. N. Jr., H. L. Sandoval, and R. Atkinson, Relative rate constants for the reaction of $O(^1D)$ atoms with fluorocarbons and N_2O, *Chem. Phys. Lett.*, *29*, 31-34, 1974.

Plumb, I. C., and K. R. Ryan, Kinetics of the reaction of CF_3O_2 with NO, *Chem. Phys. Lett.*, *92*, 236-238, 1982.

Plumb, I. C., K. R. Ryan, J. R. Steven, and M. F. R. Mulcahy, Kinetics of the reaction of $C_2H_5O_2$ with NO at 295 K, *Int. J. Chem. Kinet.*, *14*, 183-194, 1982.

Polomski, J., H. Fluhler, and P. Blaser, Fluoride-induced mobilization and leaching of organic matter, iron, and aluminum, *J. Environ. Qual.*, *11*, 452-456, 1982.

Prather, M. J., Tropospheric hydroxyl concentrations and the lifetimes of hydrochlorofluorocarbons (HCFCs), *AFEAS Report*, Section V, this report, 1989.

Prather, M .J., European sources of halocarbons and nitrous oxide: update 1986, *J. Atmos. Chem.*, *6*, 375-406, 1988.

Prather, M., M. McElroy, S. Wofsy, G. Russell, and D. Rind, Chemistry of the global troposphere: Fluorocarbons as tracers of air motion, *J. Geophys. Res.*, *92*, 6579-6613, 1987.

Preuss, P. W. A. G. Lemmens, and L. H. Weinstein, Studies on fluoro-organic compounds in plants. I. Metabolism of 2-^{14}C-fluoroacetate, *Contrib. Boyce Thompson Inst.*, *24*, 25-32, 1968.

Preuss, P. W., and L. H. Weinstein, Studies of fluoro-organic compounds in plants. II. Defluorination of fluoroacetate, *Contrib. Boyce Thompson Inst.*, *24*, 151-156, 1969.

Prinn, R. G., How have the atmospheric concentrations of the halocarbons changed?, *The Changing Atmosphere, Physical, Chemical, and Earth Science Research Report 7*, Wiley-Interscience, Chichester, England, 33-48, 1988.

Prinn, R.G., D. Cunnold, R. Rasmussen, P. Simmonds, F. Alyea, A. Crawford, P. Fraser, and R. Rosen, Atmospheric trends in methyl chloroform and the global average for the hydroxyl radical, *Science*, *238*, 946-950, 1987.

Prinn, R. G., P. G. Simmonds, R. A. Rasmussen, R. D. Rosen, F. N. Alyea, C. A. Cardelino, A. J. Crawford, D. M. Cunnold, P. J. Fraser, and J. E. Lovelock, The atmospheric lifetime experiment, 1. Introduction, instrumentation and overview, *J. Geophys. Res.*, *88*, 8353-8367, 1983.

Prinn, R. G., R. A. Rasmussen, P. G. Simmonds, F. N. Alyea, D. M. Cunnold, B. C. Lane, C. A. Cardelino, and A. J. Crawford, The atmospheric lifetime experiments, 5, results for CH_3CCl_3 based on three years of data, *J. Geophys. Res.*, *88*, 8415-8426, 1983.

Pritchard, H. O., and H. A. Skinner, The heats of hydrolysis of the chloro-substituted acetyl chlorides, *J. Chem. Soc.*, *272*, 1950.

Raemdonck, H., W. Maenhaut, and M. O. Andreae, Chemistry of marine aerosol over the tropical and equatorial Pacific, *J. Geophys. Res.*, *91*, 8623-8636, 1986.

Raiswell, R. W., P. Brimblecombe, D. L. Dent, and P. S. Liss, *Environmental Chemistry*, John Wiley & Sons, New York, 1980.

Ramanathan, V., Greenhouse effect due to chlorofluorocarbons: Climate implications, *Science*, *190*, 50-52, 1975.

Ramanathan, V., L. Callis, R. Cess, J. Hansen, I. Isaksen, W. Kuhn, A. Lucas, F. Luther, J. Mahlman, R. Reck, and M. Schlesinger, Climate-chemical interactions and effects of changing atmospheric trace gases, *Rev. Geophys.*, *25*, 1441-1482, 1987.

Rapson, W., M. Nazar, and V. K. Bursky, Mutagenicity produced by aqueous chlorination of organic compounds, *Bull. Environ. Contam. Toxicol.*, *24*, 590-596, 1980.

Rasmussen, R. A., and M. A. K. Khalil, Atmospheric halocarbons: Measurements and analyses of selected trace gases, *Proceedings of the NATO Advanced Study Institute on Atmospheric Ozone: Its Variation and Human Influences*, , Rep. FAA-EE-80-20, edited by A. C. Aikin, DOT, FAA, Washington, DC, 209-231, 1980.

Rasmussen, R. A., and M. A. K. Khalil, Latitudinal distributions of trace gases in and above the boundary layer, *Chemosphere*, *11*, 227-235, 1982.

REFERENCES

Rasmussen, R. A., M. A. K. Khalil, and R. W. Dalluge, Atmospheric trace gases in Antarctica, *Science*, *211*, 285-287, 1981.

Ravishankara, A. R., Kinetics of radical reactions in the atmospheric oxidation of CH_4, *Ann. Rev. Phys. Chem.*, *39*, 367-394, 1988.

Ravishankara, A. R., F. L. Eisele, and P. H. Wine, Pulsed laser photolysis-longpath laser abosrption kinetics study of the reaction of methylperoxy radicals with NO_2, *J. Chem. Phys.*, *73*, 3743-3749, 1980.

Ravishankara, A. R., F. L. Eisele, N. M. Kreutter, and P. H. Wine, Kinetics of the reaction of CH_3O_2 with NO, *J. Chem. Phys.*, *74*, 2267-2274, 1981.

Rayez, J.-C., M.-T. Rayez, P. Halvick, B. Duguay, R. Lesclaux, and J. T. Dannenberg, A theoretical study of the decomposition of halogenated alkoxy radicals. I. Hydrogen and chlorine extrusions, *Chem. Phys.*, *116*, 203-213, 1987.

Reddy, J. K., D. L. Azarnoff, and C. E. Hignite, Hypolipidaemic hepatic peroxisome proliferators form a novel class of chemical carcinogens, *Nature*, *283*, 397-398, 1980.

Reid, R. C., J. M. Prausnitz, and B. E. Poling, *The Properties of Gases and Liquids, fourth edition*, McGraw-Hill Book Company, New York, 1987.

Reimer, A., and F. Zabel, Thermal stability of peroxynitrates, *9th Int. Symposium on Gas Kinetics*, University of Bordeaux, Bordeaux, France, July 20-25, 1986.

Richardson, W.H., Acidity, hydrogen bonding and complex formation, *The Chemistry of Functional Groups*, S. Patai, ed., John Wiley & Sons, Chichester, Chapter 5, 129-160, 1983.

Ridley, B. A., M. A. Carroll, and G. L. Gregory, Measurements of nitric oxide in the boundary layer and free troposphere over the Pacific ocean, *J. Geophys. Res.*, *92*, D2, 2025-2048, 1987.

Robbins, R. C., R. D. Cadle, and D. L. Eckhardt, The conversion of sodium chloride to hydrogen chloride in the atmosphere, *J. Meteorol.*, *16*, 53-59, 1959.

Roberts, J. D., and M. C. Caserio, *Basic Principles of Organic Chemistry*, W. A. Benjamin, Inc., New York, 1965.

Robertson, R. E., K. M. Kosky, A. Annessa, J. N. Ong, J. M. W. Scott, and M. S. Blandamer, Kinetics of solvolysis in water of four secondary alkyl nitrates, *Can. J. Chem.*, *60*, 1780-1785, 1982.

Robins, D. E., and R. S. Stolarski, Comparison of stratospheric ozone destruction by fluorocarbons 11, 12, 21, and 22, *Geosphys. Res. Lett.*, *3*, 603-606, 1976.

Rogers, J. D., and R. D. Stephens, Absolute infrared intensities for F-113 and F-114 and an assessment of their greenhouse warming potential relative to other chlorofluorocarbons, *J. Geophys. Res.*, *93*, 2423-2428, 1988.

Rognerud, B., I. S. A. Isaksen, and F. Stordal, Model studies of stratospheric ozone depletion, *Proc. Quadrennial Ozone Symposium*, Univ. of Gottingen, Rep. of Germany, 1988.

Rosenberg, P. H., and T. Wahlstrom, Hepatotoxicity of halothane metabolites in vivo and inhibition of fibroblast growth in vitro, *Acta Pharmacol. Toxicol.*, *29*, 9-19, 1971.

Rosenberg, P. H., and T. Wahlstrom, Trifluoroacetic acid and some possible intermediate metabolites of halothane as haptens, *Anesthesiology*, *38*, 224-227, 1973.

Rosenberg, P. H., Decrease in reduced glutathione and NADPH and inhibition of glucose-6-phosphate dehydrogenase activity caused by metabolites of fluroxene and halothane, *Ann. Med. Exp. Biol. Fenniae*, *49*, 84-88, 1971.

Rothenberger, G., J. Moser, M. Gratzel, N. Serpone, and D. K. Sharma, Charge carrier trapping and recombination dynamics in small semiconductor particles, *J. Am. Chem. Soc.*, *107*, 8054-8059, 1985.

Rowland, R. S., and I. S. A. Isaksen, Introduction, *The Changing Atmosphere, Physical, Chemical, and Earth Science Research Report 7*, Wiley-Interscience, Chichester, England, 1-4, 1988.

Rubin, T. R., B. H. Levendahl, and D. M. Yost, The heat capacity, heat of transition, vaporization, vapor pressure, and entropy of 1,1,1-trichloroethane, *J. Am. Chem. Soc.*, *66*, 279-282, 1944.

Rudolph, J., and D. H. Ehhalt, Measurements of C_2-C_5 hydrocarbons over the North Atlantic, *J. Geophys. Res.*, *86*, 11,959-11,964, 1981.

Ruppert, H., Geochemical investigations on atmospheric precipitation in a medium-sized city (Gottingen F.R.G.), *Water Air Soil Pollut.*, *4*, 447-460, 1975.

Ryaboshapko, A. G., The atmospheric sulfur cycle, *The Global Biogeochemical Sulfur Cycle*, M. V. Ivanov and B. R. Freney, eds., Wiley, New York, 203-296, 1983.

Ryan, K. R., and I. C. Plumb, Kinetics of the reactions of CF_3 with $O(^3P)$ and O_2 at 295 K, *J. Phys. Chem.*, *86*, 4678-4683, 1982.

Ryan, K. R., and I. C. Plumb, Kinetics of the reactions of CCl_3 with O and O_2 and of CCl_3O_2 with NO at 295 K, *Int. J. Chem. Kinet.*, *16*, 591-602, 1984.

Salih, I. M., T. Soeylemez, and T. I. Balkas, Radiolysis of aqueous solutions of difluorochloromethane, *Radiat. Res.*, *67*, 235-243, 1976.

Sander, S. P., and R. T. Watson, Kinetics studies of the reactions of CH_3O_2 with NO, NO_2, and CH_3O_2 at 298 K, *J. Phys. Chem.*, *84*, 1664-1674, 1980.

Sanders, N., J. E. Butler, L. R. Pasternack, and J. R. McDonald, $CH_3O(X^2E)$ production from 266 nm photolysis of methyl nitrite and reaction with NO, *Chem. Phys.*, *48*, 203-208, 1980.

Sandoval, H. L., R. Atkinson, and J. N. Pitts, Jr., Reactions of electronically excited $O(^1D)$ atoms with fluorocarbons, *J. Photochem.*, *3*, 325-327, 1974.

REFERENCES

Sanhueza, E., The chlorine atoms photosensitized oxidation of $CHCl_3$, $CHClF_2$, and CHF_3, *J. Photochem.*, *7*, 325, 1977.

Sanhueza, E., and J. Heicklen, Oxidation of chloroethylene, *J. Phys. Chem*, *79*, 677-681, 1975a.

Sanhueza, E., and J. Heicklen, The chlorine-atom initiated and $Hg(^3P_1)$-photosensitized oxidation of CH_2Cl_2, *J. Photochem.*, *4*, 17-26, 1975b.

Sanhueza, E., and J. Heicklen, The oxidation of CFClCFCl and CF_2CCl_2, *Int. J. Chem. Kinet*, *7*, 399-415, 1975c.

Sanhueza, E., and J. Heicklen, Chlorine atom senstized oxidation of dichloromethane and chloromethane, *J. Phys. Chem*, *79*, 7-11, 1975d.

Sanhueza, E., and J. Heicklen, *Int. J. Chem. Kinet*, *7*, 589, 1975e.

Sanhueza, E., I. C. Hisatsune, and J. Heicklen, Oxidation of haloethylenes, *Chem. Rev.*, *76*, 801-826, 1976.

Schmidt,. J. W., unpublished data, National Institute of Standards and Technology, Gaithersburg, MD, 1988.

Schumacher, H. J., and H. Thürauf, *Z. Phys. Chem.*, *A189*, 183, 1941.

Schwarz, H. A., and R. W. Dodson, Equilibrium between hydroxyl radicals and thallium(II) and the oxidation potential of OH(aq), *J. Phys. Chem.*, *88*, 3643-3647, 1984.

Seila, R. L. and W. A. Lonneman, *Paper 88-150.8, presented at the 81st Annual Meeting of Air Pollution Control Association*, Dallas, TX, June 20-24, 1988.

Seiler, W., The cycle of atmospheric CO, *Tellus*, *26*, 116-135, 1974.

Seiler, W., and R. Conrad, Contribution of tropical ecosystems to the global budget of trace gases, especially CH_4, H_2, CO, and N_2O, *The Geophysiology of Amazonia*, John Wiley and Sons, New York, 133-160, 1987.

Seiler, W., and U. Schmidt, New aspects of CO and H_2 cycles in the atmosphere, *Proc. Int. Conf. on the Structure, Composition, General Circulation in the Upper and Lower Atmospheres and Possible Anthropogenic Perturbations, IAMAP, Toronto, Canada*, 192-222, 1974.

Seinfeld, J. H., Urban air pollution: State of the science, *Science*, *243*, 745-752, 1989.

Seppelt, K., Trifluoromethanol, CF_3OH, *Agnew. Chem. Int. Ed. Engl.*, *16*, 322-323, 1977.

Sexton, K., and H. Westberg, Nonmethane HC composition of urban and rural atmospheres, *Atmos. Environ.*, *18*, 1125-1132, 1984.

Sidhu, S. S., Fluoride deposition through precipitation and leaf litter in a boreal forest in the vicinity of a phosphorus plant, *Sci. Total Environ.*, *23*, 205-214, 1982.

Siever, R., The steady state of the earth's crust, atmosphere and oceans, *Scientific American*, *230*, 72-79, 1974.

Siggia, S., and J. G. Hanna, *Quantitative Organic Analysis via Functional Groups*, John Wiley & Sons, New York, 325-372, 1979.

Sillen, L. G., The ocean as a chemical system, *Science*, *156*, 1189-1197, 1967.

Simmonds, P. G., F. N. Alyea, C. A. Cardelino, A. J. Crawford, D. M. Cunnold, B. C. Lane, J. E. Lovelock, R. G. Prinn, and R. A. Rassmussen, The atmospheric lifetime experiment, 6, results for carbon tetrachloride based on 3 years of data, *J. Geophys. Res.*, *88*, 8427-8441, 1983.

Simon, P. C., D. Gillotay, N. Vanlaethem-Meuree, and J. Wisemberg, Ultraviolet absorption cross-sections of chloro- and chlorofluoro-methanes at stratospheric temperatures, *J. Atmos. Chem.*, *7*, 107-135, 1988.

Simonaitis, R., and J. Heicklen, The reaction of CCl_3O_2 with NO and NO_2 and the thermal decomposition of $CCl_3O_2NO_2$, *Chem. Phys. Lett.*, *62*, 473-477, 1979.

Singh, H. B., Atmospheric halocarbons: evidence in favour of reduced averaged hydroxyl concentration in the troposphere, *Geophys. Res. Lett.*, *4*, 101-104, 1977.

Singh, H. B., and L. Salas, Measurement of selected light hydrocarbons over the Pacific Ocean: Latitudinal and seasonal variations, *Geophys. Res. Lett.*, *4*, 842-845, 1982.

Singh, H. B., L. J. Salas, and R. E. Stiles, Methyl halides in and over the Eastern Pacific (40°N-32°S), *J. Geophys. Res.*, *88*, 3684-3690, 1983.

Singh, H. B., L. Salas, H. Shigeishi, and A. Crawford, Non-urban relationships of halocarbons, SF_6, N_2O, and other atmospheric constituents, *Atmos. Environ.*, *11*, 819-823, 1977.

Singh, H. B., R. J. Ferek, L. J. Salas, and K. C. Nitz, Toxic chemicals in the environment: a program of filed measurements, *SRI International Report*, February, 1986.

Singleton, D. L., G. Paraskevopoulos, and R. S. Irwin, Reaction of OH with CH_3CH_2F: the extent of H abstraction from the *A* and ß positions, *J. Phys. Chem.*, *84*, 2339-2343, 1980.

Slagle, I. R., J.-Y. Park, and D. Gutman, Experimental investigation of the kinetics and mechanism of the reaction of n-propyl radicals with molecular oxygen from 297 to 635 K, *20th International Symp. Combustion, 1984*, The Combustion Institute, Pittsburgh, PA, 733-741, 1985.

Slagle, I. R., Q. Feng, and D. Gutman, Kinetics of the reaction of ethyl radicals with molecular oxygen from 294 to 1002 K, *J. Phys. Chem.*, *88*, 3648-3653, 1984.

Smith, F. A., D. E. Gardner, C. L. Yiule, O. H. deLopez, and L. L. Hall, Defluorination of fluoroacetate in the rat, *Life Sciences*, *20*, 1131-1138, 1977.

REFERENCES

Snider, J. R., and G. A. Dawson, Tropospheric light alcohols, carbonyls, and acetonitrile: concentrations in in the southwestern United States and Henry's law constants, *J. Geophys. Res.*, *90*, 3797-3805, 1985.

Solvay, Brussels, Belgium, private communication via J. von Schweinichen, Montefluos, Milan, Italy, 1989.

Spence, J. W., and P. L. Hanst, *J. Air Pollut. Control Assoc.*, *28*, 250, 1978.

Spivakovsky, C., et al., Tropospheric OH and seasonal variations of atmospheric halocarbons: Separating the influence of chemistry and transport, *submitted to J. Geophys. Res.*, 1989.

Stanbury, D. M., W. K. Wilmarth, S. Khalaf, H. N. Po, and J. E. Byrd, Oxidation of thiocyanate and iodide by iridium (IV), *Inorg. Chem.*, *19*, 2715-2722, 1980.

Stepakoff, G. L., and A. P. Modica, The hydrolysis of halocarbon refrigerants in freeze desalination processes: Pt. I. solubility and hydrolysis rates of Freon 114 ($CClF_2CClF_2$), *Desalination*, *12*, 85-105, 1973.

Stephens, E. R., The formation of molecular oxygen by alkaline hydrolysis of peroxyacetyl nitrate, *Atmos. Environ.*, *1*, 19-20, 1967.

Stewart, R. B., R. T. Jacobsen, J. H. Becker, and M. J. Zimmerman, A survey of the thermodynamic property data for the halocarbon refrigerants, *Center for Applied Thermodynamic Studies, Report no. 81-2*, University of Idaho, Moscow, ID, 1981.

Stier, A., H. W. Kunz, A. K. Walli, and H. Schimassek, Effect on growth and metabolism of rat liver by halothane and its metabolite trifluoroacetate, *Biochem. Pharmacol.*, *21*, 2181-2192, 1972.

Stordal, F., I. S. A. Isaksen, and K. Horntveth, A diabatic circulation two-dimensional model with photochemistry: Simulations of ozone and long-lived tracers with surface sources, *J. Geophys. Res.*, *90*, 5757-5776, 1985.

Stumm, W., and J. J. Morgan, *Aquatic Chemistry, an Introduction Emphasizing Chemical Equilibria in Natural Waters*, 583 pp., John Wiley & Sones, 1970.

Suong, J. Y., and R. W. Carr, Jr., The photo-oxidation of 1,3-dichlorotetrafluoroacetone: mechanism of the reaction of CF_2Cl with oxygen, *J. Photochem.*, *19*, 295-302, 1982.

Swain, C. G., and C. B. Scott, Rates of solvolysis of some alkyl fluorides and chlorides, *J. Am. Chem. Soc.*, *75*, 246-248, 1953.

Swallow, A. J., Hydrated electrons in seawater, *Nature*, *222*, 369-370, 1969.

Symonds, R. B., W. I. Rose, and M. H. Reed, Contribution of Cl- and F-bearing gases to the atmosphere by volcanoes, *Nature*, *344*, 415-418, 1988.

Sze, N. D., Anthropogenic CO emissions: Implications for the atmospheric CO-OH-CH_4 cycle, *Science*, *195*, 673, 1977.

Sze, N. D., and M. K. W. Ko, The effects of the rate of OH + HNO_3 and HO_2NO_2 photolysis on stratospheric chemistry, *Atmos. Environ.*, *7*, 1301-1367, 1981.

Talbot, R. W., M. O. Andreae, T. W. Andreae, and R. C. Harriss, Regional aerosol chemistry of the Amazon Basin during the dry season, *J. Geophys. Res.*, *93*, 1499-1508, 1988.

Taylor, W. D., T. D. Allston, M. J. Moscato, G. B. Fazekas, R. Kozlowski, and G. A. Takacs, Atmospheric photodissociation lifetimes for nitromethane, methyl nitrite, and methyl nitrate, *Int. J. Chem. Kinet.*, *12*, 231-240, 1980.

Thermodynamics Research Center, *TRC thermodynamic tables, non-hydrocarbons*, Texas A&M University, College Station, TX, 1986.

Tonomura, K., F. Futai, O. Tanabe, and T. Yamaoka, Defluorination of monofluoroacetate by bacteria. Part I. Isolation of bacteria and their activity of defluorination, *Agr. Biol. Chem.*, *29*, 124-128, 1965.

Troe, J., Predictive possibilities of unimolecular rate theory, *J. Phys. Chem.*, *83*, 114-126, 1979.

Tsalkani, N., A. Mellouki, G. Poulet, G. Toupance, and G. Le Bras, Rate constant measurements for the reactions of OH and Cl with peroxyacetyl nitrate at 298 K, *J. Atmos. Chem.*, *7*, 409, 1988.

Tschuikow-Roux, E., T. Yano, and J. Niedzielsky, Reactions of ground state chlorine atoms with fluorinated methanes and ethanes, *J. Chem. Phys.*, *82*, 65, 1985.

U.S. Environmental Protection Agency, Fed. Reg. 51, 11,396-11,414, 1986.

Ugi, I., and F. Beck, Reaktion von carbonsaurehalogeniden mit wasser und amiren, *Chem. Ber.*, *94*, 1839-1850, 1961.

Uno, I., S. Wakamatsu, R. A. Wadden, S. Konno, and H. Koshio, Evaluation of hydrocarbon reactivity in urban air, *Atmos. Environ.*, *19*, 1283-1293, 1985.

Vaghjiani, G. L., and A. R. Ravishankara, Kinetics and mechanism of OH reaction with CH_3OOH, *J. Phys. Chem*, *93*, 1948-1959, 1989.

Valtz, A., S. Laugier, and R. Richon, Bubble pressures and saturated liquid molar volumes of difluoromonochloromethane-fluorochloroethane binary mixtures, *Int. J. Refrigeration*, *9*, 282, 1986.

Varanasi, P., and S. Chudamani, Infrared intensities of some chlorofluorocarbons capable of perturbing the global climate, *J. Geophys. Res.*, *93*, 1666-1668, 1988.

Verhoek, F. H., The kinetics of the decomposition of the trichloroacetates in various solvents, *J. Am. Chem. Soc.*, *56*, 571-577, 1934.

Vogel, T. M., C. S. Criddle, and P. L. McCarty, Transformations of halogenated aliphatic compounds, *Env. Sci. Technol.*, *21*, 722-736, 1987.

Volz, A., D. H. Ehhalt, and R. G. Derwent, Seasonal and latitudinal variation in ^{14}CO and the tropospheric concentration of OH radicals, *J. Geophys. Res.*, *86*, 5163-5171, 1981.

Volz, A., D. H. Ehhalt, R. G. Derwent, and A. Khedim, Messung von atmospharischenn ^{14}CO: eine methode zur bestimmung der tropospharischen OH radikalkonzentration, *KFA Julich Report Jul 1604*, Federal Republic of Germany, 1979.

Vong, R. J., H.-C. Hansson, H. B. Ross, D. S. Covert, and R. J. Charlson, Northeastern Pacific submicrometer aerosol and rainwater composition: A multivariate analysis, *J. Geophys. Res*, *93*, 1625-1637, 1988.

Wada, S. and N. Kokubu, Chemical composition of maritime aerosols, *Geochem. J.*, *6*, 131-139, 1973.

Wagman, D. G., W. H. Evans, V. B. Parker, R. H. Schumm, I. Halow, S. M. Bailey, K. L. Churney, and R. L. Nuttall, The NBS tables of chemical thermodynamic properties. Selected values for inorganic and C_1 and C_2 organic subtances in SI units, *J. Phys. Chem. Ref. Data*, *11*, Suppl. 2, 1-392, 1982.

Wallington, T. J., L. M. Skewes, and W. O. Siegl, Kinetics of the gas phase reaction of chlorine atoms with a series of alkenes, alkynes, and aromatic species at 295 K, *J. Photochem. Photobiol., A: Chemistry*, *45*, 167-175, 1988b.

Wallington, T. J., L. M. Skewes, W. O. Siegl, C.-H. Wu, and S. M. Japar, Gas phase reaction of Cl atoms with a series of oxygenated organic compounds at 295 K, *Int. J. Chem. Kinet.*, *20*, 867-875, 1988a.

Wallington, T. J., R. Atkinson, and A. M. Winer, Rate constants for the gas phase reaction of OH radicals with peroxyacetyl nitrate (PAN) at 273 and 297 K, *Geophys. Res. Lett.*, *11*, 861, 1984.

Walraevens, R., P. Trouillet, and A. Devos, Basic elimination of HCl from chlorinated ethanes, *Int. J. of Chem. Kinet.*, *6*, 777-786, 1974.

Wang, W.-C., and G. Molnar, A model study of the greenhouse effects due to increasing CH_4, N_2O, CF_2Cl_2, and $CFCl_3$, *J. Geophys. Res.*, *90*, 12,971-12,980, 1985.

Wang, W. C., D. J. Wuebbles, W. M. Washington, R. G. Isaacs, and G. Molnar, Trace gases and other potential perturbations to global climate, *Rev. Geophys.*, *24*, 110, 1986.

Wantuck, P. J., R. C. Oldenberg, S. L. Baughaum, and K. R. Winn, Removal rate constant measurements for CH_3O by O_2 over the 298-973 K range, *J. Phys. Chem.*, *91*, 4653-4655, 1987.

Ward, P. F. V., R. J. Hall, and R. A. Peters, Fluorofatty acids in the seeds of Dichapetalum toxicarium, *Nature*, *201*, 611-612, 1964.

Warneck, P.,*Chemistry of the Natural Atmosphere*, Academic Press, Inc., San Diego, 1988.

Waskell, L., Study of the mutagenicity of anesthetics and their metabolites, *Mutation Res.*, *57*, 141-153, 1978.

Watson, R. T., A. R. Ravishankara, G. Machado, S. Wagner, and D. D. Davis, A kinetics study of the temperature dependence of the reactions of OH ($^2\Pi$) with CF_3CHCl_2, CF_3CHClF, and CF_2ClCH_2Cl, *Int. J. Chem. Kinet.*, *11*, 187-197, 1979.

Watson, R. T., G. Machado, B. Conaway. S. Wagner, and D. D. Davis, A temperature dependent kinetics study of the reaction of OH with CH_2ClF, $CHCl_2F$, $CHClF_2$, CH_3CCl_3, CH_3CF_2Cl, and $CF_2ClCFCl_2$, *J. Phys. Chem.*, *81*, 256-262, 1977.

Watson, R. T., M. J. Prather, and M. J. Kurylo, Present state of knowledge of the upper atmosphere 1988: An assessment report (to Congress), *NASA Reference Publication 1208*, 1988.

Weast, R. C., ed., *CRC handbook of chemistry and physics, 57th ed.*, CRC Press, Boca Raton, FL, D-194, 1977.

Weber, L. A., Vapor pressures and gas phase PVT data for 1,1,1,2-tetrafluoroethane, *Int. J. Thermophysics, 10, no. 3*, to be published, 1989.

Weber, L. A., and J. M. H. Levelt-Sengers, Critical parameters and saturation densities of 1,1-dichloro-2,2,2-trifluoroethane, to be published, 1989.

Weinstein, L. H., Fluoride and plant life, *J. Occup. Med.*, *19*, 49-78, 1977.

Weinstein, L. H., D. C. McCune, J. F. Mancini, L. J. Colavito, D. H. Silberman, and P. van Leuken, Studies on fluoro-organic compounds in plants. III. Comparison of the biosyntheses of fluoro-organic acids in Acacia georginae with other species, *Environ. Res.*, *5*, 393-408, 1972.

Weinstock, B., The residence time of carbon monoxide in the atmosphere, *Science*, *166*, 224-225, 1969.

Weinstock, B., and H. Niki, Carbon monoxide balance in nature, *Science*, *176*, 290-292, 1972.

Whytock, D. A., and K. O. Kutsche, *Proc. Roy. Soc. A.*, *306*, 503, 1988.

Wilkness, P. E., and D. J. Bressan, Chemical processes at the sea-air interface: The behavior of fluorine, *J. Geophys. Res.*, *76*, 736-741, 1971.

Wilkness, P. E., and D. J. Bressan, Fractionation of the elements of F, Cl, Na, and K at the sea-air interface, *J. Geophys. Res.*, *77*, 5307-5315, 1972.

Wilmarth, W. K, D. M. Stanbury, J. E. Byrd, H. N. Po, and C.-P. Chua, Electron-transfer reactions involving simple free radicals, *Coord. Chem. Rev.*, *51*, 155-179, 1983.

Wilson, D. P., and R. S. Basu, Thermodynamic properties of a new stratospherically safe working fluid--refrigerant 134a, *ASHRAE Trans. 94 pt. 2*, 1988.

Wilson, S. R., P. J. Crutzen, G. Shuster, D. W. T. Griffith, and G. Hales, *Nature*, 1989.

REFERENCES

Wine, P. H., and W. L. Chameides, Possible atmospheric lifetimes and chemical reaction mechanisms for selected HCFCs, HFCs, CH_3CCl_3, and their degradation products against dissolution and/or degradation in seawater and cloudwater, *AFEAS manuscript*, June, 1989.

Wine, P. H., Y. Tang, R. P. Thorn, J. R. Wells, and D. D. Davis, Kinetics of aqueous phase reactions of the SO_4^-radical with potential importance in cloud chemistry, *J. Geophys. Res.*, *94*, 1085-1094, 1989.

Winer, A. M., K. R. Darnall, R. Atkinson, and J. N. Pitts, Smog chamber study of the correlation of hydroxyl radical rate constants with ozone formation, *Environ. Sci. Technol.*, *13*, 822-826, 1979.

Winer, A. M., R. Atkinson, and J. N. Pitts, Jr., Gaseous nitrate radical: Possible nighttime atmospheric sink for biogenic organic compounds, *Science*, *224*, 156-159, 1984.

Withnall, R., and J. R. Sodeau, Applications for Fourier transform IR spectroscopy to the determination of photo-oxidation quantum yields for halocarbons, *J. Photochem.*, *33*, 1-11, 1986.

Witte, L., H. Nau, and J. H. Fuhrhop, Quantitative analysis of trifluoroacetic acid in body fluids of patients treated with halothane, *J. Chromatog.*, *143*, 329-334, 1977.

WMO, Atmospheric ozone 1985: assessment of our understanding of the processes controlling its present distribution and change, *WMO Report No. 16*, sponsored by WMO, NASA, NOAA, FAA, UNEP, CEC, and BMFT, Washington, DC, 1986.

Wofsy, S. C., and M. B. McElroy, HO_x, NO_x, and ClO_3: Their role in atmospheric photochemistry, *Can. J. Chem.*, *52*, 1582-1591, 1974.

World Health Organization, Fluorine and fluorides, *36*, 1-136, 1984.

World Meteorological Organization, Atmospheric ozone 1985: assessment of our understanding of the processes controlling its present distribution and change, *WMO Report No. 16,Vol. 1*, 117-150, sponsored by WMO, NASA, NOAA, FAA, UNEP, CEC, and BMFT, Washington, DC, 1986.

Wu, D., and K. D. Bayes, Rate constants for the reactions of isobutyl, neopentyl, cyclopentyl, and cyclohexyl radicals with molecular oxygen, *Int. J. Chem. Kinet.*, *18*, 547, 1986.

Wuebbles, D. J., The relative efficiency of a number of halocarbons for destroying stratospheric ozone, *Rep. UCID-18924*, Lawrence Livermore Nat. Lab., Livermore CA, 1981.

Wuebbles, D. J., Chlorocarbon emission scenarios: Potential impact on stratospheric ozone, *J. Geophys. Res.*, *88*, 1433-1443, 1983.

Wuebbles, D. J., and D. E. Kinnison, A two-dimensional study of past trends in global ozone, *Proc. Quadrennial Ozone Symposium*, Univ. of Gottingen, Rep. of Germany, 1988.

Wuebbles, D. J., K. E. Grant, P. S. Connell, and J. E. Penner, The role of atmospheric chemistry in climate change, *J. Air Poll. Control Assoc.*, *39*, 21-28, 1989.

Xing Lin and W. L. Chameides, Model simulations of rainout and washout from a warm stratiform cloud, *submitted to J. Atmos. Chem.*, 1989.

Yamashita, T., H. Kubota, Y. Tanaka, T. Makita and H. Kashiwagi, Measurements of physical properties of new fluorocarbons, *Proc. Ninth Japan Symp. on Thermophysical Properties*, 227-230, 1988.

Zafiriou, O. C., Reaction of methyl halides with sea water and marine aerosols, *J. Marine Res.*, *33*, 75-81, 1975.

Zafiriou, O. C., and M. B. True, Nitrite photolysis in seawater by sunlight, *Mar. Chem.*, *8*, 9-32, 1979.

Zander, M., Pressure-volume-temperature behavior of chlorodifluoromethane (Freon 22) in the gaseous and liquid states, *Proc. 4th Symp. on Thermophysical Properties of Gases, Liquids, and Solids, ASME*, 114-123, 1968.

Zellner, R., and L. Jürgens, Photooxidation of $CHClF_2$ under tropospheric conditions, to be published, 1989.

Zepp, R. G., A. M. Braun, J. Hoigne, and J. A. Leenheer, Photoproduction of hydrated electrons from natural organic solutes in aquatic environments, *Env. Sci. Technol.*, *21*, 485-490, 1987a.

Zepp, R. G., J. Hoigne, and H. Bader, Nitrate-induced photooxidation of trace organic chemicals in water, *Environ. Sci. Technol.*, *21*, 443-450, 1987b.

Zhang, K., D. Chen, G. Liu, Y. Xu, and Y. Hu, Solubilities of chloro-difluoromethane and tetrafluoroethylene in aqueous solutions of HCl and NaCl, *Journal of East China Institute of Chemical Technology*, 1985.

WORLD METEOROLOGICAL ORGANIZATION
GLOBAL OZONE RESEARCH AND MONITORING PROJECT – REPORT NO. 20

Scientific Assessment of Stratospheric Ozone: 1989