

NASA TM-86379

NASA Technical Memorandum 86379

NASA-TM-86379 19850013564

Phase Function, Backscatter, Extinction, and Absorption for Standard Radiation Atmosphere and El Chichon Aerosol Models at Visible and Near-Infrared Wavelengths

Charles H. Whitlock, John T. Suttles,
and S. R. LeCroy

March 1985

NOT FOR PUBLIC RELEASE
BEFORE 2025



National Aeronautics and
Space Administration

Langley Research Center
Hampton, Virginia 23665



NF00579

TABLE OF CONTENTS

SUMMARY.....	1.
INTRODUCTION.....	1.
RESULTS.....	1.
CONCLUDING REMARKS.....	6.
REFERENCES.....	6.
Appendix A. Continental Aerosol Model.....	8.
Appendix B. Maritime Aerosol Model.....	11.
Appendix C. Urban Aerosol Model.....	15.
Appendix D. Unperturbed Stratospheric Aerosol Model.....	18.
Appendix E. Upper Atmospheric Aerosol Model.....	21.
Appendix F. Water-Soluble Aerosol Model.....	25.
Appendix G. Dust-Like Aerosol Model.....	28.
Appendix H. Soot Aerosol Model.....	35.
Appendix I. Oceanic Aerosol Model.....	38.
Appendix J. SRA Volcanic Aerosol Model.....	42.
Appendix K. Pre-Eruption Stratospheric Aerosol Model.....	45.
Appendix L. 1.5-Month Post-Eruption Stratospheric Aerosol Model.....	48.
Appendix M. 13-Month Post-Eruption Stratospheric Aerosol Model.....	52.

SUMMARY

Tabular values of phase function, Legendre polynominal coefficients, 180° backscatter, and extinction cross section are given for eight wavelengths in the atmospheric windows between 0.4 and 2.2 μm . Also included are single-scattering albedo, asymmetry factor, and refractive indices. These values are based on Mie theory calculations for the Standard Radiation Atmospheres (continental, maritime, urban, unperturbed stratospheric, volcanic, upper atmospheric, soot, oceanic, dust, and water-soluble) as well as measured volcanic aerosols at several time intervals following the El Chichon eruption. Comparisons of extinction to 180° backscatter for different aerosol models are also presented and related to lidar data.

INTRODUCTION

Much research has been conducted to characterize the optical properties of various atmospheric layers. Reference 1 presented a series of optical models for a variety of aerosol types which have provided a basis for many radiation and remote sensing studies. Most recently, these models have been refined and designated as Standard Radiation Atmosphere (SRA) aerosol models for purposes of climate studies (ref. 2). In that publication, many physical property and optical parameters are tabulated in a form useful for input to general climate models. Unfortunately, that information is not sufficient for detailed radiative transfer calculations in that single-scattering phase function values are not presented. Such information is required for accurate skylight and lidar backscatter calculations. In addition, the SRA volcanic aerosol does not account for the series of recent volcanic eruptions which have changed particle size characteristics for both aged and recent eruption conditions (refs. 3, 4, and 5). The effect of stratospheric particle size has been shown to produce dramatic changes in aerosol optical parameters (refs. 5 and 6).

This report gives tabular values of phase function, Legendre polynominal coefficients, and 180° backscatter at the 0.40, 0.44, 0.55, 0.75, 1.04, 1.24, 1.65, and 2.20 μm wavelengths. For consistency, extinction cross section, single-scattering albedo, asymmetry factor, and refractive indices are also given. Values are calculated from Mie theory for the continental, maritime, urban, unperturbed stratospheric, volcanic, upper atmospheric, soot, oceanic, dust, and water-soluble SRA aerosol models. Stratospheric values are presented for El Chichon pre-eruption, 1.5-month post-eruption, and 13-month post-eruption conditions over Texas (refs. 4 and 5). Comparisons of extinction to 180° backscatter spectra for different aerosol models are presented and related to ruby lidar experimental data. Backscatter values are also compared at wavelenghts near those of a doubled Nd-YAG lidar.

RESULTS

Appendices A through I give Mie-calculated scattering, extinction, and absorption properties of the SRA aerosol models from this study. (Calculations are based on the reference 7 Mie code which has been modified for polydispersed particle size distributions. Particle size input values were

taken directly from appendix A of reference 2. Index of refraction input values were either taken directly from reference 2 or computed on the basis of mixture percentages given in that document.) Table 1 of each appendix gives optical parameters with appropriate units. Table 2 gives phase function values from 0 to 180° normalized such that the integral of the phase function over a 4π sr equals unity as described in reference 8. Table 3 gives Legendre coefficients that may be used to calculate phase function following the approach of reference 9 which normalizes the phase function integral over 4π sr to equal 4π . Both types of normalizations are used in radiative transfer models. It should be noted that a large number of Legendre coefficients are required for accurate computations of large-particle aerosols (dust, in particular).

One parameter important to the analysis of lidar data is the ratio of aerosol extinction to 180° backscatter. This ratio is obtained from extinction cross section and 180° backscatter in appendices A to I and is presented in figures 1 and 2 for the SRA aerosols. Figure 1 shows both a wide range of values and spectral shapes depending on aerosol type. The boundary layer aerosols (continental, urban, and maritime) have similar spectral trends but differ widely in absolute value. The upper atmospheric aerosol from 30 to 50 km in altitude has a large increase with wavelength, while the unperturbed stratosphere has an opposite trend.




Figure 1.- Extinction to backscatter ratio for several SRA aerosols.

Figure 2 shows extinction to backscatter ratio for the basic SRA aerosol elements (water-soluble, dust, soot, and oceanic). An expanded scale for the extinction to backscatter ratio is required because of the high absorption (low single scattering albedo) of soot which gives low scattering relative to extinction (compare appendices F and H). This suggests that the lidar extinction to 180° backscatter parameter may be quite variable in urban and/or smoke aerosols where soot is present in differing percentages.




Figure 2.- Extinction to backscatter ratio for basic SRA aerosol types.

Appendices J through M give optical characteristics of several stratospheric aerosols. Size distributions used as a basis for the Mie calculations are shown in figure 3.




Figure 3.- Volcanic particle size distributions.

The SRA volcanic ash is taken from reference 2. Both pre-eruption and 1.5-month post-eruption El Chichon distributions are dustsonde data from reference 4 after normalization to 1 particle per cm^3 . The 13-month post-eruption data are taken from unpublished dustsonde data as described in reference 5. (Reference 4 also gives a 7.5-month post eruption size distribution, but its general shape is similar to the 13-month curve.) The initial effect of the El Chichon eruption was a relative increase in both large and small particles. Over the next 13 months, there appears to have been a decrease in small particles (through coagulation and growth), but longer persistence of large particles in the 1 μm range. This is believed to have been caused by nucleation and growth of $\text{H}_2\text{SO}_4\text{-H}_2\text{O}$ droplets in the stratosphere (ref. 4). It must be noted that the SRA volcanic ash size distribution is not similar to any of the El Chichon clouds.

Figure 4 shows extinction to backscatter ratio spectra for various stratospheric aerosol models.

○—○	SRA Volcanic Ash Aerosol Model
□—□	Pre-Eruption Stratospheric Aerosol Model
◇—◇	1.5-Month Post-Eruption Stratospheric Aerosol Model
△—△	13-Month Post-Eruption Stratospheric Aerosol Model




Figure 4.- Extinction to backscatter ratio for stratospheric aerosols.

The El Chichon pre-eruption curve (with few 1 μm radius particles) decreases with increasing wavelength. Both the 1.5-month and 13-month post-eruption curves have an opposite, increasing with wavelength, trend. Selecting the ruby lidar wavelength (0.69 μm) as an example, extinction to backscatter ratio was approximately 48 sr prior to eruption. A value near 19 sr is calculated 1.5-months after eruption. The 13-month post-eruption curve gives a ratio near 35 sr. (An extinction to backscatter uncertainty of ± 7 sr is estimated in reference 10 for similar Wyoming dustsonde data.) In spite of uncertainties, the dynamic nature of extinction to backscatter justifies the wisdom of frequent experimental measurements after a volcanic event. Use of the SRA volcanic model in this time period results in large errors (ref. 5).

It must be noted that considerable differences exist in extinction to 180° backscatter values for the background stratosphere. Figure 5 compares the SRA unperturbed stratosphere (fig. 1) with El Chichon pre-eruption values (fig. 4). Differences as large as 20 sr exist depending on wavelength.

Reference 2 describes the need for updating the SRA unperturbed stratosphere mixture, and reference 3 suggests a gradual change as a result of the series of volcanic eruptions since 1978. At the ruby lidar wavelength ($0.69 \mu\text{m}$), reference 10 reports an experimental extinction to backscatter value between 56 and 61 sr over Greenland in November 1978 as typical background stratosphere. Calculations using the pre-eruption size data (ref. 4) suggest that values near 48 sr may be more appropriate at the present time. As early as 1976, reference 11 gave results which show wide variations possible in the non-volcanic stratosphere. Calculations with several combinations of size and index of refraction values gave extinction to backscatter ratios ranging between 50 and 62 sr. The SRA unperturbed stratosphere value (65 sr) is at one end of this range as opposed to that of the pre-eruption value (48 sr). More accurate size and index of refraction data is desirable to reduce uncertainty and to improve the accuracy of climate calculations.




Figure 5.- Extinction to backscatter ratio for background stratosphere.

Another scattering parameter of interest is the ratio of 180° backscatter at $0.55 \mu\text{m}$ to that at $1.04 \mu\text{m}$. The ratio would be representative of the relative backscatter values that would be obtained using a doubled Nd-YAG lidar looking through a hypothetical SRA or volcanic aerosol at the 0.53 and $1.06 \mu\text{m}$ wavelengths. Taking values from appendices A, B, C, F, G, H, and I gives the following backscatter ratio values for various tropospheric aerosols:

<u>Aerosol Model</u>	<u>$0.55\mu\text{m}/1.04\mu\text{m}$ Backscatter</u>
Dust	0.55
Maritime	1.60
Oceanic	1.67
Urban	2.16
Continental	2.50
Water-Soluble	3.27
Soot	3.86

Backscatter ratio values for stratospheric aerosols from appendices D, J, K,

L, and M are as follows:

<u>Aerosol Model</u>	<u>0.55μm/1.04μm Backscatter</u>
1.5-Month El Chichon	1.19
13-Month El Chichon	1.86
Pre-Eruption	2.33
Unperturbed Stratosphere	2.56
SRA Volcanic	2.56

Both of the above listings suggest that the ratio of 180° backscatter at 0.55 μ m to that at 1.04 μ m is a strong function of particle size with a secondary effect of particle absorption. Within an environment where there is a relatively small change in particle indices of refraction (such as the stratosphere), measurement of the above backscatter ratio should provide a clear indication of perturbations from normal conditions and perhaps give a guide to an approximate extinction to backscatter value for use in data analysis from charts such as figure 4. In the troposphere, the ratio should be useful in identifying large amounts of either smoke or dust against background continental or maritime atmospheres. When combined with other measurements and wind data, it should provide a tool which aids in identification of aerosol type.

CONCLUDING REMARKS

Phase function, Legendre coefficients, extinction cross section, 180° backscatter, albedo, asymmetry, and refractive indices have been tabulated for various SRA and El Chichon aerosols. These values are an extension to previously published SRA aerosol properties and should be useful for more accurate radiative transfer and lidar backscatter studies. Spectral comparison of extinction to 180° backscatter ratios showed the wide range of values which are possible depending on aerosol type. Variation in the ratio of 0.55 μ m to 1.04 μ m backscatter suggests that doubled Nd-YAG lidar measurements may be valuable in both detecting atmospheric perturbations and identifying aerosol types.

REFERENCES

1. Shettle, Eric P.; and Fenn, Robert W.: Models of the Atmospheric Aerosols and Their Optical Properties. AGARD-CP-183, North Atlantic Treaty Organization, 1975.
2. Deepak, Adarsh; and Gerber, Hermann E.: Report of the Experts Meeting on Aerosols and Their Climatic Effects. WCP-55, World Meteorological Organization, 1983.
3. Hofmann, D. J.; Rosen, J. M.; Reiter, R.; and Jager, H: Lidar- and Balloon-Borne Particle Counter Comparisons Following Recent Volcanic Eruptions. J. Geophys. Res., vol. 88, no. C6, April 20, 1983, pp. 3777-3782.
4. Hofmann, D. J.; and Rosen, J. M.: Sulfuric Acid Droplet Formation and Growth in the Stratosphere After the 1982 Eruption of El Chichon. Science, vol. 222, October 21, 1983, pp. 325-327.

5. Whitlock, C. H.; Suttles, J. T.; Sebacher, D. I.; Fuller, W. H.; and LeCroy, S. R.: Interpretation of Spectral Radiation Experiments Using Finite-Difference Radiative Transfer Theory. IRS84: Current Problems in Atmospheric Radiation. A. Deepak Publishing, 1985.
6. King, M. D.; Harshvardhan; and Arking, A.: A Model of the Radiative Properties of the El Chichon Stratospheric Aerosol Layer. *J. Climate and Appl. Meteorol.*, vol. 23, July 1984, pp. 1121-1137.
7. Wiscombe, W. J.: Mie Scattering Calculations: Advances in Technique and Fast, Vector-Speed Computer Codes. NCAR/TN-140+STR, June 1979, (NTIS no. PB-301 388).
8. Liou, Kuo-Nan: An Introduction to Atmospheric Radiation. Academic Press, 1980, p. 77.
9. Lenoble, Jacqueline: Standard Procedures to Compute Atmospheric Radiative Transfer in a Scattering Atmosphere. Radiation Commision of International Association of Meteorology and Atmospheric Physics, July 1977.
10. Swissler, T. J.; McCormick, M. P.; and Spinhirne, J. D.: El Chichon Eruption Cloud: Comparison of Lidar and Optical Thickness Measurements for October 1982. *Geophys. Res. Ltrs.*, vol. 10, no. 9, September 1983, pp. 885-888.
11. Pinnick, R. G.; Rosen, J. M.; and Hofmann, D. J.: Stratospheric Aerosol Measurements III: Optical Model Calculations. *J. Atm. Sci.*, vol. 33, February 1976, pp. 304-313.

Appendix A

Continental Aerosol Model

Table A1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	7.67-16	0.650	0.917	1.96-17	1.53 -1.16-2
0.44	6.98-16	0.646	0.908	1.75-17	1.53 -1.16-2
0.55	5.44-16	0.637	0.911	1.32-17	1.53 -1.17-2
0.75	3.71-16	0.624	0.901	8.70-18	1.53 -1.24-2
1.04	2.35-16	0.614	0.871	5.27-18	1.52 -1.48-2
1.24	1.72-16	0.619	0.851	3.54-18	1.49 -1.56-2
1.65	9.59-17	0.646	0.800	1.62-18	1.41 -1.62-2
2.20	4.93-17	0.731	0.757	5.29-19	1.29 -1.39-2

Table A2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	3.83 0	3.54 0	3.00 0	2.48 0	2.18 0	2.16 0	2.30 0	2.83 0
1	3.22 0	3.06 0	2.73 0	2.36 0	2.12 0	2.12 0	2.27 0	2.81 0
2	2.16 0	2.16 0	2.13 0	2.04 0	1.95 0	1.99 0	2.18 0	2.74 0
4	1.32 0	1.29 0	1.26 0	1.32 0	1.46 0	1.59 0	1.88 0	2.48 0
6	1.08 0	1.05 0	1.00 0	9.60-1	1.04 0	1.17 0	1.51 0	2.13 0
8	9.37-1	9.13-1	8.65-1	8.18-1	8.19-1	8.90-1	1.16 0	1.74 0
10	8.26-1	8.08-1	7.69-1	7.22-1	7.08-1	7.36-1	9.11-1	1.38 0
15	6.21-1	6.13-1	5.92-1	5.62-1	5.41-1	5.48-1	6.04-1	8.06-1
20	4.76-1	4.73-1	4.63-1	4.46-1	4.30-1	4.30-1	4.47-1	5.30-1
40	1.74-1	1.75-1	1.77-1	1.78-1	1.77-1	1.74-1	1.64-1	1.35-1
60	6.87-2	6.96-2	7.15-2	7.40-2	7.52-2	7.36-2	6.64-2	4.76-2
80	3.14-2	3.18-2	3.29-2	3.46-2	3.56-2	3.47-2	3.09-2	2.11-2
100	1.78-2	1.81-2	1.88-2	1.99-2	2.07-2	2.04-2	1.82-2	1.29-2
120	1.36-2	1.39-2	1.45-2	1.55-2	1.63-2	1.62-2	1.49-2	1.12-2
140	1.45-2	1.47-2	1.52-2	1.61-2	1.69-2	1.69-2	1.62-2	1.23-2
150	1.64-2	1.66-2	1.69-2	1.75-2	1.84-2	1.85-2	1.81-2	1.31-2
160	1.83-2	1.83-2	1.86-2	1.91-2	2.01-2	2.06-2	2.05-2	1.39-2
170	2.11-2	2.11-2	2.12-2	2.18-2	2.22-2	2.18-2	2.06-2	1.43-2
175	2.52-2	2.50-2	2.46-2	2.44-2	2.42-2	2.28-2	1.97-2	1.36-2
180	2.79-2	2.75-2	2.66-2	2.60-2	2.58-2	2.42-2	2.12-2	1.42-2

Table A3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	1.95 0	1.94 0	1.91 0	1.87 0	1.84 0	1.86 0	1.94 0	2.19 0
2	2.21 0	2.18 0	2.12 0	2.04 0	2.00 0	2.05 0	2.26 0	2.84 0
3	1.89 0	1.85 0	1.77 0	1.67 0	1.64 0	1.71 0	2.03 0	2.91 0
4	1.62 0	1.57 0	1.48 0	1.38 0	1.36 0	1.46 0	1.83 0	2.83 0
5	1.32 0	1.28 0	1.19 0	1.11 0	1.12 0	1.23 0	1.63 0	2.66 0
6	1.13 0	1.09 0	1.01 0	9.46-1	9.80-1	1.09 0	1.49 0	2.46 0
7	9.70-1	9.31-1	8.65-1	8.17-1	8.73-1	9.92-1	1.38 0	2.26 0
8	8.67-1	8.32-1	7.76-1	7.46-1	8.14-1	9.29-1	1.29 0	2.06 0
9	7.76-1	7.45-1	6.99-1	6.83-1	7.65-1	8.83-1	1.22 0	1.87 0
10	7.24-1	6.96-1	6.59-1	6.55-1	7.39-1	8.50-1	1.15 0	1.69 0
11	6.65-1	6.41-1	6.13-1	6.20-1	7.10-1	8.24-1	1.10 0	1.53 0
12	6.39-1	6.18-1	5.95-1	6.08-1	6.96-1	7.98-1	1.03 0	1.37 0
13	5.98-1	5.80-1	5.65-1	5.85-1	6.74-1	7.73-1	9.76-1	1.23 0
14	5.86-1	5.71-1	5.58-1	5.80-1	6.61-1	7.51-1	9.12-1	1.08 0
15	5.57-1	5.44-1	5.38-1	5.65-1	6.41-1	7.24-1	8.57-1	9.60-1
16	5.52-1	5.41-1	5.36-1	5.61-1	6.29-1	7.00-1	7.95-1	8.36-1
17	5.30-1	5.21-1	5.19-1	5.48-1	6.09-1	6.70-1	7.37-1	7.30-1
18	5.27-1	5.19-1	5.18-1	5.45-1	5.95-1	6.45-1	6.76-1	6.24-1
19	5.11-1	5.05-1	5.05-1	5.32-1	5.73-1	6.12-1	6.17-1	5.34-1
20	5.08-1	5.03-1	5.03-1	5.25-1	5.57-1	5.84-1	5.60-1	4.49-1
21	4.98-1	4.94-1	4.95-1	5.16-1	5.37-1	5.52-1	5.04-1	3.75-1
22	4.97-1	4.93-1	4.94-1	5.09-1	5.19-1	5.25-1	4.54-1	3.08-1
23	4.90-1	4.87-1	4.88-1	4.99-1	4.98-1	4.92-1	4.02-1	2.45-1
24	4.88-1	4.84-1	4.84-1	4.91-1	4.78-1	4.63-1	3.57-1	1.89-1
25	4.81-1	4.77-1	4.77-1	4.79-1	4.55-1	4.30-1	3.09-1	1.32-1
26	4.77-1	4.72-1	4.71-1	4.68-1	4.32-1	3.99-1	2.69-1	9.02-2
27	4.72-1	4.67-1	4.65-1	4.57-1	4.11-1	3.69-1	2.28-1	4.82-2
28	4.70-1	4.65-1	4.60-1	4.46-1	3.90-1	3.41-1	1.97-1	2.83-2
29	4.68-1	4.63-1	4.57-1	4.37-1	3.71-1	3.15-1	1.65-1	9.07-3
30	4.68-1	4.62-1	4.54-1	4.28-1	3.53-1	2.90-1	1.41-1	6.45-3
31	4.64-1	4.58-1	4.48-1	4.16-1	3.32-1	2.63-1	1.11-1	1.61-3
32	4.59-1	4.54-1	4.40-1	4.02-1	3.10-1	2.36-1	8.81-2	1.31-3
33	4.53-1	4.46-1	4.31-1	3.86-1	2.86-1	2.09-1	6.07-2	-2.00-4
34	4.47-1	4.40-1	4.21-1	3.71-1	2.63-1	1.82-1	4.16-2	-2.69-3
35	4.45-1	4.37-1	4.16-1	3.60-1	2.45-1	1.61-1	2.55-2	-1.86-3
36	4.44-1	4.35-1	4.11-1	3.50-1	2.29-1	1.43-1	1.83-2	-8.44-4
37	4.44-1	4.34-1	4.08-1	3.41-1	2.15-1	1.28-1	1.23-2	1.39-3
38	4.44-1	4.33-1	4.04-1	3.32-1	2.01-1	1.14-1	1.23-2	4.21-3
39	4.38-1	4.27-1	3.95-1	3.17-1	1.81-1	9.59-2	6.56-3	3.14-3
40	4.31-1	4.20-1	3.84-1	3.02-1	1.62-1	7.95-2	3.48-3	1.55-3
41	4.24-1	4.11-1	3.73-1	2.86-1	1.43-1	6.26-2	-1.17-3	-5.64-4
42	-4.17-1	4.04-1	3.63-1	2.71-1	1.25-1	4.92-2	-3.86-3	-2.76-3
43	4.16-1	4.01-1	3.58-1	2.62-1	1.14-1	4.12-2	-1.73-3	-8.28-4
44	4.16-1	4.00-1	3.53-1	2.54-1	1.05-1	3.68-2	1.60-3	1.67-3
45	4.14-1	3.98-1	3.48-1	2.45-1	9.56-2	3.09-2	4.05-3	3.61-3
46	4.12-1	3.94-1	3.42-1	2.35-1	8.69-2	2.68-2	5.96-3	5.35-3
47	4.04-1	3.85-1	3.31-1	2.20-1	7.26-2	1.68-2	2.77-3	3.14-3
48	3.96-1	3.76-1	3.19-1	2.05-1	5.96-2	8.93-3	-7.05-4	5.86-4
49	3.89-1	3.69-1	3.09-1	1.92-1	4.90-2	3.37-3	-1.99-3	-3.54-4
50	3.84-1	3.63-1	3.01-1	1.81-1	4.11-2	1.19-3	-2.29-3	-8.36-4

Table A3. Concluded

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
51	3.83-1	3.60-1	2.96-1	1.74-1	3.71-2	2.84-3	9.53-4	1.40-3	
52	3.81-1	3.58-1	2.91-1	1.67-1	3.46-2	5.83-3	4.17-3	3.67-3	
53	3.75-1	3.51-1	2.82-1	1.56-1	2.74-2	4.22-3	3.25-3	2.85-3	
54	3.68-1	3.43-1	2.72-1	1.44-1	2.06-2	2.13-3	1.40-3	1.49-3	
55	3.60-1	3.34-1	2.60-1	1.31-1	1.21-2	-1.75-3	-1.88-3	-9.54-4	
56	3.52-1	3.25-1	2.49-1	1.19-1	5.85-3	-4.70-3	-4.49-3	-2.98-3	
57	3.49-1	3.22-1	2.44-1	1.13-1	5.80-3	-1.66-3	-1.54-3	-8.66-4	
58	3.48-1	3.20-1	2.40-1	1.08-1	7.96-3	2.43-3	2.25-3	1.72-3	
59	3.45-1	3.16-1	2.35-1	1.02-1	8.42-3	4.76-3	4.33-3	2.95-3	
60	3.40-1	3.10-1	2.28-1	9.54-2	8.27-3	5.72-3	5.14-3	3.26-3	
61	3.29-1	2.98-1	2.14-1	8.15-2	9.42-4	-4.38-4	-6.45-4	-1.35-3	
62	3.17-1	2.85-1	1.99-1	6.76-2	-6.56-3	-7.29-3	-7.03-3	-6.25-3	
63	3.10-1	2.78-1	1.90-1	5.95-2	-8.21-3	-8.40-3	-7.99-3	-6.93-3	
64	3.05-1	2.73-1	1.84-1	5.43-2	-7.55-3	-7.61-3	-7.23-3	-6.30-3	
65	3.08-1	2.74-1	1.85-1	5.67-2	9.21-4	8.47-4	6.37-4	-3.10-4	
66	3.10-1	2.76-1	1.86-1	5.96-2	9.49-3	9.30-3	8.50-3	5.58-3	
67	3.04-1	2.69-1	1.78-1	5.33-2	8.64-3	8.45-3	7.65-3	4.78-3	
68	2.95-1	2.59-1	1.67-1	4.47-2	5.12-3	5.05-3	4.51-3	2.28-3	
69	2.79-1	2.43-1	1.50-1	2.96-2	-5.15-3	-4.98-3	-4.79-3	-4.82-3	
70	2.64-1	2.28-1	1.34-1	1.56-2	-1.49-2	-1.45-2	-1.37-2	-1.15-2	
71	2.62-1	2.25-1	1.30-1	1.45-2	-1.16-2	-1.12-2	-1.05-2	-8.86-3	
72	2.62-1	2.25-1	1.29-1	1.70-2	-5.64-3	-5.35-3	-5.10-3	-4.46-3	
73	2.67-1	2.29-1	1.34-1	2.45-2	5.48-3	5.56-3	5.03-3	3.51-3	
74	2.70-1	2.32-1	1.37-1	3.12-2	1.52-2	1.52-2	1.40-2	1.06-2	
75	2.60-1	2.21-1	1.26-1	2.34-2	1.01-2	1.00-2	9.35-3	7.21-3	
76	2.47-1	2.08-1	1.12-1	1.33-2	2.38-3	2.42-3	2.44-3	2.10-3	
77	2.32-1	1.92-1	9.67-2	1.19-3	-7.42-3	-7.21-3	-6.40-3	-4.49-3	
78	2.20-1	1.79-1	8.37-2	-8.15-3	-1.52-2	-1.49-2	-1.35-2	-9.84-3	
79	2.21-1	1.80-1	8.51-2	-2.64-3	-7.75-3	-7.59-3	-6.78-3	-4.54-3	
80	2.24-1	1.83-1	8.91-2	5.64-3	1.79-3	1.74-3	1.78-3	2.13-3	
81	2.26-1	1.85-1	9.15-2	1.21-2	9.43-3	9.20-3	8.64-3	7.58-3	
82	2.25-1	1.84-1	9.13-2	1.64-2	1.46-2	1.43-2	1.35-2	1.15-2	
83	2.12-1	1.71-1	7.84-2	7.42-3	6.20-3	6.00-3	5.84-3	5.94-3	
84	1.98-1	1.56-1	6.46-2	-2.39-3	-3.23-3	-3.29-3	-2.64-3	-4.05-4	
85	1.89-1	1.47-1	5.62-2	-6.56-3	-6.92-3	-6.91-3	-5.95-3	-2.97-3	
86	1.83-1	1.41-1	5.12-2	-7.46-3	-7.73-3	-7.77-3	-6.86-3	-3.92-3	
87	1.86-1	1.44-1	5.50-2	7.51-4	7.82-4	5.74-4	7.17-4	1.51-3	
88	1.88-1	1.46-1	5.90-2	9.01-3	9.21-3	8.87-3	8.24-3	6.92-3	
89	1.81-1	1.40-1	5.36-2	7.35-3	7.45-3	7.12-3	6.50-3	5.39-3	
90	1.72-1	1.30-1	4.56-2	2.99-3	3.07-3	2.90-3	2.59-3	2.37-3	
91	1.59-1	1.18-1	3.41-2	-5.04-3	-5.08-3	-5.05-3	-4.72-3	-3.17-3	
92	1.49-1	1.07-1	2.48-2	-1.13-2	-1.16-2	-1.15-2	-1.06-2	-7.77-3	
93	1.50-1	1.08-1	2.79-2	-4.64-3	-4.83-3	-4.76-3	-4.48-3	-3.33-3	
94	1.53-1	1.12-1	3.36-2	4.27-3	4.10-3	4.00-3	3.47-3	2.24-3	
95	1.54-1	1.13-1	3.60-2	9.74-3	9.54-3	9.29-3	8.12-3	5.15-3	
96	1.50-1	1.10-1	3.52-2	1.18-2	1.18-2	1.16-2	1.01-2	6.13-3	
97	1.34-1	9.37-2	2.03-2	-9.29-4	-1.05-3	-1.04-3	-1.66-3	-3.26-3	
98	1.16-1	7.58-2	4.08-3	-1.52-2	-1.54-2	-1.51-2	-1.47-2	-1.33-2	
99	1.08-1	6.88-2	-1.00-3	-1.80-2	-1.81-2	-1.77-2	-1.70-2	-1.50-2	
100	1.06-1	6.66-2	-1.19-3	-1.64-2	-1.68-2	-1.64-2	-1.58-2	-1.40-2	

Appendix B
Maritime Aerosol Model

Table B1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	1.91-15	0.767	0.990	6.70-17	1.39 -2.50-4
0.44	1.87-15	0.764	0.991	7.43-17	1.39 -2.50-4
0.55	1.78-15	0.759	0.991	7.17-17	1.39 -3.00-4
0.75	1.67-15	0.761	0.989	6.14-17	1.38 -4.35-4
1.04	1.60-15	0.766	0.984	4.48-17	1.37 -8.76-4
1.24	1.56-15	0.766	0.984	3.99-17	1.37 -1.08-3
1.65	1.45-15	0.773	0.984	2.97-17	1.36 -1.28-3
2.20	1.27-15	0.786	0.987	1.61-17	1.34 -1.33-3

Table B2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	3.12 1	2.69 1	1.89 1	1.16 1	6.89 0	5.43 0	3.75 0	2.71 0
1	2.54 1	2.27 1	1.69 1	1.09 1	6.69 0	5.32 0	3.71 0	2.69 0
2	1.47 1	1.43 1	1.24 1	9.17 0	6.12 0	4.99 0	3.58 0	2.64 0
4	4.82 0	4.93 0	5.07 0	5.10 0	4.40 0	3.94 0	3.12 0	2.45 0
6	2.39 0	2.45 0	2.61 0	2.77 0	2.85 0	2.79 0	2.53 0	2.17 0
8	1.47 0	1.51 0	1.62 0	1.78 0	1.91 0	1.94 0	1.96 0	1.85 0
10	1.04 0	1.07 0	1.13 0	1.25 0	1.39 0	1.42 0	1.50 0	1.54 0
15	5.98-1	6.05-1	6.20-1	6.97-1	7.66-1	7.99-1	8.70-1	9.47-1
20	4.17-1	4.14-1	4.22-1	4.42-1	4.87-1	5.10-1	5.53-1	6.08-1
40	1.24-1	1.24-1	1.24-1	1.21-1	1.22-1	1.24-1	1.27-1	1.30-1
60	4.14-2	4.19-2	4.21-2	4.05-2	3.98-2	3.94-2	3.86-2	3.72-2
80	1.59-2	1.60-2	1.62-2	1.69-2	1.59-2	1.58-2	1.53-2	1.44-2
100	8.69-3	8.76-3	8.75-3	8.80-3	8.76-3	8.74-3	8.58-3	7.99-3
120	6.38-3	6.67-3	7.08-3	6.90-3	7.30-3	7.28-3	7.23-3	6.89-3
140	9.69-3	1.04-2	1.14-2	1.09-2	1.15-2	1.13-2	1.06-2	9.27-3
150	1.98-2	2.03-2	1.94-2	1.93-2	1.71-2	1.62-2	1.41-2	1.13-2
160	2.34-2	2.24-2	2.49-2	2.32-2	2.10-2	2.03-2	1.76-2	1.33-2
170	2.81-2	2.94-2	2.87-2	2.85-2	2.37-2	2.20-2	1.78-2	1.17-2
175	3.18-2	3.16-2	3.27-2	2.63-2	1.98-2	1.72-2	1.41-2	1.04-2
180	3.54-2	4.00-2	4.07-2	3.72-2	2.85-2	2.61-2	2.08-2	1.28-2

Table B3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.30 0	2.29 0	2.28 0	2.28 0	2.30 0	2.30 0	2.32 0	2.36 0
2	3.22 0	3.22 0	3.19 0	3.19 0	3.19 0	3.17 0	3.16 0	3.16 0
3	3.42 0	3.41 0	3.37 0	3.37 0	3.36 0	3.32 0	3.29 0	3.29 0
4	3.75 0	3.74 0	3.69 0	3.66 0	3.53 0	3.44 0	3.32 0	3.20 0
5	3.84 0	3.83 0	3.75 0	3.69 0	3.48 0	3.34 0	3.14 0	2.93 0
6	4.06 0	4.05 0	3.94 0	3.77 0	3.46 0	3.26 0	2.95 0	2.63 0
7	4.26 0	4.25 0	4.09 0	3.84 0	3.42 0	3.16 0	2.76 0	2.33 0
8	4.43 0	4.40 0	4.22 0	3.87 0	3.34 0	3.03 0	2.55 0	2.03 0
9	4.65 0	4.60 0	4.36 0	3.93 0	3.29 0	2.94 0	2.37 0	1.78 0
10	4.82 0	4.77 0	4.46 0	3.93 0	3.20 0	2.81 0	2.17 0	1.54 0
11	4.99 0	4.90 0	4.57 0	3.95 0	3.12 0	2.71 0	2.01 0	1.34 0
12	5.18 0	5.07 0	4.67 0	3.95 0	3.03 0	2.59 0	1.83 0	1.14 0
13	5.28 0	5.14 0	4.72 0	3.92 0	2.94 0	2.47 0	1.69 0	9.88-1
14	5.43 0	5.27 0	4.77 0	3.89 0	2.83 0	2.34 0	1.53 0	8.29-1
15	5.51 0	5.33 0	4.79 0	3.84 0	2.73 0	2.23 0	1.40 0	7.08-1
16	5.61 0	5.41 0	4.80 0	3.78 0	2.61 0	2.10 0	1.26 0	5.84-1
17	5.67 0	5.46 0	4.81 0	3.72 0	2.51 0	1.98 0	1.14 0	4.88-1
18	5.72 0	5.49 0	4.80 0	3.64 0	2.39 0	1.86 0	1.02 0	3.94-1
19	5.77 0	5.53 0	4.79 0	3.58 0	2.28 0	1.74 0	9.19-1	3.18-1
20	5.80 0	5.52 0	4.76 0	3.49 0	2.16 0	1.62 0	8.18-1	2.55-1
21	5.82 0	5.53 0	4.71 0	3.43 0	2.05 0	1.51 0	7.25-1	2.00-1
22	5.82 0	5.51 0	4.65 0	3.33 0	1.94 0	1.40 0	6.41-1	1.62-1
23	5.81 0	5.50 0	4.58 0	3.25 0	1.84 0	1.30 0	5.59-1	1.22-1
24	5.81 0	5.48 0	4.51 0	3.16 0	1.73 0	1.20 0	4.91-1	1.01-1
25	5.79 0	5.45 0	4.44 0	3.06 0	1.63 0	1.10 0	4.19-1	6.71-2
26	5.77 0	5.42 0	4.38 0	2.97 0	1.53 0	1.01 0	3.65-1	5.76-2
27	5.74 0	5.38 0	4.30 0	2.87 0	1.43 0	9.15-1	2.99-1	2.66-2
28	5.71 0	5.34 0	4.24 0	2.78 0	1.34 0	8.38-1	2.56-1	2.59-2
29	5.68 0	5.28 0	4.15 0	2.66 0	1.24 0	7.50-1	1.95-1	5.01-3
30	5.63 0	5.23 0	4.08 0	2.56 0	1.16 0	6.84-1	1.62-1	7.94-3
31	5.59 0	5.17 0	3.99 0	2.44 0	1.07 0	6.02-1	1.08-1	-3.88-4
32	5.53 0	5.11 0	3.90 0	2.35 0	9.94-1	5.46-1	8.86-2	9.61-4
33	5.49 0	5.04 0	3.82 0	2.23 0	9.10-1	4.71-1	4.84-2	-7.56-6
34	5.42 0	4.98 0	3.73 0	2.15 0	8.42-1	4.23-1	4.15-2	-5.67-4
35	5.37 0	4.91 0	3.65 0	2.04 0	7.66-1	3.58-1	1.65-2	4.22-5
36	5.30 0	4.83 0	3.56 0	1.95 0	7.07-1	3.17-1	1.85-2	-7.85-5
37	5.24 0	4.75 0	3.48 0	1.85 0	6.38-1	2.62-1	4.73-3	6.55-5
38	5.18 0	4.67 0	3.38 0	1.76 0	5.86-1	2.29-1	9.42-3	5.81-4
39	5.11 0	4.58 0	3.30 0	1.66 0	5.25-1	1.85-1	1.48-3	3.39-4
40	5.04 0	4.50 0	3.20 0	1.58 0	4.80-1	1.59-1	4.59-3	2.20-4
41	4.97 0	4.41 0	3.12 0	1.50 0	4.26-1	1.26-1	8.35-5	7.69-5
42	4.90 0	4.33 0	3.03 0	1.42 0	3.87-1	1.08-1	1.30-3	-3.16-4
43	4.83 0	4.25 0	2.95 0	1.35 0	3.41-1	8.31-2	-2.47-4	-9.20-5
44	4.76 0	4.17 0	2.85 0	1.28 0	3.09-1	7.23-2	2.67-4	1.83-4
45	4.68 0	4.08 0	2.77 0	1.21 0	2.69-1	5.12-2	2.43-4	3.73-4
46	4.60 0	4.00 0	2.67 0	1.15 0	2.41-1	4.48-2	3.47-4	6.88-4
47	4.53 0	3.92 0	2.59 0	1.07 0	2.05-1	2.69-2	3.21-4	4.99-4
48	4.45 0	3.84 0	2.50 0	1.01 0	1.79-1	2.35-2	1.23-4	2.18-4
49	4.37 0	3.76 0	2.41 0	9.45-1	1.47-1	1.07-2	8.26-5	1.05-4
50	4.29 0	3.67 0	2.33 0	8.87-1	1.26-1	9.99-3	1.51-4	-2.52-5

Table B3. Continued

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	4.21 0	3.59 0	2.25 0	8.28-1	9.82-2	2.97-3	2.75-4	1.53-4
52	4.13 0	3.50 0	2.17 0	7.76-1	8.28-2	3.92-3	4.47-4	4.11-4
53	4.05 0	3.42 0	2.08 0	7.23-1	6.13-2	6.75-4	2.69-4	3.48-4
54	3.97 0	3.33 0	2.01 0	6.73-1	5.11-2	1.40-3	2.53-5	2.51-4
55	3.89 0	3.25 0	1.92 0	6.24-1	3.54-2	-5.47-5	-1.85-4	1.45-5
56	3.82 0	3.17 0	1.85 0	5.77-1	2.99-2	2.35-4	-3.13-4	-2.11-4
57	3.74 0	3.09 0	1.77 0	5.31-1	1.90-2	-1.19-4	1.22-5	-5.23-5
58	3.66 0	3.01 0	1.71 0	4.90-1	1.73-2	3.59-4	4.04-4	1.62-4
59	3.58 0	2.93 0	1.63 0	4.47-1	9.25-3	2.05-4	5.46-4	2.54-4
60	3.51 0	2.86 0	1.57 0	4.11-1	9.05-3	3.18-4	5.35-4	2.40-4
61	3.43 0	2.78 0	1.50 0	3.71-1	2.83-3	-1.99-4	-2.51-5	-2.18-4
62	3.35 0	2.71 0	1.44 0	3.40-1	2.80-3	-6.42-4	-6.25-4	-7.00-4
63	3.28 0	2.63 0	1.37 0	3.05-1	-4.24-4	-6.11-4	-7.29-4	-7.60-4
64	3.20 0	2.55 0	1.31 0	2.80-1	2.59-4	-4.69-4	-6.23-4	-6.30-4
65	3.13 0	2.48 0	1.25 0	2.49-1	-1.79-4	2.54-4	7.72-5	-8.34-6
66	3.05 0	2.41 0	1.20 0	2.30-1	7.81-4	8.81-4	7.57-4	5.80-4
67	2.98 0	2.33 0	1.13 0	2.02-1	5.35-4	8.23-4	7.28-4	4.99-4
68	2.91 0	2.26 0	1.08 0	1.86-1	2.94-4	5.29-4	4.35-4	1.71-4
69	2.84 0	2.19 0	1.03 0	1.59-1	-6.29-4	-2.23-4	-3.69-4	-5.79-4
70	2.76 0	2.12 0	9.79-1	1.46-1	-1.32-3	-8.86-4	-1.10-3	-1.22-3
71	2.69 0	2.06 0	9.29-1	1.22-1	-1.31-3	-5.76-4	-8.86-4	-9.38-4
72	2.62 0	1.99 0	8.82-1	1.11-1	-6.84-4	-5.66-5	-4.03-4	-3.69-4
73	2.55 0	1.93 0	8.35-1	9.05-2	1.32-4	8.65-4	5.07-4	5.39-4
74	2.48 0	1.87 0	7.90-1	8.19-2	1.06-3	1.57-3	1.26-3	1.28-3
75	2.42 0	1.80 0	7.43-1	6.30-2	9.19-4	1.23-3	9.96-4	9.86-4
76	2.35 0	1.74 0	7.00-1	5.57-2	4.69-4	6.25-4	4.50-4	4.18-4
77	2.28 0	1.68 0	6.56-1	3.99-2	-6.28-5	-1.57-4	-2.76-4	-3.10-4
78	2.21 0	1.62 0	6.16-1	3.57-2	-5.82-4	-7.07-4	-8.14-4	-8.20-4
79	2.15 0	1.56 0	5.77-1	2.45-2	1.54-5	-2.03-4	-3.12-4	-2.86-4
80	2.08 0	1.51 0	5.42-1	2.41-2	7.69-4	5.27-4	4.10-4	4.65-4
81	2.02 0	1.45 0	5.06-1	1.54-2	1.41-3	1.15-3	1.03-3	1.13-3
82	1.96 0	1.39 0	4.74-1	1.63-2	1.90-3	1.55-3	1.46-3	1.54-3
83	1.90 0	1.34 0	4.37-1	8.24-3	1.43-3	9.71-4	9.27-4	1.01-3
84	1.84 0	1.29 0	4.09-1	8.76-3	8.56-4	3.15-4	3.17-4	3.65-4
85	1.78 0	1.23 0	3.75-1	2.90-3	6.58-4	-6.28-5	-1.26-6	1.58-5
86	1.72 0	1.18 0	3.51-1	4.11-3	5.42-4	-1.27-4	-4.27-5	-6.54-5
87	1.66 0	1.13 0	3.21-1	1.27-3	1.12-3	3.90-4	4.73-4	4.43-4
88	1.60 0	1.09 0	3.01-1	2.79-3	1.54-3	9.51-4	1.01-3	9.55-4
89	1.55 0	1.04 0	2.74-1	1.13-3	1.36-3	8.65-4	8.81-4	8.55-4
90	1.49 0	1.00 0	2.55-1	1.25-3	9.21-4	5.66-4	5.57-4	5.19-4
91	1.44 0	9.55-1	2.29-1	2.18-4	2.48-4	2.36-5	-1.73-6	-4.26-5
92	1.39 0	9.13-1	2.12-1	-1.62-4	-2.24-4	-3.63-4	-3.98-4	-4.47-4
93	1.34 0	8.71-1	1.88-1	1.87-4	1.17-4	5.55-5	3.30-5	-6.64-5
94	1.29 0	8.32-1	1.74-1	7.07-4	6.63-4	6.79-4	6.32-4	5.02-4
95	1.24 0	7.91-1	1.51-1	1.01-3	9.07-4	9.88-4	9.17-4	7.74-4
96	1.19 0	7.55-1	1.39-1	1.12-3	8.08-4	1.03-3	9.07-4	7.44-4
97	1.14 0	7.16-1	1.18-1	1.08-4	-2.43-4	1.13-4	-6.39-5	-2.06-4
98	1.09 0	6.82-1	1.08-1	-7.27-4	-1.42-3	-9.30-4	-1.14-3	-1.25-3
99	1.05 0	6.45-1	9.00-2	-1.18-3	-1.73-3	-1.08-3	-1.32-3	-1.45-3
100	1.01 0	6.15-1	8.28-2	-9.39-4	-1.54-3	-8.89-4	-1.13-3	-1.21-3

Table B3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
101	9.63-1	5.82-1	6.91-2	-1.20-4	-3.88-4	3.56-4	1.43-4	9.82-6
102	9.25-1	5.54-1	6.41-2	8.13-4	9.24-4	1.54-3	1.36-3	1.21-3
103	8.82-1	5.22-1	5.17-2	4.48-4	8.17-4	1.44-3	1.28-3	1.14-3
104	8.44-1	4.95-1	4.61-2	-4.76-4	3.43-4	8.25-4	6.92-4	5.37-4
105	8.03-1	4.63-1	3.48-2	-1.78-3	-1.05-3	-6.19-4	-7.56-4	-8.88-4
106	7.66-1	4.37-1	3.01-2	-3.18-3	-2.31-3	-1.97-3	-2.08-3	-2.17-3
107	7.28-1	4.08-1	2.29-2	-2.25-3	-1.80-3	-1.54-3	-1.63-3	-1.74-3
108	6.97-1	3.86-1	2.16-2	-1.13-3	-7.55-4	-6.37-4	-6.95-4	-7.63-4
109	6.62-1	3.60-1	1.73-2	1.02-3	9.48-4	9.54-4	9.44-4	8.71-4
110	6.33-1	3.41-1	1.69-2	2.63-3	2.52-3	2.30-3	2.33-3	2.25-3
111	5.98-1	3.15-1	1.15-2	2.35-3	2.11-3	1.71-3	1.79-3	1.76-3
112	5.68-1	2.94-1	9.11-3	1.51-3	1.28-3	7.07-4	7.95-4	7.67-4
113	5.34-1	2.69-1	3.84-3	1.58-4	1.63-4	-6.43-4	-5.35-4	-5.31-4
114	5.07-1	2.51-1	2.33-3	-7.44-4	-7.78-4	-1.59-3	-1.50-3	-1.48-3
115	4.77-1	2.30-1	3.70-4	-1.56-5	3.32-4	-6.84-4	-5.95-4	-6.01-4
116	4.53-1	2.16-1	1.89-3	1.17-3	1.50-3	6.25-4	6.86-4	6.84-4
117	4.26-1	1.98-1	1.03-3	2.06-3	2.72-3	1.74-3	1.80-3	1.82-3
118	4.04-1	1.85-1	2.18-3	2.56-3	3.32-3	2.51-3	2.53-3	2.55-3
119	3.76-1	1.66-1	-1.70-4	1.42-3	2.36-3	1.59-3	1.60-3	1.68-3
120	3.53-1	1.53-1	-1.04-3	1.48-4	1.17-3	5.34-4	5.03-4	5.84-4
121	3.28-1	1.35-1	-2.48-3	-5.14-4	5.04-4	4.34-6	-6.85-5	9.48-6
122	3.08-1	1.25-1	-2.51-3	-6.63-4	3.05-4	-6.99-5	-1.86-4	-1.48-4
123	2.86-1	1.10-1	-1.90-3	3.27-4	1.03-3	9.06-4	7.11-4	6.94-4
124	2.69-1	1.03-1	-9.45-4	1.22-3	1.84-3	1.84-3	1.62-3	1.55-3
125	2.47-1	8.90-2	-1.13-3	1.19-3	1.44-3	1.73-3	1.44-3	1.37-3
126	2.31-1	8.13-2	-1.66-3	5.49-4	7.53-4	1.16-3	8.97-4	8.31-4
127	2.10-1	6.82-2	-2.60-3	-3.33-4	-3.89-4	2.44-4	-4.70-5	-8.69-5
128	1.95-1	6.18-2	-3.21-3	-1.12-3	-1.17-3	-5.30-4	-7.25-4	-7.65-4
129	1.77-1	5.20-2	-2.45-3	-4.18-4	-5.90-4	1.23-4	-4.56-5	-1.17-4
130	1.66-1	4.83-2	-1.42-3	5.51-4	4.21-4	1.01-3	9.40-4	7.82-4
131	1.49-1	4.00-2	-7.37-4	1.11-3	9.41-4	1.46-3	1.43-3	1.22-3
132	1.38-1	3.61-2	-8.86-4	1.23-3	1.09-3	1.46-3	1.46-3	1.17-3
133	1.22-1	2.69-2	-2.28-3	-2.59-4	-3.57-4	-1.27-4	-8.76-5	-3.88-4
134	1.10-1	2.22-2	-4.32-3	-1.83-3	-1.98-3	-1.81-3	-1.80-3	-2.06-3
135	9.62-2	1.53-2	-4.53-3	-2.17-3	-2.19-3	-2.18-3	-2.11-3	-2.40-3

Appendix C
Urban Aerosol Model

Table C1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	6.87-16	0.634	0.584	6.14-18	1.58 -1.06-1
0.44	6.21-16	0.628	0.578	5.70-18	1.58 -1.05-1
0.55	4.80-16	0.615	0.570	4.66-18	1.58 -1.02-1
0.75	3.30-16	0.598	0.547	3.34-18	1.58 -1.01-1
1.04	2.18-16	0.580	0.489	2.16-18	1.57 -1.08-1
1.24	1.73-16	0.570	0.448	1.67-18	1.56 -1.12-1
1.65	1.16-16	0.554	0.373	1.03-18	1.53 -1.17-1
2.20	7.58-17	0.544	0.280	5.59-19	1.47 -1.17-1

Table C2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
0	1.75 0	1.64 0	1.41 0	1.17 0	1.01 0	9.47-1	8.77-1	8.65-1	
1	1.65 0	1.55 0	1.36 0	1.15 0	9.99-1	9.38-1	8.72-1	8.62-1	
2	1.45 0	1.38 0	1.25 0	1.09 0	9.67-1	9.15-1	8.56-1	8.51-1	
4	1.19 0	1.14 0	1.04 0	9.38-1	8.67-1	8.36-1	8.02-1	8.10-1	
6	1.03 0	9.95-1	9.19-1	8.28-1	7.67-1	7.47-1	7.31-1	7.51-1	
8	9.02-1	8.77-1	8.21-1	7.50-1	6.92-1	6.71-1	6.59-1	6.84-1	
10	7.97-1	7.79-1	7.37-1	6.82-1	6.35-1	6.14-1	5.96-1	6.17-1	
15	5.97-1	5.89-1	5.70-1	5.42-1	5.14-1	5.01-1	4.83-1	4.82-1	
20	4.57-1	4.54-1	4.46-1	4.33-1	4.18-1	4.10-1	3.97-1	3.91-1	
40	1.74-1	1.75-1	1.77-1	1.79-1	1.81-1	1.80-1	1.79-1	1.76-1	
60	7.37-2	7.44-2	7.61-2	7.86-2	8.08-2	8.17-2	8.24-2	8.13-2	
80	3.52-2	3.57-2	3.69-2	3.85-2	4.00-2	4.08-2	4.16-2	4.15-2	
100	2.05-2	2.09-2	2.18-2	2.30-2	2.42-2	2.49-2	2.58-2	2.64-2	
120	1.56-2	1.60-2	1.68-2	1.79-2	1.92-2	2.00-2	2.13-2	2.25-2	
140	1.46-2	1.50-2	1.60-2	1.73-2	1.87-2	1.97-2	2.15-2	2.34-2	
150	1.45-2	1.50-2	1.60-2	1.74-2	1.91-2	2.01-2	2.22-2	2.44-2	
160	1.44-2	1.49-2	1.60-2	1.75-2	1.94-2	2.06-2	2.28-2	2.53-2	
170	1.48-2	1.53-2	1.65-2	1.80-2	1.99-2	2.11-2	2.34-2	2.60-2	
175	1.51-2	1.57-2	1.68-2	1.84-2	2.02-2	2.14-2	2.37-2	2.62-2	
180	1.53-2	1.59-2	1.70-2	1.86-2	2.03-2	2.15-2	2.38-2	2.63-2	

Table C3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	1.90 0	1.88 0	1.85 0	1.79 0	1.74 0	1.71 0	1.66 0	1.63 0
2	2.04 0	2.01 0	1.94 0	1.85 0	1.77 0	1.73 0	1.68 0	1.68 0
3	1.74 0	1.70 0	1.61 0	1.48 0	1.37 0	1.31 0	1.26 0	1.27 0
4	1.44 0	1.39 0	1.28 0	1.14 0	1.03 0	9.77-1	9.26-1	9.52-1
5	1.18 0	1.13 0	1.02 0	8.85-1	7.76-1	7.32-1	6.91-1	7.28-1
6	9.85-1	9.36-1	8.27-1	6.96-1	5.99-1	5.62-1	5.32-1	5.76-1
7	8.32-1	7.84-1	6.81-1	5.59-1	4.75-1	4.45-1	4.24-1	4.70-1
8	7.15-1	6.69-1	5.72-1	4.62-1	3.89-1	3.63-1	3.50-1	3.93-1
9	6.19-1	5.76-1	4.86-1	3.86-1	3.24-1	3.03-1	2.97-1	3.34-1
10	5.46-1	5.06-1	4.22-1	3.32-1	2.78-1	2.62-1	2.57-1	2.89-1
11	4.82-1	4.44-1	3.67-1	2.87-1	2.41-1	2.28-1	2.26-1	2.50-1
12	4.33-1	3.98-1	3.27-1	2.55-1	2.14-1	2.04-1	2.01-1	2.18-1
13	3.89-1	3.56-1	2.91-1	2.26-1	1.92-1	1.83-1	1.80-1	1.90-1
14	3.54-1	3.23-1	2.64-1	2.05-1	1.75-1	1.67-1	1.62-1	1.65-1
15	3.22-1	2.94-1	2.39-1	1.86-1	1.60-1	1.52-1	1.46-1	1.42-1
16	2.96-1	2.70-1	2.19-1	1.72-1	1.48-1	1.40-1	1.32-1	1.21-1
17	2.73-1	2.48-1	2.01-1	1.58-1	1.36-1	1.29-1	1.19-1	1.02-1
18	2.53-1	2.30-1	1.87-1	1.47-1	1.27-1	1.20-1	1.07-1	8.57-2
19	2.35-1	2.13-1	1.73-1	1.37-1	1.18-1	1.11-1	9.62-2	7.03-2
20	2.19-1	1.99-1	1.62-1	1.29-1	1.11-1	1.03-1	8.59-2	5.68-2
21	2.05-1	1.87-1	1.52-1	1.22-1	1.04-1	9.52-2	7.64-2	4.49-2
22	1.93-1	1.76-1	1.44-1	1.15-1	9.76-2	8.83-2	6.76-2	3.47-2
23	1.82-1	1.66-1	1.36-1	1.09-1	9.17-2	8.18-2	5.94-2	2.59-2
24	1.72-1	1.57-1	1.29-1	1.04-1	8.61-2	7.55-2	5.17-2	1.86-2
25	1.63-1	1.49-1	1.23-1	9.84-2	8.06-2	6.94-2	4.44-2	1.25-2
26	1.55-1	1.41-1	1.17-1	9.35-2	7.54-2	6.36-2	3.76-2	7.75-3
27	1.48-1	1.35-1	1.12-1	8.91-2	7.06-2	5.82-2	3.17-2	4.51-3
28	1.41-1	1.29-1	1.07-1	8.51-2	6.61-2	5.32-2	2.63-2	2.36-3
29	1.35-1	1.24-1	1.03-1	8.15-2	6.21-2	4.87-2	2.18-2	1.37-3
30	1.30-1	1.19-1	9.90-2	7.82-2	5.83-2	4.45-2	1.79-2	1.02-3
31	1.25-1	1.15-1	9.52-2	7.47-2	5.42-2	4.01-2	1.41-2	5.82-4
32	1.20-1	1.10-1	9.16-2	7.13-2	5.03-2	3.59-2	1.07-2	2.94-4
33	1.15-1	1.06-1	8.78-2	6.77-2	4.62-2	3.17-2	7.55-3	-1.88-4
34	1.11-1	1.02-1	8.44-2	6.43-2	4.23-2	2.77-2	4.89-3	-6.36-4
35	1.07-1	9.86-2	8.16-2	6.16-2	3.91-2	2.45-2	3.32-3	-4.42-4
36	1.04-1	9.57-2	7.91-2	5.91-2	3.62-2	2.17-2	2.25-3	-1.95-4
37	1.01-1	9.31-2	7.69-2	5.69-2	3.37-2	1.93-2	1.80-3	3.03-4
38	9.87-2	9.07-2	7.48-2	5.47-2	3.12-2	1.71-2	1.63-3	8.03-4
39	9.55-2	8.77-2	7.21-2	5.19-2	2.82-2	1.44-2	9.03-4	4.85-4
40	9.24-2	8.48-2	6.94-2	4.91-2	2.52-2	1.18-2	2.89-4	1.27-4
41	8.93-2	8.19-2	6.66-2	4.62-2	2.22-2	9.28-3	-3.03-4	-3.19-4
42	8.65-2	7.92-2	6.41-2	4.35-2	1.95-2	7.10-3	-7.69-4	-7.56-4
43	8.45-2	7.74-2	6.24-2	4.17-2	1.77-2	5.94-3	-3.56-4	-3.22-4
44	8.27-2	7.57-2	6.08-2	4.00-2	1.62-2	5.09-3	1.57-4	1.63-4
45	8.09-2	7.40-2	5.92-2	3.83-2	1.46-2	4.30-3	5.41-4	5.18-4
46	7.91-2	7.23-2	5.76-2	3.65-2	1.31-2	3.62-3	8.55-4	8.52-4
47	7.67-2	7.00-2	5.53-2	3.40-2	1.10-2	2.34-3	3.53-4	3.44-4
48	7.43-2	6.77-2	5.30-2	3.16-2	8.96-3	1.18-3	-1.92-4	-1.69-4
49	7.23-2	6.57-2	5.10-2	2.95-2	7.41-3	5.35-4	-3.71-4	-3.32-4
50	7.04-2	6.39-2	4.92-2	2.77-2	6.11-3	1.33-4	-4.61-4	-4.25-4

Table C3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	6.92-2	6.27-2	4.80-2	2.65-2	5.49-3	4.02-4	3.88-5	6.31-5
52	6.80-2	6.15-2	4.68-2	2.53-2	5.00-3	7.57-4	5.49-4	5.64-4
53	6.62-2	5.98-2	4.50-2	2.35-2	3.99-3	5.35-4	4.12-4	3.98-4
54	6.44-2	5.80-2	4.32-2	2.17-2	2.99-3	2.50-4	1.93-4	1.82-4
55	6.24-2	5.60-2	4.12-2	1.97-2	1.86-3	-2.52-4	-2.65-4	-2.74-4
56	6.06-2	5.42-2	3.94-2	1.79-2	9.24-4	-6.57-4	-6.67-4	-6.83-4
57	5.95-2	5.32-2	3.83-2	1.69-2	9.21-4	-2.15-4	-1.97-4	-2.02-4
58	5.86-2	5.23-2	3.74-2	1.61-2	1.12-3	3.40-4	3.59-4	3.55-4
59	5.75-2	5.12-2	3.63-2	1.52-2	1.17-3	6.46-4	6.54-4	6.36-4
60	5.62-2	5.00-2	3.51-2	1.41-2	1.14-3	8.12-4	8.39-4	8.47-4
61	5.41-2	4.79-2	3.29-2	1.22-2	1.84-4	-2.76-5	-1.67-5	-5.48-6
62	5.20-2	4.58-2	3.07-2	1.02-2	-8.06-4	-9.47-4	-9.42-4	-9.34-4
63	5.06-2	4.43-2	2.93-2	9.03-3	-9.93-4	-1.07-3	-1.04-3	-1.00-3
64	4.94-2	4.32-2	2.81-2	8.15-3	-9.41-4	-9.94-4	-9.94-4	-1.00-3
65	4.93-2	4.30-2	2.80-2	8.32-3	1.62-4	1.50-4	1.57-4	1.41-4
66	4.91-2	4.28-2	2.78-2	8.55-3	1.28-3	1.31-3	1.33-3	1.31-3
67	4.78-2	4.16-2	2.65-2	7.61-3	1.14-3	1.17-3	1.16-3	1.10-3
68	4.62-2	4.00-2	2.49-2	6.43-3	7.10-4	7.75-4	7.86-4	7.68-4
69	4.38-2	3.76-2	2.25-2	4.42-3	-6.25-4	-5.63-4	-5.53-4	-5.53-4
70	4.15-2	3.53-2	2.02-2	2.54-3	-1.91-3	-1.86-3	-1.88-3	-1.89-3
71	4.08-2	3.46-2	1.96-2	2.38-3	-1.46-3	-1.39-3	-1.37-3	-1.34-3
72	4.05-2	3.42-2	1.93-2	2.59-3	-7.10-4	-6.64-4	-6.68-4	-6.74-4
73	4.07-2	3.45-2	1.96-2	3.50-3	7.17-4	7.60-4	7.58-4	7.23-4
74	4.08-2	3.46-2	1.99-2	4.30-3	2.02-3	2.07-3	2.10-3	2.09-3
75	3.92-2	3.30-2	1.83-2	3.23-3	1.33-3	1.34-3	1.33-3	1.28-3
76	3.73-2	3.10-2	1.64-2	1.90-3	3.75-4	3.79-4	3.86-4	3.82-4
77	3.51-2	2.88-2	1.43-2	3.52-4	-8.63-4	-8.65-4	-8.62-4	-8.24-4
78	3.32-2	2.69-2	1.25-2	-9.11-4	-1.89-3	-1.92-3	-1.96-3	-1.94-3
79	3.31-2	2.68-2	1.25-2	-2.00-4	-8.99-4	-9.17-4	-9.28-4	-8.80-4

Appendix D
Unperturbed Stratospheric Aerosol Model

Table D1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	1.52-13	0.739	1.000	2.67-15	1.44 -1.00-8
0.44	1.41-13	0.736	1.000	2.38-15	1.44 -1.00-8
0.55	1.10-13	0.726	1.000	1.57-15	1.43 -1.00-8
0.75	6.89-14	0.673	1.000	1.11-15	1.43 -7.36-8
1.04	3.32-14	0.598	1.000	6.12-16	1.42 -1.37-6
1.24	2.15-14	0.537	1.000	5.02-16	1.41 -7.88-6
1.65	9.04-15	0.415	0.994	3.30-16	1.40 -3.15-4
2.20	3.32-15	0.279	0.947	1.79-16	1.37 -1.69-3

Table D2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.44 0	1.34 0	1.08 0	8.53-1	5.17-1	4.24-1	3.05-1	2.24-1
1	1.44 0	1.34 0	1.08 0	8.51-1	5.17-1	4.23-1	3.04-1	2.24-1
2	1.43 0	1.33 0	1.07 0	8.48-1	5.17-1	4.23-1	3.04-1	2.24-1
4	1.38 0	1.29 0	1.05 0	8.34-1	5.16-1	4.20-1	3.03-1	2.23-1
6	1.32 0	1.24 0	1.02 0	8.12-1	5.16-1	4.16-1	3.01-1	2.22-1
8	1.23 0	1.16 0	9.74-1	7.82-1	5.16-1	4.10-1	2.98-1	2.20-1
10	1.13 0	1.08 0	9.21-1	7.46-1	5.15-1	4.03-1	2.94-1	2.18-1
15	8.72-1	8.44-1	7.67-1	6.39-1	5.10-1	3.78-1	2.82-1	2.11-1
20	6.33-1	6.26-1	6.05-1	5.23-1	5.01-1	3.47-1	2.65-1	2.02-1
40	1.56-1	1.63-1	1.81-1	1.93-1	3.64-1	2.03-1	1.80-1	1.51-1
60	4.74-2	4.95-2	5.52-2	6.96-2	3.04-1	9.83-2	1.03-1	9.78-2
80	1.93-2	2.00-2	2.16-2	2.89-2	2.65-1	4.63-2	5.63-2	6.22-2
100	1.08-2	1.10-2	1.16-2	1.53-2	2.29-1	2.57-2	3.60-2	4.68-2
120	8.70-3	8.74-3	8.86-3	1.14-2	1.73-1	1.96-2	3.08-2	4.51-2
140	1.09-2	1.05-2	9.59-3	1.17-2	5.91-2	1.96-2	3.23-2	4.98-2
150	1.34-2	1.26-2	1.05-2	1.26-2	1.49-2	2.07-2	3.39-2	5.25-2
160	1.43-2	1.35-2	1.11-2	1.35-2	1.48-2	2.20-2	3.53-2	5.48-2
170	1.42-2	1.38-2	1.27-2	1.49-2	1.59-2	2.30-2	3.64-2	5.63-2
175	1.62-2	1.56-2	1.38-2	1.57-2	1.73-2	2.33-2	3.67-2	5.67-2
180	1.76-2	1.67-2	1.43-2	1.60-2	1.81-2	2.34-2	3.68-2	5.68-2

Table D3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.22 0	2.21 0	2.18 0	2.02 0	1.79 0	1.61 0	1.24 0	8.38-1
2	2.79 0	2.73 0	2.57 0	2.20 0	1.67 0	1.39 0	9.99-1	7.18-1
3	2.64 0	2.54 0	2.27 0	1.77 0	1.03 0	7.46-1	3.99-1	2.04-1
4	2.33 0	2.19 0	1.81 0	1.31 0	5.61-1	3.53-1	1.35-1	4.39-2
5	1.89 0	1.73 0	1.31 0	8.88-1	2.56-1	1.38-1	3.70-2	7.75-3
6	1.46 0	1.31 0	8.97-1	5.86-1	1.14-1	5.35-2	9.64-3	1.18-3
7	1.11 0	9.68-1	5.85-1	3.71-1	4.43-2	1.81-2	2.21-3	1.47-4
8	8.02-1	6.87-1	3.73-1	2.33-1	1.85-2	6.53-3	6.02-4	5.31-5
9	5.81-1	4.86-1	2.25-1	1.39-1	6.88-3	2.06-3	1.87-4	2.66-5
10	4.09-1	3.37-1	1.39-1	8.56-2	3.22-3	8.18-4	9.58-5	8.72-5
11	2.82-1	2.28-1	7.78-2	4.76-2	9.63-4	2.47-4	-4.99-6	-6.53-6
12	2.00-1	1.60-1	4.89-2	2.98-2	-1.23-4	-9.68-6	-9.58-5	-8.49-5
13	1.29-1	1.01-1	2.48-2	1.50-2	-5.35-4	-5.91-5	-8.25-5	-4.70-5
14	9.50-2	7.40-2	1.64-2	9.96-3	-4.59-4	-7.87-5	-4.72-5	-7.07-5
15	5.59-2	4.30-2	7.42-3	4.50-3	2.48-4	2.12-5	7.00-5	2.92-5
16	4.43-2	3.39-2	5.48-3	3.38-3	9.49-4	1.25-4	1.59-4	1.55-4
17	2.32-2	1.76-2	2.15-3	1.36-3	7.43-4	1.05-4	7.51-5	6.36-5
18	2.03-2	1.53-2	1.72-3	1.07-3	1.63-4	3.58-5	-6.48-6	1.46-5
19	9.28-3	6.90-3	4.79-4	2.57-4	-7.04-4	-8.57-5	-1.20-4	-8.29-5
20	9.11-3	6.78-3	5.14-4	2.37-4	-1.28-3	-1.85-4	-2.17-4	-2.37-4
21	3.68-3	2.67-3	7.15-5	2.11-5	-3.94-4	-6.91-5	-5.57-5	-6.26-5
22	4.18-3	3.10-3	2.69-4	1.88-4	8.77-4	1.01-4	1.18-4	1.01-4
23	1.50-3	1.08-3	8.62-5	1.86-4	1.62-3	2.03-4	1.96-4	1.46-4
24	1.88-3	1.39-3	1.40-4	1.65-4	1.68-3	2.38-4	2.65-4	2.98-4
25	4.04-4	2.62-4	-8.33-5	-2.40-5	-2.44-4	-1.24-5	-9.76-6	2.33-5
26	5.12-4	3.06-4	-2.24-4	-2.72-4	-2.45-3	-3.08-4	-3.22-4	-2.77-4
27	-8.37-5	-1.34-4	-2.50-4	-3.05-4	-2.87-3	-3.56-4	-3.17-4	-2.07-4
28	1.07-4	2.10-5	-1.69-4	-2.25-4	-2.20-3	-3.10-4	-3.40-4	-3.53-4
29	1.58-4	1.23-4	8.94-5	8.13-5	8.38-4	7.38-5	5.44-5	2.30-5
30	3.73-4	3.48-4	3.28-4	3.96-4	3.86-3	4.89-4	5.30-4	5.16-4
31	3.15-4	3.00-4	3.00-4	3.66-4	3.66-3	4.56-4	4.22-4	2.82-4
32	1.05-4	1.17-4	1.35-4	1.62-4	1.91-3	2.53-4	2.82-4	2.68-4
33	-2.05-4	-1.93-4	-2.26-4	-2.67-4	-2.13-3	-2.62-4	-2.18-4	-1.57-4
34	-5.13-4	-4.85-4	-5.22-4	-6.41-4	-5.74-3	-7.38-4	-7.53-4	-7.33-4
35	-3.88-4	-3.51-4	-4.16-4	-5.15-4	-4.60-3	-5.69-4	-4.98-4	-3.41-4
36	-1.21-4	-8.09-5	-1.38-4	-1.94-4	-1.64-3	-2.35-4	-2.63-4	-2.57-4
37	2.81-4	3.34-4	3.01-4	3.20-4	3.13-3	3.64-4	2.98-4	2.15-4
38	6.24-4	6.70-4	6.34-4	7.30-4	6.96-3	8.90-4	9.07-4	9.06-4
39	4.79-4	5.12-4	4.62-4	5.22-4	4.83-3	5.74-4	4.87-4	3.38-4
40	1.90-4	2.07-4	1.14-4	1.22-4	8.92-4	1.07-4	1.07-4	9.92-5
41	-1.64-4	-1.67-4	-2.97-4	-3.61-4	-3.77-3	-4.55-4	-3.81-4	-2.72-4
42	-4.28-4	-4.30-4	-5.58-4	-6.81-4	-6.93-3	-8.97-4	-9.19-4	-9.16-4
43	-1.76-4	-1.70-4	-2.69-4	-3.49-4	-3.66-3	-4.43-4	-3.80-4	-2.62-4
44	1.98-4	2.18-4	1.73-4	1.58-4	1.20-3	1.52-4	1.59-4	1.62-4
45	5.13-4	5.40-4	5.35-4	5.71-4	5.07-3	6.07-4	5.17-4	3.71-4
46	7.18-4	7.29-4	7.17-4	7.85-4	7.08-3	8.94-4	9.20-4	9.15-4
47	4.37-4	4.20-4	3.78-4	3.75-4	2.96-3	3.25-4	2.74-4	1.86-4
48	8.86-5	4.37-5	-4.43-5	-1.30-4	-1.97-3	-3.02-4	-3.35-4	-3.62-4
49	-8.53-5	-1.50-4	-2.47-4	-3.69-4	-4.12-3	-5.37-4	-4.69-4	-3.51-4
50	-1.32-4	-1.88-4	-2.46-4	-3.75-4	-4.02-3	-5.44-4	-5.84-4	-6.09-4

Table D3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	1.44-4	1.07-4	1.11-4	5.79-5	4.79-4	6.08-5	4.68-5	1.75-5
52	4.12-4	3.96-4	4.67-4	4.96-4	4.89-3	6.60-4	6.88-4	6.93-4
53	3.29-4	3.24-4	4.13-4	4.48-4	4.29-3	5.48-4	4.67-4	3.27-4
54	1.30-4	1.09-4	1.81-4	1.92-4	1.57-3	2.27-4	2.30-4	2.41-4
55	-1.94-4	-2.26-4	-1.89-4	-2.40-4	-2.97-3	-3.60-4	-3.27-4	-2.28-4
56	-4.13-4	-4.56-4	-4.26-4	-5.33-4	-6.10-3	-8.11-4	-8.84-4	-9.01-4
57	-1.57-4	-1.93-4	-1.21-4	-1.76-4	-2.47-3	-3.22-4	-2.99-4	-2.07-4
58	1.98-4	1.87-4	3.23-4	3.44-4	2.94-3	3.66-4	3.52-4	3.41-4
59	3.78-4	3.83-4	5.77-4	6.52-4	6.47-3	7.90-4	6.86-4	4.97-4
60	3.69-4	3.82-4	5.69-4	6.73-4	7.23-3	9.72-4	1.05-3	1.08-3
61	-2.04-4	-2.09-4	-8.88-5	-8.26-5	-4.49-6	3.09-5	6.57-5	5.91-5
62	-8.20-4	-8.41-4	-8.07-4	-9.19-4	-8.33-3	-1.04-3	-1.01-3	-9.87-4
63	-9.10-4	-9.41-4	-9.77-4	-1.10-3	-1.05-2	-1.25-3	-1.05-3	-7.47-4
64	-7.21-4	-7.37-4	-7.56-4	-8.70-4	-8.67-3	-1.12-3	-1.17-3	-1.19-3
65	8.53-5	1.09-4	1.50-4	1.96-4	1.61-3	1.90-4	1.52-4	9.43-5
66	8.66-4	9.15-4	1.02-3	1.22-3	1.18-2	1.52-3	1.55-3	1.53-3
67	8.17-4	8.84-4	1.00-3	1.20-3	1.18-2	1.44-3	1.23-3	8.72-4
68	4.22-4	4.61-4	5.10-4	6.37-4	6.75-3	9.15-4	9.66-4	1.00-3
69	-5.18-4	-5.17-4	-5.91-4	-6.57-4	-5.70-3	-6.39-4	-5.43-4	-3.62-4
70	-1.35-3	-1.38-3	-1.54-3	-1.79-3	-1.69-2	-2.11-3	-2.16-3	-2.11-3
71	-1.07-3	-1.10-3	-1.28-3	-1.49-3	-1.41-2	-1.66-3	-1.43-3	-9.95-4
72	-4.07-4	-4.12-4	-5.16-4	-6.25-4	-6.11-3	-7.46-4	-8.01-4	-7.90-4
73	6.81-4	7.11-4	7.15-4	7.98-4	7.45-3	9.22-4	7.57-4	5.31-4
74	1.58-3	1.62-3	1.67-3	1.94-3	1.83-2	2.37-3	2.40-3	2.37-3
75	1.21-3	1.23-3	1.25-3	1.43-3	1.31-2	1.58-3	1.33-3	9.29-4
76	4.86-4	4.53-4	3.47-4	3.95-4	2.85-3	3.68-4	3.69-4	3.45-4
77	-4.41-4	-5.33-4	-7.61-4	-8.87-4	-9.57-3	-1.15-3	-9.67-4	-6.90-4
78	-1.11-3	-1.22-3	-1.49-3	-1.76-3	-1.81-2	-2.32-3	-2.35-3	-2.35-3
79	-5.12-4	-6.20-4	-8.34-4	-9.92-4	-1.01-2	-1.22-3	-1.00-3	-7.07-4

Appendix E
Upper Atmospheric Aerosol Model

Table E1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	8.71-14	0.793	0.998	2.62-15	1.34 -1.09-4
0.44	8.80-14	0.767	0.998	2.59-15	1.38 -1.46-4
0.55	8.34-14	0.764	0.995	2.42-15	1.38 -2.87-4
0.75	7.37-14	0.770	0.991	1.28-15	1.37 -7.40-4
1.04	6.22-14	0.770	0.976	1.03-15	1.36 -2.04-3
1.24	5.47-14	0.775	0.963	7.57-16	1.35 -3.56-3
1.65	4.22-14	0.783	0.917	4.09-16	1.33 -8.98-3
2.20	3.02-14	0.795	0.805	1.80-16	1.30 -2.36-2

Table E2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.32 1	1.10 1	7.85 0	5.21 0	3.68 0	3.19 0	2.68 0	2.36 0
1	1.15 1	9.77 0	7.29 0	5.01 0	3.60 0	3.15 0	2.66 0	2.35 0
2	8.20 0	7.27 0	5.97 0	4.49 0	3.40 0	3.02 0	2.59 0	2.31 0
4	4.23 0	3.87 0	3.54 0	3.16 0	2.77 0	2.59 0	2.35 0	2.17 0
6	2.66 0	2.47 0	2.36 0	2.23 0	2.14 0	2.09 0	2.03 0	1.95 0
8	1.88 0	1.75 0	1.72 0	1.71 0	1.68 0	1.67 0	1.69 0	1.70 0
10	1.41 0	1.33 0	1.33 0	1.36 0	1.36 0	1.37 0	1.40 0	1.46 0
15	8.12-1	7.74-1	7.96-1	8.41-1	8.61-1	8.79-1	9.06-1	9.48-1
20	5.20-1	5.05-1	5.27-1	5.53-1	5.76-1	5.90-1	6.07-1	6.29-1
40	1.18-1	1.27-1	1.31-1	1.34-1	1.38-1	1.39-1	1.41-1	1.39-1
60	3.41-2	3.98-2	4.11-2	4.10-2	4.18-2	4.16-2	4.13-2	4.05-2
80	1.29-2	1.56-2	1.61-2	1.63-2	1.65-2	1.62-2	1.59-2	1.55-2
100	6.93-3	8.64-3	8.73-3	8.53-3	8.82-3	8.78-3	8.53-3	8.13-3
120	6.36-3	6.94-3	7.27-3	6.85-3	7.18-3	7.03-3	6.71-3	6.16-3
140	1.12-2	1.09-2	1.09-2	9.68-3	9.51-3	8.89-3	7.73-3	6.29-3
150	1.46-2	1.72-2	1.54-2	1.41-2	1.23-2	1.11-2	8.88-3	6.74-3
160	1.51-2	2.07-2	2.04-2	1.72-2	1.47-2	1.29-2	1.01-2	7.30-3
170	1.89-2	2.28-2	2.14-2	1.80-2	1.47-2	1.31-2	1.01-2	7.28-3
175	1.77-2	2.14-2	2.09-2	1.41-2	1.31-2	1.15-2	9.23-3	7.17-3
180	3.02-2	2.95-2	2.92-2	1.75-2	1.70-2	1.44-2	1.06-2	7.40-3

Table E3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.38 0	2.30 0	2.29 0	2.31 0	2.31 0	2.32 0	2.35 0	2.38 0	
2	3.34 0	3.17 0	3.12 0	3.09 0	3.05 0	3.05 0	3.06 0	3.09 0	
3	3.59 0	3.31 0	3.22 0	3.17 0	3.11 0	3.11 0	3.12 0	3.18 0	
4	3.75 0	3.44 0	3.29 0	3.16 0	3.02 0	2.99 0	2.97 0	3.00 0	
5	3.72 0	3.35 0	3.15 0	2.97 0	2.77 0	2.72 0	2.68 0	2.69 0	
6	3.66 0	3.30 0	3.04 0	2.77 0	2.53 0	2.44 0	2.37 0	2.35 0	
7	3.60 0	3.24 0	2.93 0	2.60 0	2.30 0	2.19 0	2.08 0	2.02 0	
8	3.53 0	3.15 0	2.80 0	2.41 0	2.08 0	1.95 0	1.81 0	1.71 0	
9	3.47 0	3.12 0	2.72 0	2.28 0	1.91 0	1.76 0	1.59 0	1.45 0	
10	3.42 0	3.05 0	2.61 0	2.13 0	1.73 0	1.58 0	1.39 0	1.22 0	
11	3.35 0	3.00 0	2.54 0	2.02 0	1.60 0	1.43 0	1.22 0	1.03 0	
12	3.31 0	2.95 0	2.47 0	1.91 0	1.48 0	1.30 0	1.07 0	8.59-1	
13	3.25 0	2.89 0	2.40 0	1.81 0	1.38 0	1.19 0	9.48-1	7.19-1	
14	3.21 0	2.84 0	2.32 0	1.71 0	1.27 0	1.08 0	8.33-1	5.98-1	
15	3.15 0	2.78 0	2.25 0	1.63 0	1.18 0	9.93-1	7.38-1	4.97-1	
16	3.08 0	2.72 0	2.18 0	1.54 0	1.09 0	9.06-1	6.48-1	4.10-1	
17	3.04 0	2.67 0	2.12 0	1.47 0	1.02 0	8.34-1	5.73-1	3.37-1	
18	2.97 0	2.60 0	2.05 0	1.39 0	9.48-1	7.60-1	5.02-1	2.74-1	
19	2.92 0	2.55 0	1.99 0	1.34 0	8.83-1	6.97-1	4.42-1	2.21-1	
20	2.86 0	2.48 0	1.94 0	1.27 0	8.18-1	6.37-1	3.85-1	1.77-1	
21	2.79 0	2.43 0	1.86 0	1.22 0	7.58-1	5.80-1	3.35-1	1.40-1	
22	2.74 0	2.37 0	1.81 0	1.16 0	7.06-1	5.30-1	2.90-1	1.10-1	
23	2.67 0	2.31 0	1.73 0	1.11 0	6.52-1	4.80-1	2.48-1	8.30-2	
24	2.62 0	2.26 0	1.68 0	1.06 0	6.08-1	4.38-1	2.12-1	6.19-2	
25	2.56 0	2.20 0	1.62 0	1.01 0	5.58-1	3.94-1	1.77-1	4.22-2	
26	2.51 0	2.15 0	1.57 0	9.68-1	5.20-1	3.58-1	1.49-1	2.83-2	
27	2.45 0	2.09 0	1.51 0	9.24-1	4.76-1	3.19-1	1.21-1	1.55-2	
28	2.40 0	2.04 0	1.47 0	8.86-1	4.43-1	2.89-1	9.95-2	8.82-3	
29	2.34 0	1.97 0	1.41 0	8.44-1	4.04-1	2.55-1	7.66-2	3.12-3	
30	2.29 0	1.93 0	1.37 0	8.10-1	3.76-1	2.30-1	6.14-2	1.58-3	
31	2.22 0	1.87 0	1.32 0	7.68-1	3.40-1	2.00-1	4.41-2	3.35-4	
32	2.18 0	1.83 0	1.28 0	7.35-1	3.16-1	1.79-1	3.44-2	2.62-4	
33	2.12 0	1.78 0	1.23 0	6.92-1	2.84-1	1.53-1	2.26-2	1.36-4	
34	2.08 0	1.73 0	1.19 0	6.60-1	2.63-1	1.36-1	1.76-2	-1.37-4	
35	2.02 0	1.68 0	1.15 0	6.18-1	2.35-1	1.15-1	1.05-2	-1.36-4	
36	1.98 0	1.64 0	1.11 0	5.89-1	2.17-1	1.01-1	9.09-3	-9.64-5	
37	1.92 0	1.59 0	1.07 0	5.50-1	1.94-1	8.37-2	4.85-3	9.42-5	
38	1.88 0	1.55 0	1.03 0	5.24-1	1.78-1	7.35-2	4.79-3	3.86-4	
39	1.83 0	1.50 0	9.83-1	4.88-1	1.58-1	5.96-2	1.73-3	3.37-4	
40	1.79 0	1.46 0	9.50-1	4.63-1	1.44-1	5.16-2	1.61-3	1.75-4	
41	1.74 0	1.42 0	9.03-1	4.31-1	1.26-1	4.11-2	-1.58-4	-5.94-5	
42	1.70 0	1.38 0	8.75-1	4.06-1	1.14-1	3.53-2	-1.24-4	-2.96-4	
43	1.65 0	1.35 0	8.33-1	3.78-1	9.98-2	2.75-2	-2.60-4	-1.53-4	
44	1.61 0	1.31 0	8.07-1	3.54-1	8.98-2	2.38-2	1.94-4	1.17-4	
45	1.56 0	1.27 0	7.71-1	3.30-1	7.77-2	1.74-2	5.49-4	3.58-4	
46	1.52 0	1.23 0	7.44-1	3.09-1	6.90-2	1.45-2	6.70-4	5.44-4	
47	1.48 0	1.19 0	7.13-1	2.87-1	5.81-2	9.01-3	4.52-4	3.67-4	
48	1.44 0	1.16 0	6.84-1	2.68-1	5.02-2	6.78-3	8.88-5	1.12-4	
49	1.40 0	1.12 0	6.57-1	2.48-1	4.08-2	3.19-3	-1.25-4	-5.55-6	
50	1.36 0	1.08 0	6.29-1	2.31-1	3.44-2	2.45-3	-1.27-4	-2.35-5	

Table E3. Continued

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	1.32 0	1.05 0	6.03-1	2.13-1	2.71-2	9.49-4	9.99-5	2.09-4
52	1.29 0	1.01 0	5.79-1	1.98-1	2.27-2	1.26-3	3.75-4	4.47-4
53	1.25 0	9.81-1	5.53-1	1.81-1	1.70-2	5.35-4	3.46-4	4.04-4
54	1.22 0	9.53-1	5.31-1	1.67-1	1.39-2	5.51-4	1.55-4	2.48-4
55	1.18 0	9.19-1	5.07-1	1.51-1	9.64-3	1.47-5	-1.05-4	-5.04-6
56	1.15 0	8.94-1	4.87-1	1.38-1	7.92-3	-1.08-4	-3.04-4	-1.67-4
57	1.12 0	8.61-1	4.65-1	1.25-1	5.22-3	-7.26-5	-8.90-5	4.63-5
58	1.09 0	8.39-1	4.46-1	1.15-1	4.91-3	2.58-4	2.39-4	3.43-4
59	1.06 0	8.07-1	4.26-1	1.04-1	2.93-3	3.23-4	3.96-4	4.94-4
60	1.03 0	7.85-1	4.06-1	9.42-2	2.67-3	3.33-4	3.92-4	4.36-4
61	9.98-1	7.56-1	3.86-1	8.42-2	7.14-4	-1.53-4	-1.10-4	-7.98-5
62	9.68-1	7.31-1	3.67-1	7.57-2	9.91-5	-6.78-4	-6.50-4	-6.27-4
63	9.39-1	7.06-1	3.49-1	6.75-2	-7.04-4	-7.29-4	-7.43-4	-7.59-4
64	9.12-1	6.82-1	3.32-1	6.11-2	-5.06-4	-5.64-4	-5.70-4	-5.81-4
65	8.85-1	6.59-1	3.16-1	5.50-2	2.88-5	1.40-4	1.40-4	9.20-5
66	8.59-1	6.37-1	3.01-1	5.04-2	7.45-4	8.05-4	8.07-4	7.21-4
67	8.32-1	6.14-1	2.85-1	4.44-2	7.17-4	7.47-4	7.81-4	6.90-4
68	8.07-1	5.93-1	2.70-1	3.97-2	3.35-4	3.95-4	4.11-4	2.77-4
69	7.80-1	5.70-1	2.54-1	3.36-2	-5.35-4	-4.28-4	-4.25-4	-5.73-4
70	7.56-1	5.51-1	2.41-1	2.91-2	-1.31-3	-1.13-3	-1.14-3	-1.28-3
71	7.31-1	5.30-1	2.26-1	2.45-2	-1.14-3	-8.51-4	-9.01-4	-1.09-3
72	7.10-1	5.13-1	2.15-1	2.19-2	-5.49-4	-2.49-4	-2.95-4	-4.74-4
73	6.87-1	4.94-1	2.01-1	1.85-2	4.08-4	7.35-4	6.84-4	4.94-4
74	6.66-1	4.76-1	1.91-1	1.70-2	1.25-3	1.50-3	1.44-3	1.25-3
75	6.43-1	4.57-1	1.78-1	1.30-2	1.01-3	1.18-3	1.14-3	1.01-3
76	6.23-1	4.40-1	1.68-1	1.10-2	4.29-4	5.18-4	4.75-4	3.70-4
77	6.01-1	4.21-1	1.56-1	7.35-3	-3.17-4	-3.15-4	-3.63-4	-4.25-4
78	5.81-1	4.05-1	1.46-1	6.18-3	-8.65-4	-8.75-4	-9.13-4	-9.31-4
79	5.62-1	3.89-1	1.37-1	4.44-3	-3.14-4	-3.44-4	-4.07-4	-4.30-4
80	5.45-1	3.75-1	1.30-1	5.02-3	4.82-4	4.63-4	4.06-4	3.90-4
81	5.26-1	3.60-1	1.21-1	3.86-3	1.17-3	1.16-3	1.12-3	1.11-3
82	5.10-1	3.46-1	1.14-1	4.22-3	1.60-3	1.56-3	1.51-3	1.50-3
83	4.91-1	3.31-1	1.05-1	2.21-3	1.05-3	9.72-4	9.51-4	9.93-4
84	4.74-1	3.17-1	9.74-2	1.57-3	3.67-4	2.34-4	2.24-4	2.98-4
85	4.57-1	3.03-1	8.93-2	2.41-4	3.20-5	-1.70-4	-1.70-4	-6.95-5
86	4.41-1	2.90-1	8.30-2	3.35-4	-2.55-5	-2.38-4	-2.30-4	-1.04-4
87	4.26-1	2.77-1	7.64-2	4.02-4	5.51-4	3.15-4	3.20-4	4.49-4
88	4.11-1	2.66-1	7.13-2	1.16-3	1.11-3	9.02-4	8.86-4	9.95-4
89	3.96-1	2.53-1	6.46-2	8.81-4	9.95-4	8.19-4	8.00-4	9.17-4
90	3.81-1	2.42-1	5.94-2	6.29-4	6.08-4	4.66-4	4.34-4	5.35-4
91	3.66-1	2.29-1	5.28-2	-1.74-5	-2.35-5	-1.22-4	-1.62-4	-7.30-5
92	3.51-1	2.19-1	4.83-2	-4.56-4	-4.71-4	-5.44-4	-5.68-4	-4.73-4
93	3.38-1	2.08-1	4.32-2	-5.59-5	-4.96-5	-1.08-4	-1.27-4	-6.58-5
94	3.25-1	1.99-1	4.04-2	4.69-4	5.78-4	5.31-4	5.17-4	5.53-4
95	3.13-1	1.89-1	3.58-2	8.12-4	8.95-4	8.61-4	8.65-4	8.95-4
96	3.00-1	1.80-1	3.29-2	7.10-4	8.40-4	8.41-4	8.28-4	8.15-4
97	2.86-1	1.69-1	2.76-2	-2.33-4	-2.31-4	-1.75-4	-1.92-4	-2.07-4
98	2.73-1	1.60-1	2.41-2	-1.35-3	-1.39-3	-1.28-3	-1.29-3	-1.31-3
99	2.61-1	1.51-1	2.01-2	-1.53-3	-1.67-3	-1.50-3	-1.54-3	-1.61-3
100	2.50-1	1.43-1	1.83-2	-1.25-3	-1.41-3	-1.22-3	-1.23-3	-1.30-3

Table E3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
101	2.40-1	1.36-1	1.63-2	2.99-5	-7.59-5	1.28-4	1.18-4	4.15-6
102	2.30-1	1.30-1	1.58-2	1.30-3	1.25-3	1.41-3	1.40-3	1.25-3
103	2.19-1	1.21-1	1.28-2	1.15-3	1.20-3	1.35-3	1.37-3	1.26-3
104	2.08-1	1.14-1	1.09-2	4.71-4	5.53-4	6.65-4	6.60-4	5.39-4
105	1.97-1	1.05-1	6.90-3	-1.15-3	-1.01-3	-9.17-4	-9.29-4	-1.02-3
106	1.86-1	9.76-2	4.64-3	-2.51-3	-2.40-3	-2.31-3	-2.30-3	-2.34-3
107	1.77-1	9.11-2	3.02-3	-2.09-3	-1.97-3	-1.90-3	-1.92-3	-2.01-3
108	1.69-1	8.66-2	3.60-3	-1.00-3	-8.89-4	-8.33-4	-8.23-4	-8.90-4
109	1.62-1	8.18-2	3.62-3	8.08-4	8.99-4	9.32-4	9.58-4	8.75-4
110	1.55-1	7.81-2	4.96-3	2.32-3	2.40-3	2.37-3	2.37-3	2.26-3
111	1.46-1	7.15-2	3.05-3	1.89-3	1.90-3	1.83-3	1.87-3	1.83-3
112	1.38-1	6.59-2	2.06-3	8.57-4	8.23-4	6.81-4	6.98-4	6.87-4
113	1.29-1	5.88-2	-3.73-4	-5.01-4	-5.81-4	-7.85-4	-7.83-4	-7.49-4
114	1.21-1	5.38-2	-1.25-3	-1.49-3	-1.58-3	-1.79-3	-1.78-3	-1.68-3
115	1.15-1	4.96-2	-1.07-3	-5.72-4	-6.14-4	-8.73-4	-8.91-4	-8.23-4

Appendix F
Water-Soluble Aerosol Model

Table F1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	7.80-16	0.642	0.966	2.46-17	1.53 -5.00-3
0.44	7.04-16	0.639	0.962	2.15-17	1.53 -5.45-3
0.55	5.48-16	0.630	0.958	1.56-17	1.53 -6.00-3
0.75	3.65-16	0.614	0.937	9.08-18	1.53 -8.69-3
1.04	2.26-16	0.600	0.876	4.77-18	1.52 -1.65-2
1.24	1.69-16	0.590	0.848	3.40-18	1.51 -1.93-2
1.65	9.84-17	0.574	0.809	1.95-18	1.49 -2.04-2
2.20	4.30-17	0.565	0.851	9.60-19	1.42 -9.60-3

Table F2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.46 0	1.35 0	1.21 0	9.63-1	8.50-1	7.90-1	7.22-1	7.15-1
1	1.43 0	1.33 0	1.19 0	9.56-1	8.47-1	7.88-1	7.20-1	7.13-1
2	1.36 0	1.27 0	1.16 0	9.39-1	8.38-1	7.81-1	7.16-1	7.09-1
4	1.20 0	1.14 0	1.05 0	8.82-1	8.05-1	7.56-1	6.98-1	6.94-1
6	1.06 0	1.01 0	9.51-1	8.18-1	7.59-1	7.20-1	6.71-1	6.69-1
8	9.36-1	9.01-1	8.56-1	7.56-1	7.10-1	6.78-1	6.38-1	6.39-1
10	8.29-1	8.05-1	7.71-1	6.98-1	6.60-1	6.34-1	6.01-1	6.04-1
15	6.23-1	6.16-1	5.97-1	5.69-1	5.43-1	5.28-1	5.08-1	5.10-1
20	4.79-1	4.78-1	4.68-1	4.61-1	4.42-1	4.34-1	4.22-1	4.23-1
40	1.76-1	1.77-1	1.79-1	1.83-1	1.85-1	1.85-1	1.85-1	1.83-1
60	6.92-2	7.04-2	7.26-2	7.55-2	7.84-2	7.97-2	8.10-2	7.96-2
80	3.16-2	3.21-2	3.34-2	3.52-2	3.71-2	3.80-2	3.93-2	3.87-2
100	1.80-2	1.83-2	1.91-2	2.04-2	2.16-2	2.24-2	2.36-2	2.38-2
120	1.38-2	1.41-2	1.47-2	1.59-2	1.70-2	1.79-2	1.92-2	2.02-2
140	1.51-2	1.53-2	1.58-2	1.67-2	1.76-2	1.83-2	1.99-2	2.16-2
150	1.75-2	1.76-2	1.77-2	1.82-2	1.87-2	1.95-2	2.11-2	2.31-2
160	2.01-2	1.98-2	1.99-2	2.01-2	1.97-2	2.05-2	2.22-2	2.45-2
170	2.41-2	2.36-2	2.30-2	2.23-2	2.13-2	2.17-2	2.32-2	2.54-2
175	2.91-2	2.84-2	2.70-2	2.49-2	2.31-2	2.30-2	2.41-2	2.59-2
180	3.27-2	3.17-2	2.96-2	2.65-2	2.41-2	2.37-2	2.45-2	2.62-2

Table F3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	1.93 0	1.92 0	1.89 0	1.84 0	1.80 0	1.77 0	1.72 0	1.70 0	
2	2.18 0	2.14 0	2.08 0	1.97 0	1.88 0	1.83 0	1.76 0	1.77 0	
3	1.82 0	1.77 0	1.69 0	1.54 0	1.43 0	1.37 0	1.29 0	1.30 0	
4	1.53 0	1.47 0	1.37 0	1.19 0	1.07 0	1.01 0	9.25-1	9.37-1	
5	1.20 0	1.14 0	1.05 0	8.66-1	7.69-1	7.11-1	6.38-1	6.48-1	
6	9.95-1	9.28-1	8.37-1	6.54-1	5.65-1	5.12-1	4.46-1	4.52-1	
7	8.09-1	7.43-1	6.60-1	4.87-1	4.17-1	3.70-1	3.15-1	3.17-1	
8	6.93-1	6.26-1	5.49-1	3.79-1	3.20-1	2.77-1	2.28-1	2.24-1	
9	5.82-1	5.17-1	4.49-1	2.90-1	2.44-1	2.07-1	1.67-1	1.62-1	
10	5.17-1	4.55-1	3.91-1	2.34-1	1.97-1	1.63-1	1.27-1	1.18-1	
11	4.41-1	3.83-1	3.27-1	1.82-1	1.54-1	1.26-1	9.53-2	8.74-2	
12	4.04-1	3.49-1	2.96-1	1.53-1	1.31-1	1.05-1	7.56-2	6.57-2	
13	3.46-1	2.95-1	2.51-1	1.24-1	1.03-1	8.14-2	5.75-2	4.95-2	
14	3.23-1	2.75-1	2.34-1	1.19-1	8.99-2	6.95-2	4.73-2	3.83-2	
15	2.78-1	2.33-1	1.99-1	1.06-1	7.10-2	5.46-2	3.62-2	2.89-2	
16	2.60-1	2.19-1	1.87-1	1.04-1	6.35-2	4.83-2	3.06-2	2.29-2	
17	2.23-1	1.87-1	1.59-1	8.68-2	5.10-2	3.80-2	2.33-2	1.69-2	
18	2.10-1	1.76-1	1.45-1	8.57-2	4.62-2	3.36-2	1.98-2	1.35-2	
19	1.81-1	1.52-1	1.17-1	7.12-2	3.78-2	2.67-2	1.49-2	9.45-3	
20	1.69-1	1.43-1	1.04-1	6.76-2	3.44-2	2.37-2	1.26-2	7.51-3	
21	1.46-1	1.27-1	8.61-2	5.86-2	2.85-2	1.90-2	9.51-3	5.03-3	
22	1.35-1	1.22-1	8.20-2	5.13-2	2.58-2	1.68-2	8.17-3	4.17-3	
23	1.18-1	1.11-1	7.41-2	4.28-2	2.17-2	1.37-2	6.14-3	2.56-3	
24	1.09-1	1.06-1	7.15-2	3.66-2	1.94-2	1.20-2	5.17-3	2.16-3	
25	9.90-2	9.44-2	6.49-2	3.06-2	1.62-2	9.60-3	3.60-3	9.46-4	
26	9.40-2	8.69-2	5.92-2	2.70-2	1.41-2	8.01-3	2.68-3	5.99-4	
27	8.76-2	7.44-2	5.29-2	2.38-2	1.20-2	6.44-3	1.80-3	4.93-5	
28	8.45-2	6.74-2	4.80-2	2.21-2	1.07-2	5.45-3	1.38-3	1.09-4	
29	7.78-2	5.78-2	4.49-2	2.09-2	9.43-3	4.67-3	1.15-3	1.70-4	
30	7.48-2	5.35-2	4.26-2	2.04-2	8.61-3	4.24-3	1.23-3	5.83-4	
31	6.71-2	4.87-2	4.06-2	1.92-2	7.31-3	3.37-3	8.48-4	3.85-4	
32	6.38-2	4.67-2	3.80-2	1.83-2	6.21-3	2.63-3	5.28-4	2.44-4	
33	5.73-2	4.55-2	3.42-2	1.65-2	4.86-3	1.62-3	-8.75-5	-2.37-4	
34	5.40-2	4.44-2	3.07-2	1.52-2	3.77-3	8.17-4	-5.79-4	-6.59-4	
35	5.03-2	4.43-2	2.66-2	1.39-2	3.25-3	6.07-4	-4.67-4	-4.72-4	
36	4.73-2	4.31-2	2.48-2	1.31-2	3.02-3	6.36-4	-2.06-4	-2.05-4	
37	4.54-2	4.18-2	2.29-2	1.23-2	2.97-3	8.98-4	2.99-4	3.04-4	
38	4.26-2	3.93-2	2.26-2	1.17-2	3.00-3	1.20-3	7.80-4	7.85-4	
39	4.06-2	3.57-2	2.16-2	1.02-2	2.28-3	7.50-4	4.95-4	4.79-4	
40	3.81-2	3.20-2	2.04-2	8.91-3	1.58-3	2.78-4	1.22-4	1.13-4	
41	3.65-2	2.80-2	1.89-2	7.43-3	8.01-4	-2.90-4	-3.45-4	-3.45-4	
42	3.49-2	2.52-2	1.69-2	6.29-3	2.24-4	-7.05-4	-7.47-4	-7.47-4	
43	3.40-2	2.32-2	1.55-2	5.88-3	4.03-4	-3.40-4	-3.42-4	-3.25-4	
44	3.33-2	2.28-2	1.46-2	5.82-3	7.68-4	1.65-4	1.56-4	1.73-4	
45	3.17-2	2.21-2	1.36-2	5.64-3	9.87-4	5.46-4	5.26-4	5.36-4	
46	3.02-2	2.22-2	1.33-2	5.56-3	1.14-3	8.23-4	8.05-4	8.33-4	
47	2.73-2	2.12-2	1.21-2	4.68-3	5.43-4	3.45-4	3.08-4	3.27-4	
48	2.51-2	2.02-2	1.12-2	3.95-3	-4.17-5	-1.74-4	-2.16-4	-1.97-4	
49	2.26-2	1.91-2	1.02-2	3.43-3	-2.98-4	-3.74-4	-3.87-4	-3.72-4	
50	2.13-2	1.79-2	9.49-3	3.22-3	-3.53-4	-4.21-4	-4.19-4	-4.32-4	

Table F3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	2.02-2	1.70-2	9.08-3	3.48-3	1.15-4	7.11-5	1.00-4	7.00-5
52	1.97-2	1.62-2	8.87-3	3.64-3	6.04-4	5.63-4	6.15-4	5.73-4
53	1.87-2	1.49-2	8.16-3	3.23-3	4.91-4	4.41-4	4.87-4	4.37-4
54	1.77-2	1.37-2	7.55-3	2.72-3	2.27-4	1.80-4	2.31-4	1.97-4
55	1.67-2	1.24-2	6.63-3	1.95-3	-2.51-4	-2.94-4	-2.64-4	-2.69-4
56	1.58-2	1.16-2	5.93-3	1.43-3	-6.33-4	-6.70-4	-6.72-4	-6.74-4
57	1.56-2	1.14-2	5.85-3	1.63-3	-2.25-4	-2.37-4	-2.39-4	-2.20-4
58	1.55-2	1.16-2	5.99-3	1.97-3	3.27-4	3.25-4	3.23-4	3.40-4
59	1.51-2	1.14-2	5.89-3	2.07-3	6.43-4	6.58-4	6.39-4	6.35-4
60	1.46-2	1.11-2	5.64-3	2.02-3	7.75-4	8.05-4	8.10-4	8.26-4
61	1.31-2	9.87-3	4.56-3	1.08-3	-3.60-5	-8.58-6	-1.46-5	-1.19-5
62	1.16-2	8.50-3	3.46-3	1.01-4	-9.33-4	-9.15-4	-9.30-4	-9.25-4
63	1.06-2	7.83-3	3.05-3	-1.75-4	-1.08-3	-1.06-3	-1.05-3	-1.02-3
64	1.02-2	7.42-3	2.99-3	-1.14-4	-9.64-4	-9.54-4	-9.68-4	-9.80-4
65	1.04-2	7.95-3	3.81-3	8.82-4	1.54-4	1.64-4	1.74-4	1.52-4
66	1.09-2	8.54-3	4.65-3	1.90-3	1.27-3	1.30-3	1.32-3	1.30-3
67	1.02-2	8.05-3	4.33-3	1.73-3	1.17-3	1.17-3	1.17-3	1.12-3
68	9.39-3	7.31-3	3.65-3	1.20-3	7.21-4	7.28-4	7.51-4	7.28-4
69	7.83-3	5.77-3	2.16-3	-1.72-4	-5.97-4	-6.05-4	-5.99-4	-6.01-4
70	6.41-3	4.41-3	8.00-4	-1.44-3	-1.84-3	-1.87-3	-1.90-3	-1.90-3
71	6.51-3	4.49-3	9.71-4	-1.12-3	-1.42-3	-1.43-3	-1.43-3	-1.39-3
72	7.00-3	5.01-3	1.60-3	-3.72-4	-6.33-4	-6.50-4	-6.79-4	-6.69-4
73	8.05-3	6.05-3	2.80-3	9.80-4	7.94-4	7.97-4	7.60-4	7.54-4
74	8.90-3	6.91-3	3.88-3	2.17-3	2.05-3	2.08-3	2.07-3	2.09-3
75	7.99-3	6.04-3	3.17-3	1.52-3	1.38-3	1.39-3	1.34-3	1.33-3
76	6.78-3	4.81-3	2.12-3	5.01-4	3.83-4	3.97-4	3.58-4	3.83-4
77	5.23-3	3.35-3	7.96-4	-7.62-4	-8.92-4	-8.82-4	-9.15-4	-8.63-4
78	4.06-3	2.23-3	-2.35-4	-1.75-3	-1.89-3	-1.91-3	-1.97-3	-1.95-3
79	4.53-3	2.85-3	4.92-4	-8.65-4	-9.62-4	-9.62-4	-9.71-4	-9.32-4

Appendix G
Dust-Like Aerosol Model

Table G1. Optical Parameters

Wavelength (μm)	Extinction		Single		180 Degree Backscatter (m^2/sr)	Refractive Indices
	Cross Section (m^2)	Asymmetry Factor	Scattering Albedo			
0.40	1.33-11	0.878	0.655		1.79-13	1.53 -8.00-3
0.44	1.34-11	0.872	0.665		1.94-13	1.53 -8.00-3
0.55	1.36-11	0.855	0.693		2.51-13	1.53 -8.00-3
0.75	1.39-11	0.830	0.731		3.38-13	1.53 -8.00-3
1.04	1.44-11	0.802	0.773		4.60-13	1.52 -8.00-3
1.24	1.46-11	0.799	0.797		3.39-13	1.48 -8.00-3
1.65	1.50-11	0.818	0.837		2.54-13	1.37 -8.00-3
2.20	1.44-11	0.888	0.864		8.97-14	1.23 -8.80-3

Table G2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	3.58 2	2.92 2	1.80 2	9.22 1	4.56 1	3.13 1	1.74 1	1.18 1
1	1.44 2	1.36 2	1.09 2	6.98 1	3.94 1	2.82 1	1.64 1	1.14 1
2	3.38 1	3.37 1	3.38 1	3.28 1	2.58 1	2.09 1	1.38 1	1.04 1
4	6.09 0	6.40 0	6.95 0	7.61 0	7.58 0	7.68 0	7.38 0	7.26 0
6	2.08 0	2.22 0	2.53 0	2.91 0	3.23 0	3.32 0	3.51 0	4.38 0
8	9.78-1	1.04 0	1.21 0	1.45 0	1.68 0	1.79 0	2.06 0	2.68 0
10	5.63-1	6.01-1	7.05-1	8.50-1	1.01 0	1.12 0	1.35 0	1.85 0
15	2.37-1	2.53-1	2.96-1	3.61-1	4.40-1	5.02-1	6.47-1	8.90-1
20	1.46-1	1.58-1	1.81-1	2.18-1	2.66-1	3.05-1	3.96-1	4.99-1
40	5.47-2	5.77-2	6.61-2	7.84-2	8.86-2	9.50-2	1.00-1	7.44-2
60	2.37-2	2.54-2	2.86-2	3.30-2	3.72-2	3.74-2	3.25-2	1.74-2
80	1.13-2	1.15-2	1.26-2	1.47-2	1.66-2	1.60-2	1.26-2	6.17-3
100	5.72-3	5.71-3	6.24-3	7.29-3	8.23-3	8.45-3	6.50-3	3.59-3
120	3.75-3	4.00-3	4.23-3	4.76-3	5.52-3	5.65-3	5.04-3	3.85-3
140	3.77-3	3.90-3	4.48-3	5.33-3	6.51-3	6.86-3	8.30-3	3.78-3
150	5.14-3	5.41-3	6.34-3	7.84-3	1.03-2	1.20-2	1.27-2	3.47-3
160	1.19-2	1.24-2	1.51-2	1.82-2	2.28-2	2.44-2	1.55-2	4.00-3
170	1.97-2	2.12-2	2.51-2	3.03-2	3.42-2	2.75-2	1.83-2	6.53-3
175	2.47-2	2.65-2	3.07-2	3.61-2	4.11-2	3.02-2	1.63-2	5.29-3
180	2.05-2	2.18-2	2.68-2	3.33-2	4.14-2	2.92-2	2.03-2	7.22-3

Table G3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.63 0	2.62 0	2.57 0	2.49 0	2.41 0	2.40 0	2.45 0	2.66 0	
2	4.07 0	4.02 0	3.90 0	3.72 0	3.53 0	3.48 0	3.54 0	3.94 0	
3	5.23 0	5.13 0	4.88 0	4.51 0	4.13 0	4.01 0	4.04 0	4.74 0	
4	6.54 0	6.39 0	6.04 0	5.52 0	4.98 0	4.73 0	4.53 0	5.23 0	
5	7.67 0	7.47 0	6.98 0	6.27 0	5.52 0	5.17 0	4.82 0	5.50 0	
6	8.91 0	8.68 0	8.08 0	7.20 0	6.25 0	5.75 0	5.11 0	5.65 0	
7	1.00 1	9.71 0	8.98 0	7.90 0	6.75 0	6.16 0	5.37 0	5.68 0	
8	1.12 1	1.08 1	9.95 0	8.69 0	7.33 0	6.58 0	5.56 0	5.68 0	
9	1.22 1	1.18 1	1.08 1	9.34 0	7.77 0	6.95 0	5.74 0	5.61 0	
10	1.32 1	1.28 1	1.16 1	9.99 0	8.20 0	7.23 0	5.86 0	5.53 0	
11	1.42 1	1.37 1	1.24 1	1.06 1	8.56 0	7.53 0	5.96 0	5.43 0	
12	1.52 1	1.46 1	1.31 1	1.11 1	8.88 0	7.72 0	6.02 0	5.31 0	
13	1.61 1	1.54 1	1.38 1	1.16 1	9.16 0	7.91 0	6.06 0	5.18 0	
14	1.69 1	1.62 1	1.45 1	1.20 1	9.39 0	8.05 0	6.06 0	5.03 0	
15	1.78 1	1.70 1	1.51 1	1.24 1	9.60 0	8.17 0	6.04 0	4.88 0	
16	1.86 1	1.77 1	1.57 1	1.28 1	9.76 0	8.23 0	5.99 0	4.71 0	
17	1.93 1	1.84 1	1.62 1	1.31 1	9.90 0	8.28 0	5.94 0	4.55 0	
18	2.00 1	1.91 1	1.67 1	1.34 1	1.00 1	8.32 0	5.85 0	4.37 0	
19	2.07 1	1.97 1	1.72 1	1.37 1	1.01 1	8.32 0	5.76 0	4.19 0	
20	2.14 1	2.03 1	1.76 1	1.39 1	1.02 1	8.31 0	5.64 0	4.00 0	
21	2.20 1	2.09 1	1.80 1	1.41 1	1.02 1	8.27 0	5.53 0	3.82 0	
22	2.26 1	2.14 1	1.84 1	1.43 1	1.02 1	8.23 0	5.40 0	3.63 0	
23	2.32 1	2.19 1	1.88 1	1.44 1	1.02 1	8.16 0	5.26 0	3.45 0	
24	2.38 1	2.24 1	1.91 1	1.46 1	1.02 1	8.08 0	5.12 0	3.27 0	
25	2.43 1	2.28 1	1.94 1	1.47 1	1.02 1	7.99 0	4.97 0	3.09 0	
26	2.48 1	2.33 1	1.97 1	1.48 1	1.01 1	7.88 0	4.82 0	2.91 0	
27	2.53 1	2.37 1	1.99 1	1.49 1	1.00 1	7.77 0	4.66 0	2.74 0	
28	2.57 1	2.41 1	2.02 1	1.49 1	9.97 0	7.65 0	4.51 0	2.56 0	
29	2.62 1	2.44 1	2.04 1	1.50 1	9.89 0	7.52 0	4.35 0	2.40 0	
30	2.66 1	2.48 1	2.06 1	1.50 1	9.79 0	7.38 0	4.19 0	2.23 0	
31	2.70 1	2.51 1	2.08 1	1.50 1	9.69 0	7.25 0	4.02 0	2.08 0	
32	2.73 1	2.54 1	2.09 1	1.50 1	9.56 0	7.09 0	3.86 0	1.92 0	
33	2.77 1	2.57 1	2.10 1	1.50 1	9.45 0	6.94 0	3.70 0	1.77 0	
34	2.80 1	2.59 1	2.12 1	1.50 1	9.31 0	6.78 0	3.54 0	1.63 0	
35	2.83 1	2.62 1	2.13 1	1.49 1	9.18 0	6.63 0	3.37 0	1.49 0	
36	2.86 1	2.64 1	2.14 1	1.49 1	9.03 0	6.46 0	3.22 0	1.36 0	
37	2.89 1	2.66 1	2.14 1	1.48 1	8.90 0	6.30 0	3.06 0	1.23 0	
38	2.91 1	2.68 1	2.15 1	1.47 1	8.74 0	6.13 0	2.91 0	1.11 0	
39	2.94 1	2.70 1	2.16 1	1.47 1	8.59 0	5.97 0	2.76 0	9.93-1	
40	2.96 1	2.72 1	2.16 1	1.46 1	8.43 0	5.80 0	2.61 0	8.84-1	
41	2.98 1	2.73 1	2.16 1	1.45 1	8.26 0	5.63 0	2.47 0	7.76-1	
42	3.00 1	2.74 1	2.16 1	1.44 1	8.09 0	5.45 0	2.33 0	6.80-1	
43	3.02 1	2.76 1	2.16 1	1.42 1	7.93 0	5.29 0	2.19 0	5.86-1	
44	3.03 1	2.77 1	2.16 1	1.41 1	7.76 0	5.12 0	2.06 0	5.04-1	
45	3.05 1	2.78 1	2.16 1	1.40 1	7.59 0	4.95 0	1.93 0	4.22-1	
46	3.06 1	2.79 1	2.16 1	1.39 1	7.42 0	4.78 0	1.81 0	3.54-1	
47	3.08 1	2.79 1	2.15 1	1.37 1	7.24 0	4.62 0	1.69 0	2.85-1	
48	3.09 1	2.80 1	2.15 1	1.36 1	7.06 0	4.45 0	1.57 0	2.32-1	
49	3.10 1	2.80 1	2.14 1	1.34 1	6.89 0	4.28 0	1.46 0	1.81-1	
50	3.11 1	2.81 1	2.14 1	1.33 1	6.71 0	4.12 0	1.35 0	1.47-1	

Table G3. Continued

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
51	3.11 1	2.81 1	2.13 1	1.31 1	6.54 0	3.96 0	1.25 0	1.13-1	
52	3.12 1	2.81 1	2.12 1	1.30 1	6.37 0	3.80 0	1.15 0	9.23-2	
53	3.13 1	2.81 1	2.11 1	1.28 1	6.19 0	3.65 0	1.06 0	6.84-2	
54	3.13 1	2.81 1	2.10 1	1.26 1	6.02 0	3.49 0	9.66-1	5.45-2	
55	3.13 1	2.81 1	2.09 1	1.25 1	5.84 0	3.34 0	8.77-1	3.62-2	
56	3.14 1	2.81 1	2.08 1	1.23 1	5.67 0	3.19 0	7.95-1	2.73-2	
57	3.14 1	2.81 1	2.07 1	1.21 1	5.50 0	3.04 0	7.15-1	1.54-2	
58	3.14 1	2.81 1	2.06 1	1.19 1	5.33 0	2.90 0	6.44-1	1.23-2	
59	3.14 1	2.80 1	2.05 1	1.18 1	5.16 0	2.77 0	5.71-1	4.76-3	
60	3.14 1	2.80 1	2.03 1	1.16 1	4.99 0	2.63 0	5.05-1	3.34-3	
61	3.14 1	2.79 1	2.02 1	1.14 1	4.82 0	2.49 0	4.36-1	-2.20-3	
62	3.14 1	2.78 1	2.01 1	1.12 1	4.65 0	2.36 0	3.76-1	-4.21-3	
63	3.13 1	2.78 1	1.99 1	1.10 1	4.49 0	2.23 0	3.20-1	-5.21-3	
64	3.13 1	2.77 1	1.98 1	1.09 1	4.33 0	2.11 0	2.76-1	-4.52-3	
65	3.13 1	2.76 1	1.96 1	1.07 1	4.18 0	2.00 0	2.36-1	-1.77-3	
66	3.12 1	2.75 1	1.95 1	1.05 1	4.03 0	1.89 0	2.05-1	5.05-4	
67	3.11 1	2.74 1	1.93 1	1.03 1	3.87 0	1.78 0	1.70-1	6.61-5	
68	3.11 1	2.73 1	1.92 1	1.01 1	3.72 0	1.67 0	1.41-1	-1.52-3	
69	3.10 1	2.72 1	1.90 1	9.92 0	3.57 0	1.56 0	1.08-1	-4.89-3	
70	3.09 1	2.71 1	1.88 1	9.72 0	3.42 0	1.46 0	8.28-2	-7.50-3	
71	3.08 1	2.70 1	1.86 1	9.54 0	3.28 0	1.36 0	6.19-2	-6.25-3	
72	3.08 1	2.69 1	1.85 1	9.35 0	3.14 0	1.27 0	5.05-2	-3.54-3	
73	3.07 1	2.68 1	1.83 1	9.17 0	3.01 0	1.19 0	3.97-2	5.95-4	
74	3.06 1	2.66 1	1.81 1	8.99 0	2.88 0	1.11 0	3.48-2	4.04-3	
75	3.05 1	2.65 1	1.79 1	8.80 0	2.75 0	1.02 0	2.20-2	3.12-3	
76	3.04 1	2.64 1	1.78 1	8.61 0	2.62 0	9.38-1	1.30-2	8.58-4	
77	3.02 1	2.62 1	1.76 1	8.42 0	2.49 0	8.53-1	2.01-3	-2.01-3	
78	3.01 1	2.61 1	1.74 1	8.23 0	2.37 0	7.78-1	-3.42-3	-4.12-3	
79	3.00 1	2.59 1	1.72 1	8.05 0	2.25 0	7.09-1	-3.09-3	-1.82-3	
80	2.99 1	2.58 1	1.70 1	7.88 0	2.14 0	6.49-1	1.03-3	1.49-3	
81	2.97 1	2.56 1	1.68 1	7.70 0	2.03 0	5.89-1	3.63-3	4.34-3	
82	2.96 1	2.55 1	1.66 1	7.52 0	1.93 0	5.34-1	5.45-3	6.26-3	
83	2.95 1	2.53 1	1.64 1	7.34 0	1.82 0	4.73-1	6.30-4	4.19-3	
84	2.93 1	2.51 1	1.62 1	7.16 0	1.71 0	4.20-1	-4.32-3	1.32-3	
85	2.92 1	2.50 1	1.60 1	6.98 0	1.61 0	3.67-1	-7.33-3	-1.76-4	
86	2.90 1	2.48 1	1.59 1	6.81 0	1.52 0	3.25-1	-7.74-3	-1.01-3	
87	2.89 1	2.46 1	1.57 1	6.64 0	1.43 0	2.85-1	-4.24-3	6.98-4	
88	2.87 1	2.44 1	1.55 1	6.47 0	1.35 0	2.54-1	-4.66-4	2.44-3	
89	2.86 1	2.43 1	1.53 1	6.30 0	1.26 0	2.15-1	-9.41-4	1.45-3	
90	2.84 1	2.41 1	1.51 1	6.13 0	1.17 0	1.84-1	-3.11-3	-2.32-4	
91	2.82 1	2.39 1	1.49 1	5.96 0	1.09 0	1.48-1	-6.94-3	-2.91-3	
92	2.81 1	2.37 1	1.47 1	5.80 0	1.01 0	1.23-1	-9.41-3	-5.15-3	
93	2.79 1	2.35 1	1.45 1	5.64 0	9.36-1	1.01-1	-6.57-3	-3.86-3	
94	2.77 1	2.33 1	1.43 1	5.48 0	8.70-1	8.84-2	-2.10-3	-2.27-3	
95	2.76 1	2.31 1	1.41 1	5.33 0	8.03-1	7.24-2	5.75-4	-1.86-3	
96	2.74 1	2.29 1	1.39 1	5.17 0	7.40-1	5.94-2	9.16-4	-2.60-3	
97	2.72 1	2.27 1	1.37 1	5.01 0	6.69-1	3.85-2	-4.77-3	-7.38-3	
98	2.70 1	2.25 1	1.35 1	4.85 0	6.05-1	2.12-2	-1.17-2	-1.21-2	
99	2.68 1	2.23 1	1.33 1	4.70 0	5.46-1	8.44-3	-1.27-2	-1.32-2	
100	2.66 1	2.21 1	1.31 1	4.56 0	4.96-1	3.22-3	-1.12-2	-1.24-2	

Table G3. Continued

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
101	2.65 1	2.19 1	1.29 1	4.42 0	4.54-1	4.76-3	-2.67-3	-7.24-3	
102	2.63 1	2.17 1	1.27 1	4.28 0	4.17-1	9.35-3	5.16-3	-2.36-3	
103	2.61 1	2.15 1	1.25 1	4.14 0	3.73-1	5.63-3	4.62-3	-2.90-3	
104	2.59 1	2.13 1	1.23 1	4.00 0	3.30-1	-3.62-4	-1.84-4	-5.43-3	
105	2.57 1	2.11 1	1.21 1	3.86 0	2.82-1	-1.23-2	-1.05-2	-1.16-2	
106	2.55 1	2.09 1	1.19 1	3.71 0	2.40-1	-2.19-2	-2.00-2	-1.67-2	
107	2.53 1	2.07 1	1.17 1	3.59 0	2.09-1	-2.03-2	-1.78-2	-1.44-2	
108	2.51 1	2.05 1	1.15 1	3.46 0	1.88-1	-1.37-2	-1.15-2	-9.52-3	
109	2.49 1	2.03 1	1.13 1	3.35 0	1.72-1	-2.63-3	-6.14-4	-1.81-3	
110	2.47 1	2.01 1	1.11 1	3.23 0	1.58-1	6.58-3	8.54-3	4.86-3	
111	2.45 1	1.99 1	1.10 1	3.11 0	1.32-1	3.23-3	5.04-3	3.40-3	
112	2.43 1	1.97 1	1.08 1	2.98 0	1.07-1	-3.93-3	-1.86-3	-1.73-4	
113	2.41 1	1.95 1	1.06 1	2.86 0	7.93-2	-1.30-2	-1.10-2	-5.03-3	
114	2.39 1	1.93 1	1.04 1	2.74 0	5.95-2	-1.87-2	-1.71-2	-8.40-3	
115	2.37 1	1.91 1	1.02 1	2.63 0	5.12-2	-1.20-2	-1.09-2	-3.76-3	
116	2.35 1	1.89 1	1.00 1	2.53 0	4.97-2	-2.13-3	-1.84-3	2.56-3	
117	2.33 1	1.87 1	9.85 0	2.43 0	4.63-2	6.22-3	6.09-3	8.17-3	
118	2.31 1	1.85 1	9.67 0	2.33 0	4.27-2	1.08-2	1.09-2	1.19-2	
119	2.29 1	1.82 1	9.49 0	2.22 0	2.79-2	4.13-3	4.84-3	8.68-3	
120	2.27 1	1.80 1	9.30 0	2.12 0	1.44-2	-3.97-3	-2.34-3	3.95-3	
121	2.24 1	1.78 1	9.12 0	2.02 0	4.85-3	-7.92-3	-5.74-3	1.76-3	
122	2.22 1	1.76 1	8.95 0	1.93 0	1.44-3	-7.58-3	-5.35-3	7.80-4	
123	2.20 1	1.74 1	8.78 0	1.84 0	4.86-3	-9.44-5	1.97-3	4.26-3	
124	2.18 1	1.72 1	8.61 0	1.76 0	9.69-3	7.18-3	9.02-3	7.87-3	
125	2.16 1	1.70 1	8.44 0	1.67 0	6.58-3	6.51-3	8.64-3	6.52-3	
126	2.14 1	1.68 1	8.26 0	1.58 0	1.01-3	2.04-3	4.79-3	4.05-3	
127	2.12 1	1.66 1	8.09 0	1.49 0	-7.57-3	-5.51-3	-1.85-3	-3.74-4	
128	2.10 1	1.64 1	7.92 0	1.41 0	-1.32-2	-1.06-2	-6.49-3	-3.94-3	
129	2.08 1	1.62 1	7.75 0	1.34 0	-8.79-3	-5.68-3	-1.77-3	-1.52-3	
130	2.06 1	1.60 1	7.59 0	1.27 0	-1.14-3	2.32-3	5.51-3	1.55-3	
131	2.04 1	1.58 1	7.43 0	1.20 0	4.19-3	7.65-3	9.76-3	2.61-3	
132	2.01 1	1.56 1	7.27 0	1.14 0	5.44-3	8.56-3	9.99-3	1.84-3	
133	1.99 1	1.54 1	7.10 0	1.06 0	-4.17-3	-1.79-3	-4.69-4	-5.90-3	
134	1.97 1	1.52 1	6.93 0	9.86-1	-1.57-2	-1.40-2	-1.27-2	-1.34-2	
135	1.95 1	1.50 1	6.77 0	9.20-1	-1.85-2	-1.73-2	-1.56-2	-1.50-2	
136	1.93 1	1.48 1	6.61 0	8.63-1	-1.60-2	-1.48-2	-1.35-2	-1.34-2	
137	1.91 1	1.46 1	6.47 0	8.17-1	-1.51-3	-2.09-4	1.69-4	-4.32-3	
138	1.89 1	1.44 1	6.33 0	7.74-1	1.26-2	1.42-2	1.38-2	4.30-3	
139	1.87 1	1.42 1	6.17 0	7.22-1	1.41-2	1.53-2	1.37-2	4.15-3	
140	1.85 1	1.40 1	6.02 0	6.66-1	8.45-3	9.19-3	7.31-3	5.74-4	
141	1.83 1	1.38 1	5.86 0	6.03-1	-6.37-3	-6.47-3	-8.36-3	-8.98-3	
142	1.80 1	1.36 1	5.70 0	5.45-1	-2.00-2	-2.06-2	-2.25-2	-1.71-2	
143	1.78 1	1.34 1	5.56 0	5.04-1	-1.58-2	-1.63-2	-1.82-2	-1.32-2	
144	1.76 1	1.32 1	5.42 0	4.71-1	-5.11-3	-5.00-3	-7.50-3	-5.50-3	
145	1.74 1	1.30 1	5.29 0	4.46-1	1.28-2	1.38-2	1.05-2	7.02-3	
146	1.72 1	1.28 1	5.16 0	4.22-1	2.72-2	2.88-2	2.55-2	1.77-2	
147	1.70 1	1.26 1	5.02 0	3.81-1	2.22-2	2.39-2	2.03-2	1.54-2	
148	1.68 1	1.25 1	4.87 0	3.37-1	1.11-2	1.25-2	9.55-3	9.50-3	
149	1.66 1	1.23 1	4.73 0	2.92-1	-3.02-3	-2.02-3	-4.48-3	1.57-3	
150	1.64 1	1.21 1	4.59 0	2.55-1	-1.21-2	-1.12-2	-1.38-2	-4.18-3	

Table G3. Continued

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
151	1.62 1	1.19 1	4.46 0	2.35-1	-2.28-3	-9.22-4	-3.67-3	2.68-3
152	1.60 1	1.17 1	4.34 0	2.23-1	1.24-2	1.45-2	1.09-2	1.23-2
153	1.58 1	1.15 1	4.22 0	2.09-1	2.43-2	2.73-2	2.35-2	2.05-2
154	1.56 1	1.14 1	4.10 0	1.92-1	3.09-2	3.42-2	3.08-2	2.62-2
155	1.54 1	1.12 1	3.97 0	1.61-1	1.99-2	2.33-2	2.07-2	2.06-2
156	1.52 1	1.10 1	3.84 0	1.31-1	7.32-3	1.03-2	8.64-3	1.31-2
157	1.50 1	1.08 1	3.72 0	1.08-1	9.84-4	3.76-3	2.51-3	9.55-3
158	1.48 1	1.06 1	3.60 0	9.28-2	1.49-3	4.25-3	2.33-3	8.05-3
159	1.46 1	1.05 1	3.49 0	8.77-2	1.26-2	1.57-2	1.30-2	1.35-2
160	1.44 1	1.03 1	3.39 0	8.48-2	2.38-2	2.71-2	2.33-2	1.91-2
161	1.42 1	1.01 1	3.28 0	7.15-2	2.22-2	2.55-2	2.17-2	1.68-2
162	1.40 1	9.93 0	3.16 0	5.51-2	1.52-2	1.82-2	1.49-2	1.27-2
163	1.38 1	9.75 0	3.05 0	3.49-2	3.12-3	5.78-3	3.65-3	5.68-3
164	1.36 1	9.58 0	2.93 0	1.98-2	-5.19-3	-2.73-3	-4.36-3	-6.24-5
165	1.34 1	9.41 0	2.84 0	1.85-2	1.73-3	4.25-3	2.33-3	3.77-3
166	1.33 1	9.25 0	2.75 0	2.31-2	1.34-2	1.62-2	1.32-2	8.67-3
167	1.31 1	9.09 0	2.65 0	2.49-2	2.13-2	2.40-2	1.97-2	1.07-2
168	1.29 1	8.93 0	2.56 0	2.20-2	2.28-2	2.51-2	2.01-2	9.76-3
169	1.27 1	8.75 0	2.45 0	4.64-3	7.06-3	8.62-3	3.77-3	-2.09-3
170	1.25 1	8.58 0	2.35 0	-1.44-2	-1.16-2	-1.09-2	-1.52-2	-1.39-2
171	1.23 1	8.41 0	2.25 0	-2.21-2	-1.76-2	-1.72-2	-2.05-2	-1.70-2
172	1.21 1	8.25 0	2.17 0	-2.13-2	-1.54-2	-1.47-2	-1.79-2	-1.55-2
173	1.20 1	8.10 0	2.10 0	-4.51-3	4.91-3	6.18-3	2.28-3	-2.54-3
174	1.18 1	7.96 0	2.03 0	1.27-2	2.50-2	2.69-2	2.25-2	9.71-3
175	1.16 1	7.81 0	1.95 0	1.37-2	2.59-2	2.77-2	2.22-2	8.85-3
176	1.14 1	7.64 0	1.86 0	5.35-3	1.64-2	1.75-2	1.25-2	2.84-3
177	1.12 1	7.47 0	1.77 0	-1.50-2	-7.14-3	-7.22-3	-1.15-2	-1.23-2
178	1.10 1	7.31 0	1.68 0	-3.32-2	-2.89-2	-2.97-2	-3.33-2	-2.54-2
179	1.09 1	7.16 0	1.61 0	-2.83-2	-2.40-2	-2.49-2	-2.76-2	-2.07-2
180	1.07 1	7.02 0	1.55 0	-1.41-2	-9.52-3	-9.54-3	-1.26-2	-1.03-2
181	1.05 1	6.89 0	1.50 0	9.59-3	1.59-2	1.69-2	1.34-2	7.34-3
182	1.04 1	6.76 0	1.45 0	2.84-2	3.60-2	3.78-2	3.47-2	2.22-2
183	1.02 1	6.61 0	1.38 0	2.25-2	2.74-2	2.91-2	2.62-2	1.80-2
184	1.00 1	6.45 0	1.30 0	8.01-3	9.71-3	1.06-2	9.32-3	8.44-3
185	9.85 0	6.29 0	1.22 0	-1.01-2	-1.21-2	-1.21-2	-1.22-2	-3.97-3
186	9.67 0	6.14 0	1.15 0	-2.12-2	-2.65-2	-2.70-2	-2.68-2	-1.31-2
187	9.51 0	6.01 0	1.11 0	-8.14-3	-1.28-2	-1.29-2	-1.25-2	-3.47-3
188	9.36 0	5.89 0	1.07 0	1.15-2	8.03-3	8.73-3	8.25-3	1.02-2
189	9.21 0	5.77 0	1.03 0	2.74-2	2.45-2	2.62-2	2.58-2	2.16-2
190	9.05 0	5.64 0	9.83-1	3.54-2	3.29-2	3.49-2	3.53-2	2.92-2
191	8.88 0	5.49 0	9.20-1	2.12-2	1.55-2	1.73-2	1.92-2	2.02-2
192	8.71 0	5.35 0	8.57-1	4.30-3	-4.43-3	-3.36-3	2.07-4	8.50-3
193	8.54 0	5.21 0	8.04-1	-4.01-3	-1.43-2	-1.37-2	-9.33-3	3.00-3
194	8.39 0	5.09 0	7.60-1	-3.15-3	-1.43-2	-1.37-2	-9.99-3	7.00-4
195	8.24 0	4.97 0	7.30-1	1.15-2	1.91-3	2.90-3	5.58-3	8.84-3
196	8.10 0	4.86 0	7.01-1	2.59-2	1.80-2	1.92-2	2.06-2	1.71-2
197	7.95 0	4.73 0	6.59-1	2.36-2	1.49-2	1.62-2	1.78-2	1.36-2
198	7.79 0	4.60 0	6.13-1	1.36-2	3.65-3	4.41-3	7.02-3	7.08-3
199	7.63 0	4.47 0	5.62-1	-3.10-3	-1.52-2	-1.49-2	-1.05-2	-3.86-3
200	7.47 0	4.34 0	5.18-1	-1.49-2	-2.86-2	-2.86-2	-2.32-2	-1.28-2

Table G3. Continued

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
201	7.33 0	4.23 0	4.92-1	-6.65-3	-1.88-2	-1.87-2	-1.36-2	-7.24-3
202	7.20 0	4.13 0	4.73-1	7.94-3	-2.03-3	-1.42-3	2.46-3	3.45-5
203	7.06 0	4.03 0	4.52-1	1.84-2	9.93-3	1.06-2	1.25-2	3.47-3
204	6.92 0	3.92 0	4.24-1	1.98-2	1.24-2	1.26-2	1.37-2	2.54-3
205	6.77 0	3.79 0	3.79-1	-7.48-4	-1.05-2	-1.15-2	-9.97-3	-1.47-2
206	6.61 0	3.67 0	3.32-1	-2.57-2	-3.81-2	-4.02-2	-3.76-2	-3.21-2
207	6.47 0	3.56 0	2.99-1	-3.47-2	-4.73-2	-5.00-2	-4.59-2	-3.70-2
208	6.33 0	3.45 0	2.77-1	-3.28-2	-4.47-2	-4.70-2	-4.28-2	-3.54-2
209	6.22 0	3.37 0	2.77-1	-7.51-3	-1.51-2	-1.67-2	-1.35-2	-1.67-2
210	6.10 0	3.29 0	2.77-1	1.75-2	1.42-2	1.36-2	1.59-2	9.87-4
211	5.97 0	3.19 0	2.58-1	1.92-2	1.65-2	1.55-2	1.63-2	4.95-5
212	5.84 0	3.09 0	2.28-1	6.57-3	3.54-3	1.48-3	2.91-3	-8.27-3
213	5.69 0	2.97 0	1.84-1	-2.36-2	-2.98-2	-3.37-2	-3.13-2	-3.00-2
214	5.54 0	2.86 0	1.44-1	-5.14-2	-6.05-2	-6.57-2	-6.25-2	-4.89-2
215	5.42 0	2.77 0	1.32-1	-4.60-2	-5.30-2	-5.84-2	-5.43-2	-4.22-2
216	5.31 0	2.69 0	1.33-1	-2.75-2	-3.15-2	-3.61-2	-3.27-2	-2.74-2
217	5.21 0	2.63 0	1.46-1	4.87-3	5.89-3	2.56-3	4.85-3	-2.26-3
218	5.11 0	2.56 0	1.54-1	3.00-2	3.55-2	3.30-2	3.54-2	1.90-2
219	4.98 0	2.47 0	1.32-1	1.98-2	2.43-2	2.12-2	2.35-2	1.29-2
220	4.85 0	2.37 0	1.01-1	-2.74-3	-1.10-4	-4.63-3	-5.00-4	-5.98-4
221	4.72 0	2.27 0	6.66-2	-2.98-2	-2.98-2	-3.60-2	-3.06-2	-1.79-2
222	4.59 0	2.18 0	4.14-2	-4.67-2	-4.88-2	-5.60-2	-5.07-2	-3.03-2
223	4.49 0	2.12 0	4.74-2	-2.85-2	-2.70-2	-3.40-2	-2.91-2	-1.58-2
224	4.40 0	2.06 0	6.20-2	-7.56-4	4.71-3	-1.40-3	1.67-3	4.36-3
225	4.31 0	2.01 0	7.21-2	2.13-2	2.99-2	2.48-2	2.71-2	2.09-2
226	4.21 0	1.94 0	7.33-2	3.20-2	4.29-2	3.79-2	4.08-2	3.19-2
227	4.09 0	1.86 0	4.75-2	1.10-2	1.91-2	1.34-2	1.77-2	1.91-2
228	3.97 0	1.77 0	1.92-2	-1.36-2	-8.56-3	-1.54-2	-9.46-3	2.65-3
229	3.86 0	1.69 0	3.45-3	-2.47-2	-2.05-2	-2.82-2	-2.18-2	-4.05-3
230	3.76 0	1.63 0	-3.61-4	-2.21-2	-1.80-2	-2.58-2	-2.10-2	-5.83-3
231	3.67 0	1.58 0	1.41-2	9.64-4	8.33-3	1.07-3	3.59-3	7.74-3
232	3.59 0	1.54 0	2.88-2	2.37-2	3.41-2	2.72-2	2.72-2	2.13-2
233	3.49 0	1.48 0	2.23-2	2.19-2	3.14-2	2.47-2	2.41-2	1.73-2
234	3.39 0	1.41 0	6.65-3	8.64-3	1.64-2	9.05-3	9.20-3	8.74-3
235	3.28 0	1.33 0	-1.72-2	-1.44-2	-9.92-3	-1.79-2	-1.60-2	-6.55-3
236	3.18 0	1.27 0	-3.45-2	-3.01-2	-2.85-2	-3.65-2	-3.39-2	-1.88-2
237	3.10 0	1.22 0	-2.54-2	-1.59-2	-1.25-2	-2.01-2	-1.86-2	-9.39-3
238	3.02 0	1.19 0	-7.77-3	7.96-3	1.37-2	7.36-3	6.38-3	2.87-3
239	2.95 0	1.15 0	5.52-3	2.64-2	3.36-2	2.80-2	2.35-2	1.01-2
240	2.87 0	1.11 0	8.43-3	3.22-2	3.98-2	3.41-2	2.80-2	1.10-2
241	2.77 0	1.04 0	-1.71-2	5.21-3	8.20-3	1.64-3	-4.71-3	-1.23-2
242	2.66 0	9.68-1	-4.76-2	-2.82-2	-3.04-2	-3.79-2	-4.33-2	-3.63-2
243	2.57 0	9.14-1	-5.90-2	-3.96-2	-4.37-2	-5.12-2	-5.51-2	-4.30-2
244	2.49 0	8.73-1	-5.68-2	-3.51-2	-4.01-2	-4.61-2	-5.04-2	-4.03-2
245	2.44 0	8.61-1	-2.48-2	3.46-3	2.91-3	-1.05-3	-7.44-3	-1.28-2
246	2.40 0	8.49-1	7.40-3	4.20-2	4.58-2	4.42-2	3.61-2	1.37-2
247	2.32 0	8.14-1	1.10-2	4.74-2	5.03-2	4.93-2	3.86-2	1.37-2
248	2.24 0	7.65-1	-2.18-3	3.24-2	3.30-2	3.16-2	2.14-2	3.22-3
249	2.14 0	6.96-1	-3.80-2	-8.64-3	-1.44-2	-1.73-2	-2.64-2	-2.69-2
250	2.04 0	6.32-1	-7.06-2	-4.61-2	-5.81-2	-6.17-2	-6.99-2	-5.31-2

Table G3. Concluded

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
251	1.98 0	6.05-1	-6.27-2	-3.69-2	-4.78-2	-5.06-2	-5.77-2	-4.33-2	
252	1.93 0	5.93-1	-3.88-2	-8.76-3	-1.74-2	-1.77-2	-2.62-2	-2.20-2	
253	1.90 0	5.97-1	1.95-3	3.87-2	3.54-2	3.79-2	2.76-2	1.39-2	
254	1.86 0	5.94-1	3.41-2	7.58-2	7.72-2	8.19-2	7.15-2	4.42-2	
255	1.79 0	5.54-1	2.23-2	6.21-2	6.01-2	6.50-2	5.46-2	3.53-2	
256	1.70 0	5.02-1	-4.08-3	3.08-2	2.45-2	2.83-2	2.04-2	1.61-2	
257	1.61 0	4.46-1	-3.57-2	-6.73-3	-1.84-2	-1.60-2	-2.17-2	-8.02-3	
258	1.54 0	4.02-1	-5.47-2	-2.94-2	-4.53-2	-4.35-2	-4.92-2	-2.49-2	
259	1.50 0	3.99-1	-2.99-2	-1.75-3	-1.39-2	-1.08-2	-1.67-2	-3.20-3	
260	1.47 0	4.06-1	6.25-3	3.95-2	3.20-2	3.69-2	2.86-2	2.64-2	
261	1.44 0	4.06-1	3.39-2	7.11-2	6.67-2	7.38-2	6.47-2	4.98-2	
262	1.40 0	3.95-1	4.76-2	8.59-2	8.38-2	9.12-2	8.33-2	6.48-2	
263	1.32 0	3.50-1	2.11-2	5.43-2	4.71-2	5.40-2	4.86-2	4.52-2	
264	1.24 0	3.01-1	-9.49-3	1.77-2	5.38-3	1.07-2	8.16-3	2.09-2	
265	1.18 0	2.70-1	-2.14-2	2.13-3	-1.19-2	-7.48-3	-8.55-3	1.21-2	
266	1.14 0	2.55-1	-1.63-2	6.92-3	-7.41-3	-3.04-3	-5.83-3	1.08-2	
267	1.12 0	2.65-1	1.50-2	4.17-2	3.20-2	3.74-2	3.21-2	3.23-2	
268	1.10 0	2.74-1	4.58-2	7.58-2	7.07-2	7.64-2	6.84-2	5.34-2	
269	1.05 0	2.55-1	4.35-2	7.21-2	6.57-2	7.15-2	6.33-2	4.74-2	
270	9.90-1	2.24-1	2.68-2	5.12-2	4.25-2	4.67-2	4.05-2	3.43-2	
271	9.21-1	1.82-1	-3.31-3	1.48-2	1.39-3	4.23-3	1.57-3	1.07-2	
272	8.61-1	1.48-1	-2.41-2	-1.05-2	-2.77-2	-2.57-2	-2.66-2	-8.25-3	
273	8.36-1	1.51-1	-5.59-3	9.13-3	-4.80-3	-2.56-3	-3.86-3	5.96-3	
274	8.22-1	1.65-1	2.55-2	4.39-2	3.43-2	3.76-2	3.37-2	2.49-2	
275	8.04-1	1.74-1	5.05-2	7.13-2	6.51-2	6.88-2	6.09-2	3.73-2	
276	7.75-1	1.71-1	5.99-2	8.03-2	7.61-2	7.89-2	6.96-2	4.02-2	
277	7.09-1	1.29-1	2.56-2	3.91-2	2.92-2	2.98-2	2.16-2	6.33-3	
278	6.38-1	8.03-2	-1.69-2	-1.18-2	-2.81-2	-2.99-2	-3.58-2	-2.93-2	
279	5.91-1	5.53-2	-3.34-2	-3.26-2	-5.04-2	-5.35-2	-5.59-2	-4.09-2	
280	5.60-1	4.84-2	-2.98-2	-2.93-2	-4.72-2	-4.94-2	-5.16-2	-3.89-2	
281	5.68-1	8.14-2	1.77-2	2.43-2	1.43-2	1.40-2	9.78-3	2.24-4	
282	5.77-1	1.15-1	6.59-2	7.89-2	7.70-2	7.88-2	7.27-2	3.82-2	
283	5.51-1	1.13-1	7.23-2	8.53-2	8.36-2	8.54-2	7.63-2	3.82-2	
284	5.07-1	8.91-2	5.38-2	6.20-2	5.89-2	5.88-2	5.12-2	2.28-2	
285	4.35-1	3.48-2	7.97-4	-8.86-4	-1.18-2	-1.50-2	-2.00-2	-2.22-2	
286	3.67-1	-1.51-2	-4.76-2	-5.84-2	-7.68-2	-8.22-2	-8.51-2	-6.18-2	
287	3.50-1	-1.27-2	-3.79-2	-4.86-2	-6.37-2	-6.91-2	-6.98-2	-4.94-2	
288	3.52-1	1.07-2	-4.48-3	-1.05-2	-2.07-2	-2.36-2	-2.60-2	-2.04-2	
289	3.75-1	5.60-2	5.29-2	5.53-2	5.45-2	5.47-2	4.99-2	2.93-2	
290	3.89-1	9.05-2	9.76-2	1.06-1	1.14-1	1.16-1	1.11-1	7.09-2	
291	3.49-1	6.72-2	7.70-2	8.17-2	8.56-2	8.72-2	8.27-2	5.47-2	
292	2.93-1	2.54-2	3.48-2	3.14-2	3.03-2	2.95-2	2.89-2	2.38-2	
293	2.31-1	-2.21-2	-1.42-2	-2.68-2	-3.43-2	-3.78-2	-3.48-2	-1.32-2	
294	1.86-1	-5.28-2	-4.43-2	-6.25-2	-7.49-2	-7.95-2	-7.62-2	-3.91-2	
295	1.97-1	-2.47-2	-9.04-3	-2.29-2	-2.80-2	-3.12-2	-2.84-2	-7.37-3	
296	2.21-1	1.80-2	4.27-2	3.66-2	3.98-2	3.91-2	3.84-2	3.53-2	
297	2.34-1	4.79-2	7.99-2	7.97-2	8.86-2	9.06-2	8.81-2	6.67-2	
298	2.31-1	5.88-2	9.50-2	9.63-2	1.09-1	1.12-1	1.11-1	8.49-2	
299	1.76-1	1.57-2	4.94-2	4.32-2	4.92-2	5.02-2	5.28-2	5.10-2	
300	1.18-1	-3.25-2	-2.36-3	-1.76-2	-1.87-2	-2.00-2	-1.32-2	1.09-2	

Appendix H
Soot Aerosol Model

Table H1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	8.60-16	0.396	0.268	8.99-18	1.75 -4.60-1
0.44	7.60-16	0.377	0.249	7.93-18	1.75 -4.55-1
0.55	5.54-16	0.335	0.209	5.60-18	1.75 -4.40-1
0.75	3.57-16	0.276	0.147	3.08-18	1.75 -4.30-1
1.04	2.35-16	0.214	0.088	1.45-18	1.75 -4.39-1
1.24	1.91-16	0.184	0.064	9.28-19	1.76 -4.48-1
1.65	1.39-16	0.139	0.036	4.24-19	1.78 -4.69-1
2.20	1.03-16	0.101	0.018	1.80-19	1.81 -4.98-1

Table H2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	3.33-1	3.13-1	2.74-1	2.31-1	1.97-1	1.83-1	1.65-1	1.50-1
1	3.33-1	3.13-1	2.74-1	2.31-1	1.97-1	1.83-1	1.65-1	1.50-1
2	3.33-1	3.12-1	2.74-1	2.31-1	1.97-1	1.83-1	1.64-1	1.50-1
4	3.30-1	3.11-1	2.73-1	2.30-1	1.97-1	1.83-1	1.64-1	1.50-1
6	3.27-1	3.08-1	2.70-1	2.29-1	1.96-1	1.82-1	1.63-1	1.50-1
8	3.22-1	3.04-1	2.68-1	2.27-1	1.94-1	1.81-1	1.62-1	1.49-1
10	3.16-1	2.99-1	2.64-1	2.24-1	1.93-1	1.79-1	1.61-1	1.48-1
15	2.97-1	2.82-1	2.52-1	2.16-1	1.87-1	1.74-1	1.57-1	1.45-1
20	2.73-1	2.61-1	2.36-1	2.06-1	1.79-1	1.68-1	1.52-1	1.40-1
40	1.70-1	1.67-1	1.60-1	1.49-1	1.37-1	1.31-1	1.22-1	1.14-1
60	9.60-2	9.64-2	9.66-2	9.56-2	9.28-2	9.09-2	8.77-2	8.45-2
80	5.64-2	5.74-2	5.96-2	6.18-2	6.32-2	6.36-2	6.39-2	6.37-2
100	3.91-2	4.04-2	4.33-2	4.72-2	5.10-2	5.28-2	5.53-2	5.72-2
120	3.43-2	3.60-2	3.99-2	4.57-2	5.19-2	5.51-2	5.98-2	6.38-2
140	3.52-2	3.74-2	4.27-2	5.06-2	5.94-2	6.40-2	7.09-2	7.71-2
150	3.65-2	3.90-2	4.48-2	5.36-2	6.36-2	6.87-2	7.67-2	8.38-2
160	3.78-2	4.04-2	4.67-2	5.62-2	6.70-2	7.27-2	8.14-2	8.93-2
170	3.87-2	4.15-2	4.80-2	5.80-2	6.93-2	7.53-2	8.45-2	9.29-2
175	3.90-2	4.17-2	4.84-2	5.84-2	6.99-2	7.59-2	8.53-2	9.38-2
180	3.91-2	4.18-2	4.85-2	5.86-2	7.01-2	7.62-2	8.56-2	9.41-2

Table H3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	1.19 0	1.13 0	1.00 0	8.27-1	6.43-1	5.52-1	4.18-1	3.03-1
2	1.01 0	9.60-1	8.57-1	7.37-1	6.43-1	6.05-1	5.60-1	5.32-1
3	5.06-1	4.53-1	3.49-1	2.34-1	1.49-1	1.17-1	7.69-2	5.03-2
4	2.53-1	2.15-1	1.46-1	7.77-2	3.72-2	2.48-2	1.18-2	5.25-3
5	1.21-1	9.74-2	5.75-2	2.28-2	7.56-3	4.21-3	1.43-3	4.45-4
6	5.98-2	4.50-2	2.27-2	6.17-3	1.26-3	5.19-4	4.54-5	-5.15-5
7	2.83-2	1.95-2	7.88-3	1.27-3	1.69-4	6.51-5	-1.45-5	-1.01-5
8	1.32-2	8.13-3	2.47-3	2.57-4	5.27-5	5.65-5	2.53-5	2.59-5
9	5.55-3	2.92-3	6.10-4	6.39-5	2.79-5	2.15-5	1.52-5	-5.53-6
10	2.17-3	9.69-4	1.98-4	9.84-5	9.74-5	8.53-5	1.12-4	8.67-5
11	6.64-4	2.16-4	2.03-5	3.01-6	9.89-6	-6.11-6	3.33-5	8.39-6
12	1.15-4	-4.01-5	-6.39-5	-8.01-5	-6.50-5	-8.41-5	-3.23-5	-5.31-5
13	-1.76-5	-7.41-5	-5.71-5	-5.13-5	-4.00-5	-3.82-5	-1.85-5	-7.94-6
14	-6.60-5	-9.60-5	-8.21-5	-7.20-5	-8.24-5	-7.70-5	-9.70-5	-7.73-5
15	2.25-5	4.63-6	9.87-6	2.45-5	1.50-5	2.01-5	-6.03-6	1.55-5
16	1.33-4	1.25-4	1.10-4	1.32-4	1.32-4	1.50-4	1.21-4	1.52-4
17	7.13-5	6.98-5	4.79-5	4.83-5	4.03-5	4.20-5	2.62-5	3.07-5
18	2.04-5	2.81-5	2.42-5	2.43-5	2.52-5	3.04-5	4.28-5	3.37-5
19	-8.18-5	-6.42-5	-5.50-5	-6.13-5	-5.76-5	-4.30-5	-2.70-5	-2.12-5
20	-2.02-4	-1.84-4	-1.83-4	-2.05-4	-2.10-4	-2.11-4	-2.14-4	-2.05-4
21	-6.30-5	-3.87-5	-3.93-5	-3.94-5	-3.24-5	-2.62-5	-3.74-5	-1.07-5
22	9.23-5	1.12-4	8.63-5	9.48-5	1.07-4	1.05-4	6.98-5	1.05-4
23	1.51-4	1.62-4	1.15-4	1.10-4	1.11-4	9.90-5	4.73-5	5.38-5
24	2.46-4	2.60-4	2.39-4	2.52-4	2.76-4	2.89-4	2.64-4	2.69-4
25	-1.26-5	-8.65-6	-1.11-5	-1.89-5	-1.66-6	1.21-5	2.96-6	-1.98-5
26	-3.02-4	-3.06-4	-2.76-4	-2.98-4	-2.98-4	-2.80-4	-2.73-4	-3.08-4
27	-2.69-4	-2.79-4	-2.13-4	-2.01-4	-1.75-4	-1.44-4	-9.74-5	-1.01-4
28	-3.16-4	-3.35-4	-3.05-4	-3.24-4	-3.51-4	-3.62-4	-3.52-4	-3.60-4
29	6.23-5	4.51-5	5.67-5	5.48-5	1.72-5	7.70-7	3.78-6	2.24-5
30	5.00-4	5.02-4	4.97-4	5.31-4	5.13-4	4.98-4	5.02-4	5.49-4
31	3.51-4	3.50-4	3.09-4	3.00-4	2.19-4	1.85-4	1.44-4	1.50-4
32	2.64-4	2.79-4	2.60-4	2.87-4	2.64-4	2.76-4	2.81-4	3.01-4
33	-1.94-4	-1.80-4	-1.70-4	-1.39-4	-1.29-4	-9.26-5	-5.77-5	-4.75-5
34	-7.16-4	-7.18-4	-7.05-4	-7.28-4	-7.28-4	-6.98-4	-6.72-4	-7.16-4
35	-4.19-4	-4.19-4	-3.58-4	-3.44-4	-2.63-4	-2.16-4	-1.46-4	-1.55-4
36	-2.28-4	-2.51-4	-2.19-4	-2.74-4	-2.46-4	-2.52-4	-2.36-4	-2.81-4
37	2.90-4	2.60-4	2.63-4	1.82-4	1.84-4	1.31-4	1.01-4	5.05-5
38	8.90-4	8.78-4	8.95-4	8.77-4	9.17-4	8.72-4	8.65-4	8.78-4
39	4.31-4	4.21-4	3.78-4	3.14-4	2.75-4	1.97-4	1.35-4	1.18-4
40	8.80-5	9.92-5	8.12-5	9.24-5	9.62-5	6.77-5	5.76-5	9.01-5
41	-3.78-4	-3.39-4	-3.27-4	-2.65-4	-2.23-4	-1.98-4	-1.55-4	-9.70-5
42	-9.32-4	-9.13-4	-9.23-4	-9.15-4	-9.36-4	-9.17-4	-9.09-4	-9.11-4
43	-3.72-4	-3.45-4	-3.12-4	-2.61-4	-2.27-4	-1.71-4	-1.21-4	-9.92-5
44	1.28-4	1.29-4	1.55-4	1.51-4	1.50-4	1.70-4	1.77-4	1.55-4
45	4.61-4	4.25-4	4.12-4	3.42-4	2.89-4	2.57-4	1.99-4	1.36-4
46	9.09-4	8.83-4	9.08-4	8.99-4	9.30-4	9.06-4	8.98-4	9.01-4
47	2.88-4	2.36-4	2.22-4	1.78-4	1.73-4	1.20-4	7.94-5	6.80-5
48	-2.76-4	-3.12-4	-3.32-4	-3.40-4	-3.30-4	-3.76-4	-3.85-4	-3.66-4
49	-3.73-4	-3.83-4	-3.68-4	-3.08-4	-2.49-4	-2.44-4	-1.93-4	-1.34-4
50	-5.42-4	-5.46-4	-5.76-4	-5.62-4	-5.98-4	-6.11-4	-6.01-4	-6.04-4

Table H3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	3.90-5	5.56-5	3.81-5	5.71-5	6.44-6	1.24-5	2.30-5	5.78-6
52	6.52-4	6.82-4	6.84-4	7.18-4	6.77-4	7.06-4	7.24-4	7.04-4
53	3.93-4	4.10-4	3.69-4	3.32-4	2.35-4	2.29-4	1.88-4	1.25-4
54	2.21-4	2.35-4	2.32-4	2.36-4	2.28-4	2.58-4	2.50-4	2.49-4
55	-2.74-4	-2.63-4	-2.57-4	-2.35-4	-1.82-4	-1.45-4	-1.23-4	-8.77-5
56	-8.28-4	-8.52-4	-8.84-4	-9.21-4	-9.03-4	-8.96-4	-9.35-4	-9.16-4
57	-2.27-4	-2.42-4	-2.38-4	-2.29-4	-1.60-4	-1.33-4	-1.28-4	-8.77-5
58	3.60-4	3.38-4	3.27-4	3.09-4	3.33-4	3.41-4	3.07-4	3.11-4
59	6.17-4	5.78-4	5.38-4	4.55-4	3.71-4	3.44-4	2.53-4	1.74-4
60	1.01-3	1.01-3	1.04-3	1.06-3	1.07-3	1.10-3	1.11-3	1.08-3
61	3.90-5	3.01-5	5.33-5	5.32-5	2.32-5	5.32-5	5.17-5	1.53-5
62	-9.87-4	-9.93-4	-9.71-4	-9.71-4	-9.93-4	-9.60-4	-9.30-4	-9.58-4
63	-9.42-4	-9.19-4	-8.27-4	-7.08-4	-5.93-4	-4.99-4	-3.68-4	-2.77-4
64	-1.13-3	-1.15-3	-1.15-3	-1.17-3	-1.20-3	-1.19-3	-1.18-3	-1.17-3
65	1.38-4	1.31-4	1.15-4	1.01-4	7.09-5	5.05-5	4.41-5	5.16-5
66	1.49-3	1.50-3	1.50-3	1.52-3	1.52-3	1.50-3	1.49-3	1.53-3
67	1.08-3	1.06-3	9.61-4	8.41-4	6.80-4	5.72-4	4.40-4	3.47-4
68	9.32-4	9.56-4	9.54-4	9.94-4	1.01-3	9.94-4	9.94-4	1.02-3
69	-4.91-4	-4.50-4	-4.21-4	-3.45-4	-2.67-4	-2.42-4	-1.80-4	-1.32-4
70	-2.08-3	-2.06-3	-2.08-3	-2.08-3	-2.07-3	-2.08-3	-2.06-3	-2.08-3
71	-1.28-3	-1.22-3	-1.10-3	-9.49-4	-7.49-4	-6.57-4	-4.96-4	-3.89-4
72	-7.81-4	-7.66-4	-7.35-4	-7.73-4	-7.57-4	-7.72-4	-7.58-4	-7.95-4
73	6.59-4	6.43-4	6.43-4	5.19-4	4.36-4	3.66-4	2.83-4	1.80-4
74	2.30-3	2.31-3	2.39-3	2.35-3	2.38-3	2.36-3	2.36-3	2.33-3
75	1.18-3	1.13-3	1.09-3	8.99-4	7.38-4	6.28-4	4.78-4	3.36-4
76	3.58-4	3.42-4	3.76-4	3.44-4	3.52-4	3.38-4	3.36-4	3.27-4
77	-8.44-4	-8.33-4	-7.58-4	-6.59-4	-5.34-4	-4.57-4	-3.55-4	-2.62-4
78	-2.26-3	-2.28-3	-2.31-3	-2.32-3	-2.35-3	-2.33-3	-2.33-3	-2.33-3
79	-8.84-4	-8.56-4	-8.17-4	-6.80-4	-5.70-4	-4.65-4	-3.56-4	-2.63-4

Appendix I
Oceanic Aerosol Model

Table II. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	3.19-12	0.791	1.000	1.90-13	1.39 -9.90-9
0.44	3.24-12	0.786	1.000	1.59-13	1.38 -8.31-9
0.55	3.33-12	0.778	1.000	1.89-13	1.38 -4.26-9
0.75	3.41-12	0.776	1.000	1.36-13	1.38 -4.01-7
1.04	3.48-12	0.773	0.999	1.13-13	1.37 -5.42-5
1.24	3.47-12	0.774	0.998	9.97-14	1.37 -1.21-4
1.65	3.32-12	0.779	0.997	7.05-14	1.36 -2.72-4
2.20	2.95-12	0.791	0.991	3.66-14	1.34 -8.94-4

Table I2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	4.38 1	3.59 1	2.34 1	1.31 1	7.33 0	5.67 0	3.85 0	2.76 0
1	3.55 1	3.02 1	2.09 1	1.23 1	7.11 0	5.55 0	3.81 0	2.74 0
2	2.03 1	1.89 1	1.53 1	1.04 1	6.50 0	5.21 0	3.68 0	2.69 0
4	6.11 0	6.20 0	6.08 0	5.70 0	4.66 0	4.10 0	3.21 0	2.49 0
6	2.82 0	2.87 0	3.00 0	3.02 0	2.99 0	2.90 0	2.60 0	2.20 0
8	1.59 0	1.65 0	1.76 0	1.90 0	1.98 0	2.00 0	2.01 0	1.88 0
10	1.04 0	1.09 0	1.18 0	1.33 0	1.44 0	1.46 0	1.54 0	1.57 0
15	5.33-1	5.55-1	6.02-1	7.00-1	7.74-1	8.12-1	8.81-1	9.58-1
20	3.59-1	3.68-1	3.96-1	4.31-1	4.87-1	5.13-1	5.59-1	6.13-1
40	1.07-1	1.08-1	1.11-1	1.12-1	1.18-1	1.21-1	1.25-1	1.28-1
60	3.42-2	3.60-2	3.65-2	3.66-2	3.74-2	3.71-2	3.70-2	3.60-2
80	1.31-2	1.26-2	1.38-2	1.49-2	1.46-2	1.45-2	1.45-2	1.37-2
100	6.98-3	6.84-3	7.31-3	7.28-3	8.05-3	8.05-3	8.07-3	7.61-3
120	4.68-3	5.40-3	6.06-3	6.10-3	6.89-3	6.79-3	6.89-3	6.60-3
140	9.70-3	1.06-2	1.16-2	1.09-2	1.16-2	1.12-2	1.05-2	9.00-3
150	2.28-2	2.37-2	2.09-2	2.04-2	1.78-2	1.64-2	1.40-2	1.10-2
160	2.45-2	2.42-2	2.54-2	2.39-2	2.16-2	2.03-2	1.73-2	1.29-2
170	3.34-2	3.46-2	3.50-2	3.12-2	2.52-2	2.30-2	1.79-2	1.14-2
175	4.58-2	3.76-2	3.96-2	2.67-2	2.13-2	1.78-2	1.40-2	1.01-2
180	5.94-2	4.93-2	5.67-2	4.01-2	3.26-2	2.88-2	2.13-2	1.25-2

Table I3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.37 0	2.36 0	2.33 0	2.33 0	2.32 0	2.32 0	2.34 0	2.37 0
2	3.50 0	3.47 0	3.41 0	3.34 0	3.27 0	3.24 0	3.21 0	3.20 0
3	3.87 0	3.82 0	3.71 0	3.60 0	3.48 0	3.42 0	3.36 0	3.34 0
4	4.46 0	4.37 0	4.19 0	3.97 0	3.69 0	3.57 0	3.40 0	3.26 0
5	4.73 0	4.64 0	4.38 0	4.06 0	3.66 0	3.48 0	3.24 0	3.00 0
6	5.16 0	5.04 0	4.68 0	4.20 0	3.66 0	3.40 0	3.04 0	2.68 0
7	5.55 0	5.39 0	4.93 0	4.31 0	3.63 0	3.31 0	2.85 0	2.38 0
8	5.88 0	5.67 0	5.14 0	4.36 0	3.55 0	3.18 0	2.63 0	2.07 0
9	6.25 0	5.99 0	5.33 0	4.45 0	3.50 0	3.08 0	2.45 0	1.82 0
10	6.58 0	6.26 0	5.51 0	4.48 0	3.41 0	2.95 0	2.25 0	1.57 0
11	6.82 0	6.48 0	5.63 0	4.49 0	3.33 0	2.84 0	2.08 0	1.37 0
12	7.12 0	6.74 0	5.81 0	4.51 0	3.25 0	2.72 0	1.90 0	1.16 0
13	7.29 0	6.86 0	5.86 0	4.47 0	3.15 0	2.60 0	1.75 0	1.01 0
14	7.54 0	7.06 0	5.95 0	4.44 0	3.04 0	2.47 0	1.58 0	8.45-1
15	7.66 0	7.15 0	5.98 0	4.38 0	2.92 0	2.34 0	1.45 0	7.21-1
16	7.81 0	7.26 0	6.00 0	4.31 0	2.80 0	2.21 0	1.30 0	5.95-1
17	7.93 0	7.35 0	6.03 0	4.25 0	2.69 0	2.09 0	1.18 0	4.98-1
18	8.01 0	7.39 0	6.01 0	4.15 0	2.56 0	1.95 0	1.06 0	4.02-1
19	8.10 0	7.45 0	6.00 0	4.09 0	2.45 0	1.84 0	9.52-1	3.26-1
20	8.14 0	7.45 0	5.97 0	3.98 0	2.32 0	1.71 0	8.46-1	2.62-1
21	8.18 0	7.48 0	5.91 0	3.90 0	2.21 0	1.59 0	7.52-1	2.06-1
22	8.21 0	7.46 0	5.85 0	3.79 0	2.09 0	1.48 0	6.63-1	1.67-1
23	8.20 0	7.45 0	5.76 0	3.71 0	1.97 0	1.36 0	5.79-1	1.27-1
24	8.22 0	7.42 0	5.69 0	3.60 0	1.86 0	1.26 0	5.07-1	1.05-1
25	8.18 0	7.38 0	5.59 0	3.50 0	1.74 0	1.15 0	4.31-1	7.02-2
26	8.18 0	7.34 0	5.52 0	3.41 0	1.64 0	1.06 0	3.74-1	6.00-2
27	8.13 0	7.27 0	5.42 0	3.29 0	1.53 0	9.62-1	3.04-1	2.79-2
28	8.10 0	7.22 0	5.33 0	3.20 0	1.44 0	8.82-1	2.60-1	2.70-2
29	8.06 0	7.13 0	5.23 0	3.08 0	1.33 0	7.85-1	1.94-1	5.23-3
30	8.00 0	7.07 0	5.13 0	2.97 0	1.25 0	7.17-1	1.63-1	8.22-3
31	7.95 0	6.98 0	5.03 0	2.84 0	1.15 0	6.27-1	1.06-1	-3.25-4
32	7.87 0	6.90 0	4.92 0	2.74 0	1.07 0	5.69-1	8.82-2	1.06-3
33	7.81 0	6.81 0	4.82 0	2.61 0	9.78-1	4.91-1	4.69-2	1.31-4
34	7.73 0	6.72 0	4.71 0	2.51 0	9.07-1	4.42-1	4.13-2	-4.93-4
35	7.66 0	6.63 0	4.61 0	2.37 0	8.25-1	3.75-1	1.67-2	1.13-4
36	7.57 0	6.53 0	4.49 0	2.28 0	7.62-1	3.31-1	1.91-2	-4.40-5
37	7.49 0	6.43 0	4.37 0	2.15 0	6.87-1	2.74-1	5.81-3	5.39-5
38	7.40 0	6.33 0	4.26 0	2.06 0	6.31-1	2.37-1	1.06-2	5.91-4
39	7.31 0	6.20 0	4.13 0	1.94 0	5.64-1	1.90-1	2.26-3	3.47-4
40	7.21 0	6.10 0	4.01 0	1.84 0	5.15-1	1.64-1	5.65-3	2.31-4
41	7.12 0	5.98 0	3.88 0	1.74 0	4.57-1	1.28-1	2.81-4	9.60-5
42	7.02 0	5.87 0	3.78 0	1.64 0	4.15-1	1.14-1	1.85-3	-3.31-4
43	6.92 0	5.76 0	3.65 0	1.55 0	3.67-1	8.60-2	-3.06-4	-1.35-4
44	6.81 0	5.64 0	3.55 0	1.46 0	3.32-1	7.87-2	3.41-4	1.21-4
45	6.71 0	5.54 0	3.43 0	1.38 0	2.90-1	5.43-2	1.98-4	2.89-4
46	6.60 0	5.41 0	3.33 0	1.30 0	2.61-1	4.90-2	2.48-4	6.21-4
47	6.50 0	5.31 0	3.22 0	1.22 0	2.20-1	2.80-2	3.02-4	4.47-4
48	6.38 0	5.18 0	3.11 0	1.15 0	1.95-1	2.42-2	5.68-5	1.74-4
49	6.28 0	5.08 0	3.01 0	1.07 0	1.56-1	9.46-3	1.91-5	7.08-5
50	6.16 0	4.96 0	2.90 0	1.01 0	1.36-1	9.44-3	1.03-4	-8.31-5

Table I3. Continued

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	6.06 0	4.85 0	2.80 0	9.33-1	1.02-1	1.53-3	1.77-4	8.52-5
52	5.94 0	4.74 0	2.70 0	8.73-1	8.71-2	4.21-3	3.73-4	3.33-4
53	5.84 0	4.64 0	2.60 0	8.03-1	6.17-2	4.33-4	2.08-4	2.87-4
54	5.72 0	4.52 0	2.51 0	7.49-1	5.20-2	2.33-3	-2.89-5	2.30-4
55	5.62 0	4.41 0	2.42 0	6.88-1	3.46-2	4.66-4	-1.92-4	3.67-5
56	5.50 0	4.29 0	2.33 0	6.38-1	3.00-2	7.83-4	-3.33-4	-1.40-4
57	5.40 0	4.18 0	2.24 0	5.86-1	1.80-2	1.77-4	-1.24-5	3.90-5
58	5.27 0	4.07 0	2.15 0	5.39-1	1.74-2	1.94-4	3.59-4	2.61-4
59	5.17 0	3.96 0	2.07 0	4.95-1	7.94-3	4.65-5	4.64-4	3.47-4
60	5.05 0	3.86 0	1.98 0	4.50-1	8.82-3	7.87-5	4.61-4	3.17-4
61	4.94 0	3.75 0	1.90 0	4.10-1	1.38-3	-3.40-4	-9.29-5	-1.44-4
62	4.82 0	3.65 0	1.81 0	3.72-1	2.20-3	-4.86-4	-6.56-4	-6.26-4
63	4.72 0	3.55 0	1.73 0	3.35-1	-1.51-3	-5.02-4	-7.22-4	-6.87-4
64	4.60 0	3.45 0	1.65 0	3.06-1	-3.06-4	-2.25-4	-5.99-4	-5.51-4
65	4.50 0	3.36 0	1.58 0	2.72-1	-5.62-4	3.57-4	1.19-4	6.61-5
66	4.38 0	3.26 0	1.50 0	2.52-1	5.60-4	7.91-4	7.96-4	6.51-4
67	4.28 0	3.16 0	1.43 0	2.19-1	6.30-4	7.30-4	7.75-4	5.75-4
68	4.16 0	3.06 0	1.36 0	2.03-1	3.35-4	2.78-4	4.97-4	2.47-4
69	4.06 0	2.97 0	1.29 0	1.72-1	-5.17-4	-3.38-4	-2.92-4	-5.01-4
70	3.95 0	2.87 0	1.23 0	1.57-1	-1.32-3	-9.14-4	-1.01-3	-1.15-3
71	3.84 0	2.78 0	1.16 0	1.30-1	-1.44-3	-5.59-4	-7.96-4	-8.96-4
72	3.74 0	2.69 0	1.10 0	1.18-1	-8.79-4	9.31-5	-3.37-4	-3.65-4
73	3.64 0	2.60 0	1.03 0	9.46-2	-1.23-4	9.16-4	5.59-4	5.11-4
74	3.54 0	2.52 0	9.81-1	8.65-2	8.63-4	1.61-3	1.29-3	1.22-3
75	3.43 0	2.43 0	9.20-1	6.55-2	8.27-4	1.22-3	1.03-3	9.30-4
76	3.34 0	2.35 0	8.71-1	5.98-2	4.92-4	5.23-4	5.00-4	3.70-4
77	3.23 0	2.27 0	8.17-1	4.16-2	4.53-5	-1.90-4	-2.23-4	-3.38-4
78	3.14 0	2.19 0	7.71-1	3.90-2	-4.63-4	-7.71-4	-7.50-4	-8.28-4
79	3.04 0	2.11 0	7.24-1	2.48-2	7.25-5	-2.16-4	-2.82-4	-3.05-4
80	2.95 0	2.03 0	6.82-1	2.51-2	7.34-4	5.61-4	4.06-4	4.41-4
81	2.85 0	1.95 0	6.37-1	1.42-2	1.32-3	1.15-3	1.01-3	1.09-3
82	2.77 0	1.88 0	5.97-1	1.51-2	1.81-3	1.61-3	1.41-3	1.51-3
83	2.67 0	1.80 0	5.53-1	6.37-3	1.42-3	9.76-4	9.05-4	1.00-3
84	2.59 0	1.73 0	5.17-1	7.03-3	9.38-4	3.10-4	3.15-4	3.79-4
85	2.50 0	1.66 0	4.75-1	1.39-3	8.23-4	-9.01-5	-2.57-6	4.32-5
86	2.42 0	1.60 0	4.44-1	2.90-3	7.21-4	-2.29-4	-4.11-5	-3.10-5
87	2.33 0	1.53 0	4.08-1	3.38-4	1.27-3	3.04-4	4.38-4	4.71-4
88	2.26 0	1.48 0	3.81-1	2.32-3	1.61-3	8.56-4	9.60-4	9.70-4
89	2.17 0	1.41 0	3.48-1	6.67-4	1.40-3	8.20-4	8.21-4	8.78-4
90	2.10 0	1.36 0	3.23-1	1.44-3	9.38-4	6.13-4	5.02-4	5.52-4
91	2.01 0	1.30 0	2.92-1	2.04-4	2.96-4	8.83-5	-3.03-5	4.15-6
92	1.95 0	1.24 0	2.69-1	3.64-4	-1.49-4	-2.45-4	-4.13-4	-3.87-4
93	1.87 0	1.18 0	2.40-1	4.68-4	2.02-4	9.25-5	1.16-5	-2.00-5
94	1.81 0	1.13 0	2.21-1	9.54-4	7.39-4	6.33-4	5.97-4	5.30-4
95	1.73 0	1.07 0	1.93-1	1.27-3	9.67-4	9.09-4	8.67-4	7.90-4
96	1.67 0	1.02 0	1.78-1	7.86-4	8.54-4	8.95-4	8.62-4	7.44-4
97	1.60 0	9.70-1	1.52-1	1.13-4	-1.96-4	8.34-5	-8.17-5	-1.90-4
98	1.54 0	9.24-1	1.40-1	-1.41-3	-1.36-3	-8.88-4	-1.13-3	-1.22-3
99	1.47 0	8.75-1	1.18-1	-1.42-3	-1.70-3	-9.76-4	-1.28-3	-1.43-3
100	1.42 0	8.34-1	1.09-1	-1.54-3	-1.53-3	-7.46-4	-1.10-3	-1.20-3

Table I3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
101	1.35 0	7.89-1	9.12-2	-4.13-4	-4.51-4	4.09-4	1.45-4	-1.48-5
102	1.31 0	7.52-1	8.43-2	6.00-4	8.38-4	1.54-3	1.32-3	1.15-3
103	1.24 0	7.08-1	6.74-2	3.84-4	7.30-4	1.38-3	1.24-3	1.07-3
104	1.19 0	6.71-1	6.04-2	-2.05-4	3.18-4	7.53-4	6.80-4	4.63-4
105	1.13 0	6.28-1	4.43-2	-1.64-3	-1.03-3	-5.96-4	-7.24-4	-9.43-4
106	1.09 0	5.92-1	3.90-2	-2.88-3	-2.22-3	-1.91-3	-2.01-3	-2.21-3
107	1.03 0	5.53-1	2.68-2	-2.34-3	-1.76-3	-1.42-3	-1.57-3	-1.80-3
108	9.90-1	5.22-1	2.62-2	-1.40-3	-7.58-4	-5.26-4	-6.54-4	-8.41-4
109	9.39-1	4.86-1	1.74-2	5.36-4	8.47-4	9.90-4	9.43-4	7.57-4
110	8.99-1	4.59-1	1.89-2	2.08-3	2.41-3	2.30-3	2.29-3	2.11-3
111	8.49-1	4.24-1	1.04-2	2.01-3	2.04-3	1.67-3	1.76-3	1.64-3
112	8.10-1	3.97-1	1.04-2	1.53-3	1.33-3	6.99-4	8.08-4	6.67-4
113	7.62-1	3.65-1	3.21-3	3.02-4	3.43-4	-6.00-4	-4.87-4	-6.02-4
114	7.26-1	3.41-1	3.14-3	-1.76-4	-5.52-4	-1.51-3	-1.42-3	-1.53-3
115	6.83-1	3.13-1	-1.69-4	1.79-4	5.83-4	-6.03-4	-5.50-4	-6.68-4
116	6.51-1	2.92-1	1.46-3	1.55-3	1.62-3	6.81-4	6.88-4	5.93-4
117	6.11-1	2.67-1	6.49-5	2.08-3	2.84-3	1.76-3	1.77-3	1.71-3
118	5.81-1	2.48-1	9.71-4	2.70-3	3.35-3	2.54-3	2.48-3	2.44-3
119	5.41-1	2.22-1	-8.60-4	1.70-3	2.47-3	1.61-3	1.57-3	1.59-3
120	5.13-1	2.04-1	-1.67-3	4.55-4	1.33-3	6.12-4	5.10-4	5.36-4
121	4.76-1	1.81-1	-2.21-3	1.41-4	6.82-4	8.67-5	-5.38-5	-2.18-5
122	4.51-1	1.67-1	-2.23-3	-3.74-4	5.00-4	3.84-6	-1.74-4	-1.67-4
123	4.18-1	1.47-1	-9.60-4	7.76-4	1.15-3	9.73-4	6.85-4	6.57-4
124	3.96-1	1.36-1	-3.00-4	1.14-3	1.86-3	1.87-3	1.56-3	1.50-3
125	3.65-1	1.18-1	2.01-5	1.18-3	1.44-3	1.82-3	1.38-3	1.33-3
126	3.43-1	1.08-1	-8.82-4	3.92-4	7.00-4	1.27-3	8.58-4	8.15-4
127	3.14-1	9.15-2	-1.38-3	-4.84-4	-4.07-4	4.20-4	-4.99-5	-6.99-5
128	2.94-1	8.25-2	-2.54-3	-1.07-3	-1.22-3	-3.44-4	-7.01-4	-7.18-4
129	2.69-1	6.94-2	-1.48-3	-5.47-4	-6.90-4	2.53-4	-4.74-5	-8.04-5
130	2.52-1	6.35-2	-1.27-3	5.75-4	2.85-4	1.07-3	9.08-4	8.01-4
131	2.30-1	5.21-2	-1.52-4	1.02-3	7.44-4	1.45-3	1.37-3	1.23-3
132	2.14-1	4.67-2	-1.00-3	1.23-3	9.73-4	1.43-3	1.39-3	1.18-3
133	1.92-1	3.52-2	-1.76-3	-1.58-4	-4.35-4	-8.72-5	-1.09-4	-3.38-4
134	1.76-1	2.95-2	-4.21-3	-1.66-3	-1.88-3	-1.70-3	-1.77-3	-1.97-3
135	1.58-1	2.07-2	-4.23-3	-1.98-3	-2.11-3	-2.02-3	-2.05-3	-2.29-3
136	1.45-1	1.78-2	-4.61-3	-1.74-3	-1.74-3	-1.68-3	-1.77-3	-1.94-3
137	1.31-1	1.27-2	-2.92-3	6.54-5	1.98-4	1.49-4	1.82-4	-2.67-5
138	1.21-1	1.20-2	-1.48-3	1.76-3	2.08-3	2.04-3	2.04-3	1.82-3
139	1.07-1	6.39-3	-1.90-3	1.78-3	2.03-3	1.83-3	1.94-3	1.71-3
140	9.62-2	3.97-3	-2.76-3	9.05-4	1.20-3	9.90-4	1.05-3	8.05-4

Appendix J
SRA Volcanic Ash Aerosol Model

Table J1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	1.03-13	0.705	0.934	3.17-15	1.50 -8.00-3
0.44	9.98-14	0.703	0.941	2.88-15	1.50 -8.00-3
0.55	9.02-14	0.698	0.947	2.21-15	1.50 -8.00-3
0.75	7.14-14	0.684	0.954	1.40-15	1.50 -8.00-3
1.04	4.91-14	0.658	0.953	8.63-16	1.50 -8.00-3
1.24	3.78-14	0.637	0.952	6.61-16	1.50 -8.00-3
1.65	2.20-14	0.593	0.941	4.21-16	1.49 -8.00-3
2.20	1.05-14	0.532	0.928	2.50-16	1.46 -8.00-3

Table J2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	2.01 0	1.80 0	1.44 0	1.10 0	8.53-1	7.41-1	5.93-1	4.71-1
1	2.00 0	1.79 0	1.43 0	1.10 0	8.51-1	7.40-1	5.93-1	4.71-1
2	1.95 0	1.76 0	1.41 0	1.09 0	8.47-1	7.38-1	5.91-1	4.70-1
4	1.79 0	1.63 0	1.35 0	1.06 0	8.31-1	7.26-1	5.85-1	4.66-1
6	1.58 0	1.47 0	1.25 0	1.01 0	8.06-1	7.08-1	5.74-1	4.59-1
8	1.37 0	1.29 0	1.14 0	9.47-1	7.72-1	6.84-1	5.59-1	4.50-1
10	1.17 0	1.13 0	1.02 0	8.79-1	7.33-1	6.55-1	5.41-1	4.40-1
15	7.88-1	7.83-1	7.60-1	7.03-1	6.20-1	5.69-1	4.86-1	4.05-1
20	5.42-1	5.50-1	5.56-1	5.44-1	5.06-1	4.77-1	4.23-1	3.63-1
40	1.52-1	1.56-1	1.65-1	1.78-1	1.91-1	1.95-1	1.99-1	1.96-1
60	5.37-2	5.47-2	5.75-2	6.31-2	7.13-2	7.66-2	8.51-2	9.26-2
80	2.35-2	2.38-2	2.47-2	2.69-2	3.07-2	3.36-2	3.91-2	4.51-2
100	1.32-2	1.33-2	1.37-2	1.48-2	1.68-2	1.85-2	2.18-2	2.65-2
120	1.02-2	1.03-2	1.06-2	1.13-2	1.26-2	1.38-2	1.65-2	2.11-2
140	1.28-2	1.27-2	1.25-2	1.24-2	1.29-2	1.37-2	1.63-2	2.15-2
150	1.70-2	1.65-2	1.53-2	1.40-2	1.38-2	1.44-2	1.70-2	2.26-2
160	2.11-2	1.99-2	1.73-2	1.48-2	1.44-2	1.52-2	1.81-2	2.39-2
170	2.17-2	2.06-2	1.86-2	1.66-2	1.62-2	1.68-2	1.94-2	2.51-2
175	2.78-2	2.62-2	2.28-2	1.91-2	1.77-2	1.79-2	2.01-2	2.55-2
180	3.29-2	3.07-2	2.59-2	2.06-2	1.84-2	1.84-2	2.03-2	2.57-2

Table J3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.11 0	2.11 0	2.09 0	2.05 0	1.97 0	1.91 0	1.78 0	1.60 0	
2	2.66 0	2.62 0	2.52 0	2.36 0	2.13 0	1.98 0	1.73 0	1.46 0	
3	2.50 0	2.44 0	2.28 0	2.03 0	1.71 0	1.51 0	1.19 0	8.72-1	
4	2.35 0	2.25 0	2.00 0	1.65 0	1.27 0	1.06 0	7.54-1	4.88-1	
5	2.04 0	1.91 0	1.62 0	1.24 0	8.73-1	6.88-1	4.37-1	2.47-1	
6	1.79 0	1.63 0	1.31 0	9.21-1	5.91-1	4.40-1	2.53-1	1.27-1	
7	1.55 0	1.38 0	1.04 0	6.73-1	3.90-1	2.71-1	1.38-1	6.22-2	
8	1.33 0	1.16 0	8.30-1	4.93-1	2.62-1	1.72-1	8.02-2	3.27-2	
9	1.15 0	9.77-1	6.61-1	3.56-1	1.69-1	1.02-1	4.31-2	1.59-2	
10	9.81-1	8.21-1	5.32-1	2.67-1	1.18-1	6.76-2	2.64-2	9.08-3	
11	8.38-1	6.85-1	4.17-1	1.89-1	7.32-2	3.88-2	1.32-2	4.02-3	
12	7.25-1	5.84-1	3.44-1	1.47-1	5.47-2	2.75-2	8.15-3	1.80-3	
13	6.08-1	4.78-1	2.64-1	1.01-1	3.20-2	1.48-2	3.49-3	4.05-4	
14	5.35-1	4.17-1	2.25-1	8.31-2	2.45-2	1.15-2	2.48-3	1.07-4	
15	4.40-1	3.34-1	1.69-1	5.52-2	1.37-2	6.28-3	1.50-3	4.77-4	
16	3.95-1	2.98-1	1.49-1	4.76-2	1.25-2	6.02-3	1.97-3	1.17-3	
17	3.19-1	2.35-1	1.09-1	3.10-2	6.90-3	3.14-3	1.11-3	7.65-4	
18	2.89-1	2.13-1	9.74-2	2.79-2	6.05-3	2.54-3	5.72-4	2.46-4	
19	2.31-1	1.66-1	7.04-2	1.73-2	2.71-3	5.30-4	-4.62-4	-6.36-4	
20	2.10-1	1.51-1	6.40-2	1.47-2	2.17-3	2.49-6	-1.04-3	-1.33-3	
21	1.69-1	1.19-1	4.73-2	9.95-3	1.30-3	1.84-4	-2.85-4	-3.90-4	
22	1.55-1	1.09-1	4.45-2	9.53-3	2.16-3	1.26-3	8.77-4	8.42-4	
23	1.26-1	8.53-2	3.32-2	7.11-3	2.06-3	1.59-3	1.46-3	1.48-3	
24	1.15-1	7.70-2	3.06-2	6.32-3	2.06-3	1.63-3	1.58-3	1.76-3	
25	9.20-2	5.91-2	2.15-2	3.11-3	6.68-5	-2.03-4	-2.77-4	-1.90-4	
26	8.16-2	5.15-2	1.79-2	1.09-3	-1.79-3	-2.13-3	-2.34-3	-2.41-3	
27	6.60-2	4.03-2	1.27-2	-1.32-4	-2.24-3	-2.49-3	-2.63-3	-2.62-3	
28	5.91-2	3.65-2	1.15-2	2.16-4	-1.64-3	-1.88-3	-2.09-3	-2.28-3	
29	5.01-2	3.13-2	1.04-2	1.98-3	8.43-4	7.91-4	7.65-4	7.30-4	
30	4.64-2	3.01-2	1.13-2	4.08-3	3.34-3	3.43-3	3.65-3	3.85-3	
31	3.86-2	2.51-2	8.98-3	3.47-3	3.04-3	3.14-3	3.31-3	3.35-3	
32	3.34-2	2.14-2	6.95-3	2.00-3	1.52-3	1.58-3	1.77-3	1.99-3	
33	2.57-2	1.54-2	2.81-3	-1.28-3	-1.90-3	-2.00-3	-2.01-3	-1.91-3	
34	2.03-2	1.10-2	-2.27-4	-4.05-3	-4.92-3	-5.18-3	-5.49-3	-5.74-3	
35	1.76-2	9.59-3	-7.73-5	-3.14-3	-3.85-3	-4.06-3	-4.22-3	-4.19-3	
36	1.74-2	1.01-2	1.68-3	-8.53-4	-1.33-3	-1.43-3	-1.57-3	-1.71-3	
37	1.78-2	1.15-2	4.53-3	2.77-3	2.71-3	2.80-3	2.89-3	2.81-3	
38	1.87-2	1.32-2	7.08-3	5.74-3	5.98-3	6.26-3	6.65-3	6.97-3	
39	1.52-2	1.04-2	5.20-3	4.06-3	4.20-3	4.35-3	4.48-3	4.40-3	
40	1.16-2	7.25-3	2.39-3	1.12-3	9.60-4	9.55-4	9.27-4	9.08-4	
41	7.11-3	3.25-3	-1.06-3	-2.44-3	-2.93-3	-3.12-3	-3.36-3	-3.41-3	
42	4.10-3	5.33-4	-3.43-3	-4.88-3	-5.61-3	-5.98-3	-6.53-3	-6.99-3	
43	5.15-3	2.02-3	-1.25-3	-2.37-3	-2.87-3	-3.07-3	-3.31-3	-3.36-3	
44	7.62-3	4.80-3	2.05-3	1.30-3	1.18-3	1.15-3	1.15-3	1.15-3	
45	9.21-3	6.77-3	4.67-3	4.29-3	4.46-3	4.56-3	4.67-3	4.56-3	
46	1.03-2	8.08-3	6.26-3	6.00-3	6.29-3	6.49-3	6.81-3	7.07-3	
47	6.97-3	5.01-3	3.40-3	2.99-3	2.97-3	2.95-3	2.86-3	2.68-3	
48	3.54-3	1.72-3	6.61-5	-6.19-4	-1.04-3	-1.28-3	-1.69-3	-2.07-3	
49	1.64-3	2.95-5	-1.51-3	-2.28-3	-2.84-3	-3.14-3	-3.54-3	-3.72-3	
50	1.14-3	-3.27-4	-1.72-3	-2.43-3	-2.94-3	-3.23-3	-3.68-3	-4.08-3	

Table J3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	3.40-3	2.14-3	1.09-3	7.04-4	5.93-4	5.52-4	5.07-4	4.74-4
52	5.82-3	4.69-3	3.90-3	3.82-3	4.11-3	4.31-3	4.66-3	5.03-3
53	4.95-3	3.91-3	3.29-3	3.29-3	3.53-3	3.68-3	3.88-3	3.93-3
54	3.13-3	2.12-3	1.51-3	1.37-3	1.39-3	1.42-3	1.50-3	1.62-3
55	1.02-4	-8.49-4	-1.49-3	-1.86-3	-2.21-3	-2.40-3	-2.66-3	-2.74-3
56	-2.12-3	-2.98-3	-3.62-3	-4.13-3	-4.72-3	-5.11-3	-5.76-3	-6.35-3
57	-9.49-5	-7.61-4	-1.21-3	-1.44-3	-1.71-3	-1.88-3	-2.17-3	-2.34-3
58	2.90-3	2.43-3	2.19-3	2.36-3	2.57-3	2.68-3	2.77-3	2.82-3
59	4.41-3	4.11-3	4.05-3	4.55-3	5.15-3	5.46-3	5.83-3	5.87-3
60	4.53-3	4.28-3	4.24-3	4.79-3	5.54-3	6.01-3	6.79-3	7.48-3
61	-4.49-4	-7.60-4	-9.98-4	-8.51-4	-6.26-4	-4.69-4	-1.54-4	1.02-4
62	-5.96-3	-6.37-3	-6.81-3	-7.12-3	-7.51-3	-7.73-3	-7.96-3	-8.16-3
63	-6.99-3	-7.42-3	-7.89-3	-8.40-3	-9.02-3	-9.34-3	-9.59-3	-9.45-3
64	-5.98-3	-6.34-3	-6.60-3	-6.91-3	-7.42-3	-7.78-3	-8.28-3	-8.82-3
65	6.00-4	4.24-4	5.89-4	9.22-4	1.21-3	1.30-3	1.42-3	1.39-3
66	7.10-3	7.09-3	7.61-3	8.55-3	9.63-3	1.02-2	1.11-2	1.17-2
67	6.51-3	6.56-3	7.11-3	8.15-3	9.32-3	9.89-3	1.06-2	1.07-2
68	3.29-3	3.28-3	3.55-3	4.21-3	5.04-3	5.52-3	6.26-3	6.95-3
69	-4.71-3	-4.89-3	-5.13-3	-5.28-3	-5.39-3	-5.43-3	-5.38-3	-5.08-3
70	-1.21-2	-1.24-2	-1.30-2	-1.38-2	-1.48-2	-1.53-2	-1.62-2	-1.68-2
71	-9.65-3	-9.92-3	-1.06-2	-1.13-2	-1.22-2	-1.26-2	-1.30-2	-1.28-2
72	-4.48-3	-4.60-3	-4.87-3	-5.07-3	-5.38-3	-5.56-3	-5.87-3	-6.14-3
73	4.45-3	4.55-3	4.80-3	5.43-3	6.07-3	6.40-3	6.73-3	6.70-3
74	1.20-2	1.22-2	1.28-2	1.40-2	1.54-2	1.62-2	1.73-2	1.83-2
75	8.46-3	8.66-3	9.14-3	1.00-2	1.10-2	1.15-2	1.19-2	1.18-2
76	2.33-3	2.35-3	2.39-3	2.51-3	2.61-3	2.68-3	2.76-3	2.80-3
77	-5.42-3	-5.60-3	-6.08-3	-6.81-3	-7.70-3	-8.11-3	-8.61-3	-8.65-3
78	-1.12-2	-1.14-2	-1.22-2	-1.34-2	-1.49-2	-1.58-2	-1.71-2	-1.81-2
79	-5.69-3	-5.89-3	-6.48-3	-7.34-3	-8.28-3	-8.70-3	-9.16-3	-9.12-3

Appendix K
Pre-Eruption Stratospheric Aerosol Model

Table K1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	4.77-14	0.694	1.000	7.01-16	1.44 -1.00-8
0.44	4.09-14	0.678	1.000	6.11-16	1.44 -1.00-8
0.55	2.59-14	0.634	1.000	4.31-16	1.43 -1.00-8
0.75	1.27-14	0.544	1.000	2.99-16	1.43 -7.36-8
1.04	4.99-15	0.424	1.000	1.85-16	1.42 -1.37-6
1.24	2.79-15	0.354	1.000	1.31-16	1.41 -7.88-6
1.65	1.07-15	0.248	0.987	6.75-17	1.40 -3.15-4
2.20	3.81-16	0.159	0.869	2.67-17	1.37 -1.69-3

Table K2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	8.79-1	7.99-1	6.40-1	4.58-1	3.25-1	2.73-1	2.12-1	1.73-1
1	8.77-1	7.98-1	6.39-1	4.58-1	3.25-1	2.73-1	2.12-1	1.73-1
2	8.74-1	7.95-1	6.38-1	4.57-1	3.25-1	2.72-1	2.12-1	1.73-1
4	8.60-1	7.84-1	6.31-1	4.54-1	3.23-1	2.71-1	2.11-1	1.73-1
6	8.38-1	7.65-1	6.20-1	4.49-1	3.21-1	2.70-1	2.10-1	1.72-1
8	8.08-1	7.41-1	6.04-1	4.41-1	3.17-1	2.67-1	2.09-1	1.71-1
10	7.72-1	7.11-1	5.85-1	4.32-1	3.13-1	2.64-1	2.07-1	1.70-1
15	6.62-1	6.20-1	5.26-1	4.02-1	2.98-1	2.54-1	2.01-1	1.65-1
20	5.44-1	5.18-1	4.56-1	3.64-1	2.78-1	2.40-1	1.92-1	1.59-1
40	1.96-1	2.01-1	2.06-1	2.01-1	1.81-1	1.67-1	1.44-1	1.26-1
60	6.64-2	7.13-2	8.21-2	9.47-2	1.00-1	9.95-2	9.52-2	8.89-2
80	2.63-2	2.86-2	3.47-2	4.49-2	5.44-2	5.82-2	6.21-2	6.35-2
100	1.36-2	1.48-2	1.81-2	2.54-2	3.51-2	4.06-2	4.84-2	5.43-2
120	9.93-3	1.06-2	1.29-2	1.95-2	3.03-2	3.73-2	4.84-2	5.81-2
140	1.01-2	1.05-2	1.26-2	1.95-2	3.20-2	4.05-2	5.48-2	6.80-2
150	1.09-2	1.13-2	1.34-2	2.06-2	3.37-2	4.28-2	5.83-2	7.30-2
160	1.18-2	1.22-2	1.46-2	2.19-2	3.54-2	4.48-2	6.12-2	7.71-2
170	1.34-2	1.38-2	1.60-2	2.30-2	3.66-2	4.62-2	6.32-2	7.97-2
175	1.43-2	1.46-2	1.65-2	2.34-2	3.69-2	4.65-2	6.37-2	8.04-2
180	1.47-2	1.49-2	1.67-2	2.35-2	3.70-2	4.67-2	6.38-2	8.06-2

Table K3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.08 0	2.04 0	1.90 0	1.63 0	1.27 0	1.06 0	7.45-1	4.77-1
2	2.30 0	2.18 0	1.89 0	1.46 0	1.07 0	8.94-1	6.95-1	5.81-1
3	1.87 0	1.71 0	1.33 0	8.46-1	4.70-1	3.29-1	1.81-1	1.03-1
4	1.38 0	1.21 0	8.52-1	4.49-1	1.89-1	1.07-1	3.93-2	1.43-2
5	9.17-1	7.70-1	4.88-1	2.09-1	6.33-2	2.75-2	7.00-3	1.63-3
6	5.92-1	4.79-1	2.76-1	9.76-2	2.04-2	6.38-3	9.73-4	8.74-5
7	3.65-1	2.83-1	1.46-1	3.99-2	5.00-3	1.20-3	1.25-4	2.60-5
8	2.25-1	1.69-1	7.97-2	1.65-2	1.13-3	2.32-4	4.63-5	4.75-5
9	1.33-1	9.50-2	3.89-2	4.82-3	2.47-4	7.87-5	2.14-5	1.69-5
10	8.19-2	5.67-2	2.03-2	1.67-3	1.12-4	1.02-4	7.74-5	8.92-5
11	4.49-2	2.88-2	7.86-3	3.72-4	1.25-5	1.99-5	-5.97-6	-9.25-6
12	2.81-2	1.70-2	3.73-3	-2.29-6	-7.08-5	-6.59-5	-6.35-5	-6.59-5
13	1.27-2	6.41-3	6.84-4	-9.27-5	-8.19-5	-6.55-5	-2.21-5	-1.49-6
14	8.01-3	3.74-3	2.06-4	-1.01-4	-7.45-5	-7.78-5	-5.59-5	-5.54-5
15	2.11-3	5.87-4	6.86-5	7.81-6	2.46-5	1.91-5	2.35-5	2.37-5
16	1.72-3	3.95-4	1.08-4	1.32-4	1.22-4	1.36-4	1.18-4	1.27-4
17	2.15-4	4.31-5	9.38-5	1.14-4	7.11-5	7.52-5	1.59-5	-1.98-6
18	7.11-5	2.52-5	1.44-6	5.14-5	1.78-5	3.45-5	9.85-6	1.45-5
19	4.39-6	2.51-5	-1.14-4	-7.82-5	-9.06-5	-6.86-5	-4.30-5	-3.01-5
20	-6.63-5	-1.00-4	-1.42-4	-1.97-4	-2.05-4	-2.11-4	-1.69-4	-1.95-4
21	-2.50-5	-5.94-5	-3.89-5	-8.87-5	-6.19-5	-6.63-5	5.18-6	-1.06-5
22	6.53-5	7.71-5	8.22-5	7.71-5	1.01-4	8.25-5	1.28-4	8.36-5
23	1.20-4	1.23-4	1.52-4	1.77-4	1.75-4	1.29-4	1.08-4	4.13-5
24	1.18-4	1.35-4	1.56-4	2.39-4	2.62-4	2.50-4	2.48-4	2.49-4
25	-5.70-5	-3.84-5	-5.39-5	1.62-5	6.66-6	-1.02-5	-3.33-5	-9.46-6
26	-2.74-4	-2.89-4	-2.84-4	-2.80-4	-2.86-4	-2.93-4	-3.12-4	-2.60-4
27	-3.18-4	-3.42-4	-3.11-4	-3.36-4	-2.75-4	-2.40-4	-1.87-4	-8.09-5
28	-2.24-4	-2.54-4	-2.30-4	-3.05-4	-3.21-4	-3.22-4	-3.39-4	-3.20-4
29	8.15-5	6.05-5	1.03-4	6.65-5	4.46-5	5.46-5	4.65-5	3.74-5
30	3.82-4	4.01-4	4.34-4	4.79-4	4.87-4	5.15-4	5.34-4	5.10-4
31	3.72-4	4.04-4	4.00-4	4.45-4	3.68-4	3.31-4	2.52-4	1.42-4
32	1.70-4	2.02-4	1.89-4	2.58-4	2.41-4	2.46-4	2.54-4	2.49-4
33	-2.49-4	-2.27-4	-2.75-4	-2.48-4	-2.33-4	-2.04-4	-1.60-4	-9.66-5
34	-6.08-4	-6.23-4	-6.68-4	-7.20-4	-7.42-4	-7.42-4	-7.46-4	-6.95-4
35	-5.10-4	-5.27-4	-5.27-4	-5.55-4	-4.69-4	-3.99-4	-3.09-4	-1.68-4
36	-1.83-4	-2.00-4	-1.79-4	-2.46-4	-2.31-4	-2.27-4	-2.53-4	-2.24-4
37	3.22-4	3.22-4	3.78-4	3.35-4	3.22-4	2.93-4	2.01-4	1.31-4
38	7.20-4	7.46-4	8.06-4	8.43-4	9.16-4	9.32-4	9.15-4	8.81-4
39	5.31-4	5.51-4	5.49-4	5.36-4	4.84-4	4.20-4	3.01-4	1.56-4
40	1.18-4	1.32-4	8.39-5	9.08-5	1.04-4	9.27-5	8.96-5	4.36-5
41	-3.70-4	-3.73-4	-4.57-4	-4.48-4	-3.92-4	-3.58-4	-2.61-4	-1.95-4
42	-6.88-4	-7.02-4	-8.07-4	-8.71-4	-9.20-4	-9.44-4	-9.37-4	-9.35-4
43	-3.77-4	-3.76-4	-4.15-4	-4.21-4	-3.82-4	-3.42-4	-2.52-4	-1.51-4
44	1.28-4	1.44-4	1.59-4	1.67-4	1.55-4	1.54-4	1.49-4	1.72-4
45	5.50-4	5.80-4	6.23-4	6.08-4	5.19-4	4.60-4	3.32-4	2.29-4
46	7.66-4	7.85-4	8.46-4	9.01-4	9.18-4	9.38-4	9.23-4	9.16-4
47	3.91-4	3.82-4	3.65-4	3.42-4	2.85-4	2.58-4	1.87-4	1.01-4
48	-8.83-5	-1.41-4	-2.06-4	-2.72-4	-3.15-4	-3.21-4	-3.37-4	-3.78-4
49	-3.24-4	-3.92-4	-4.70-4	-5.03-4	-4.47-4	-3.97-4	-2.87-4	-2.20-4
50	-3.17-4	-3.83-4	-4.49-4	-5.26-4	-5.65-4	-5.89-4	-5.86-4	-6.17-4

Table K3. Concluded

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
51	9.47-5	5.68-5	7.00-5	6.08-5	5.18-5	3.15-5	2.88-5	1.07-5	
52	5.08-4	5.05-4	5.76-4	6.40-4	6.77-4	6.79-4	7.02-4	7.07-4	
53	4.55-4	4.58-4	5.19-4	5.33-4	4.53-4	3.98-4	2.93-4	2.08-4	
54	1.74-4	1.83-4	2.01-4	2.31-4	2.22-4	2.33-4	2.41-4	2.63-4	
55	-2.56-4	-2.71-4	-3.22-4	-3.33-4	-3.26-4	-2.73-4	-2.03-4	-1.12-4	
56	-5.36-4	-5.61-4	-6.75-4	-7.71-4	-8.62-4	-8.84-4	-9.03-4	-8.94-4	
57	-1.92-4	-1.96-4	-2.75-4	-2.99-4	-2.79-4	-2.54-4	-1.84-4	-1.07-4	
58	3.30-4	3.54-4	3.37-4	3.58-4	3.74-4	3.40-4	3.40-4	3.41-4	
59	6.44-4	6.92-4	7.26-4	7.53-4	6.99-4	5.76-4	4.35-4	2.95-4	
60	6.50-4	6.98-4	7.89-4	9.22-4	1.05-3	1.04-3	1.08-3	1.10-3	
61	-9.27-5	-7.70-5	-4.44-5	6.29-6	6.78-5	3.12-5	4.39-5	3.42-5	
62	-9.16-4	-9.48-4	-9.87-4	-1.03-3	-1.01-3	-1.03-3	-9.84-4	-9.69-4	
63	-1.12-3	-1.17-3	-1.22-3	-1.22-3	-1.06-3	-9.20-4	-6.61-4	-4.44-4	
64	-8.71-4	-9.11-4	-9.73-4	-1.09-3	-1.18-3	-1.17-3	-1.18-3	-1.20-3	
65	1.74-4	1.86-4	2.19-4	1.93-4	1.27-4	1.43-4	1.04-4	3.64-5	
66	1.17-3	1.24-3	1.38-3	1.49-3	1.51-3	1.56-3	1.55-3	1.50-3	
67	1.18-3	1.25-3	1.38-3	1.40-3	1.21-3	1.09-3	7.95-4	4.94-4	
68	6.04-4	6.56-4	7.59-4	8.86-4	9.60-4	1.01-3	1.01-3	1.00-3	
69	-6.58-4	-6.72-4	-6.88-4	-6.38-4	-5.18-4	-4.34-4	-3.23-4	-2.04-4	
70	-1.75-3	-1.82-3	-1.97-3	-2.08-3	-2.11-3	-2.11-3	-2.12-3	-2.07-3	
71	-1.48-3	-1.55-3	-1.66-3	-1.63-3	-1.38-3	-1.21-3	-9.09-4	-5.63-4	
72	-5.90-4	-6.29-4	-6.96-4	-7.51-4	-7.63-4	-7.78-4	-8.13-4	-7.69-4	
73	8.17-4	8.41-4	8.86-4	8.78-4	7.65-4	6.62-4	4.46-4	3.12-4	
74	1.91-3	1.98-3	2.14-3	2.31-3	2.38-3	2.40-3	2.35-3	2.35-3	
75	1.43-3	1.49-3	1.57-3	1.54-3	1.31-3	1.15-3	8.21-4	5.30-4	
76	3.79-4	3.88-4	3.93-4	3.84-4	3.52-4	3.60-4	3.50-4	3.24-4	
77	-9.05-4	-9.49-4	-1.05-3	-1.08-3	-9.71-4	-8.41-4	-5.94-4	-4.10-4	
78	-1.74-3	-1.82-3	-2.01-3	-2.22-3	-2.34-3	-2.36-3	-2.32-3	-2.35-3	
79	-1.00-3	-1.04-3	-1.13-3	-1.14-3	-1.00-3	-8.81-4	-6.05-4	-4.12-4	

Appendix L

1.5-Month Post-Eruption Stratospheric Aerosol Model

Table L1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	2.02-13	0.763	1.000	1.25-14	1.44 -1.00-8
0.44	2.04-13	0.757	1.000	1.18-14	1.44 -1.00-8
0.55	2.05-13	0.753	1.000	9.63-15	1.43 -1.00-8
0.75	2.16-13	0.723	1.000	1.17-14	1.43 -7.36-8
1.04	2.28-13	0.732	1.000	8.06-15	1.42 -1.37-6
1.24	2.34-13	0.742	1.000	6.40-15	1.41 -7.88-6
1.65	2.34-13	0.757	0.997	4.61-15	1.40 -3.15-4
2.20	2.06-13	0.782	0.987	2.40-15	1.37 -1.69-3

Table L2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	3.09 1	2.58 1	1.70 1	9.46 0	5.24 0	3.92 0	2.69 0	2.11 0
1	2.68 1	2.30 1	1.57 1	9.08 0	5.13 0	3.87 0	2.67 0	2.10 0
2	1.84 1	1.67 1	1.27 1	8.08 0	4.82 0	3.71 0	2.61 0	2.07 0
4	7.03 0	7.07 0	6.54 0	5.38 0	3.84 0	3.17 0	2.39 0	1.97 0
6	3.06 0	3.20 0	3.37 0	3.28 0	2.80 0	2.52 0	2.09 0	1.81 0
8	1.58 0	1.67 0	1.91 0	2.05 0	2.00 0	1.94 0	1.76 0	1.62 0
10	9.61-1	1.02 0	1.19 0	1.35 0	1.47 0	1.49 0	1.46 0	1.42 0
15	4.77-1	4.86-1	5.41-1	6.16-1	7.56-1	8.28-1	9.08-1	9.65-1
20	3.24-1	3.25-1	3.49-1	3.67-1	4.58-1	5.12-1	5.87-1	6.48-1
40	1.09-1	1.10-1	1.16-1	1.18-1	1.21-1	1.25-1	1.31-1	1.37-1
60	4.08-2	4.23-2	4.08-2	4.34-2	4.26-2	4.20-2	4.05-2	3.84-2
80	1.61-2	1.73-2	1.71-2	1.82-2	1.86-2	1.73-2	1.67-2	1.49-2
100	9.28-3	8.96-3	9.11-3	1.16-2	1.04-2	1.00-2	9.43-3	8.23-3
120	4.70-3	5.66-3	5.54-3	8.45-3	8.29-3	8.10-3	7.80-3	6.76-3
140	7.59-3	8.70-3	9.55-3	1.22-2	1.29-2	1.25-2	1.11-2	8.63-3
150	1.98-2	2.02-2	2.33-2	2.37-2	2.14-2	1.94-2	1.58-2	1.09-2
160	3.91-2	3.91-2	3.63-2	4.24-2	3.45-2	2.89-2	2.11-2	1.30-2
170	5.15-2	4.77-2	3.98-2	4.00-2	2.99-2	2.30-2	1.68-2	1.06-2
175	6.35-2	5.30-2	4.26-2	3.79-2	2.41-2	1.87-2	1.51-2	1.04-2
180	6.19-2	5.79-2	4.72-2	5.40-2	3.54-2	2.74-2	1.98-2	1.18-2

Table L3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)								
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20	
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.29 0	2.28 0	2.26 0	2.17 0	2.19 0	2.23 0	2.27 0	2.35 0	
2	3.36 0	3.32 0	3.28 0	3.13 0	3.07 0	3.07 0	3.06 0	3.09 0	
3	3.61 0	3.56 0	3.47 0	3.25 0	3.14 0	3.14 0	3.10 0	3.14 0	
4	4.30 0	4.23 0	4.04 0	3.70 0	3.39 0	3.26 0	3.06 0	2.96 0	
5	4.51 0	4.44 0	4.19 0	3.73 0	3.31 0	3.11 0	2.79 0	2.60 0	
6	5.09 0	4.96 0	4.59 0	4.00 0	3.31 0	2.99 0	2.51 0	2.20 0	
7	5.42 0	5.29 0	4.87 0	4.15 0	3.27 0	2.85 0	2.25 0	1.84 0	
8	5.80 0	5.63 0	5.08 0	4.20 0	3.14 0	2.63 0	1.95 0	1.49 0	
9	6.17 0	5.97 0	5.33 0	4.34 0	3.09 0	2.51 0	1.74 0	1.22 0	
10	6.47 0	6.19 0	5.41 0	4.29 0	2.89 0	2.28 0	1.48 0	9.75-1	
11	6.76 0	6.46 0	5.58 0	4.32 0	2.81 0	2.15 0	1.31 0	7.94-1	
12	6.95 0	6.63 0	5.62 0	4.20 0	2.61 0	1.93 0	1.11 0	6.28-1	
13	7.14 0	6.80 0	5.67 0	4.14 0	2.49 0	1.79 0	9.71-1	5.07-1	
14	7.34 0	6.91 0	5.69 0	3.99 0	2.31 0	1.60 0	8.25-1	3.99-1	
15	7.42 0	6.96 0	5.62 0	3.86 0	2.18 0	1.47 0	7.14-1	3.17-1	
16	7.53 0	7.03 0	5.58 0	3.70 0	2.00 0	1.32 0	6.10-1	2.49-1	
17	7.57 0	7.01 0	5.47 0	3.55 0	1.85 0	1.18 0	5.20-1	1.92-1	
18	7.65 0	7.03 0	5.41 0	3.41 0	1.70 0	1.06 0	4.48-1	1.50-1	
19	7.63 0	6.98 0	5.33 0	3.24 0	1.55 0	9.44-1	3.76-1	1.10-1	
20	7.62 0	6.94 0	5.21 0	3.12 0	1.44 0	8.53-1	3.26-1	8.60-2	
21	7.59 0	6.86 0	5.11 0	2.94 0	1.31 0	7.47-1	2.68-1	5.91-2	
22	7.53 0	6.75 0	4.92 0	2.82 0	1.21 0	6.79-1	2.35-1	4.77-2	
23	7.48 0	6.66 0	4.77 0	2.65 0	1.09 0	5.84-1	1.88-1	3.02-2	
24	7.37 0	6.52 0	4.59 0	2.52 0	1.01 0	5.35-1	1.66-1	2.62-2	
25	7.29 0	6.42 0	4.43 0	2.36 0	8.97-1	4.54-1	1.28-1	1.41-2	
26	7.15 0	6.29 0	4.31 0	2.22 0	8.36-1	4.18-1	1.14-1	1.37-2	
27	7.05 0	6.18 0	4.15 0	2.07 0	7.44-1	3.52-1	8.31-2	5.11-3	
28	6.91 0	6.04 0	4.03 0	1.95 0	6.92-1	3.23-1	7.55-2	6.26-3	
29	6.81 0	5.91 0	3.86 0	1.80 0	6.14-1	2.72-1	5.10-2	1.10-3	
30	6.66 0	5.75 0	3.72 0	1.70 0	5.66-1	2.48-1	4.75-2	2.30-3	
31	6.55 0	5.60 0	3.57 0	1.56 0	4.99-1	2.07-1	2.81-2	2.45-5	
32	6.40 0	5.43 0	3.41 0	1.47 0	4.55-1	1.89-1	2.65-2	2.99-4	
33	6.26 0	5.27 0	3.29 0	1.35 0	3.97-1	1.55-1	1.22-2	-3.16-4	
34	6.10 0	5.10 0	3.14 0	1.27 0	3.61-1	1.41-1	1.20-2	-5.25-4	
35	5.95 0	4.95 0	3.03 0	1.18 0	3.14-1	1.13-1	3.34-3	-2.83-4	
36	5.79 0	4.80 0	2.89 0	1.11 0	2.87-1	1.03-1	4.52-3	-7.45-5	
37	5.64 0	4.66 0	2.78 0	1.03 0	2.49-1	8.10-2	4.49-4	2.83-4	
38	5.48 0	4.50 0	2.65 0	9.61-1	2.27-1	7.27-2	2.00-3	5.82-4	
39	5.34 0	4.36 0	2.52 0	8.91-1	1.97-1	5.52-2	1.57-4	4.12-4	
40	5.18 0	4.20 0	2.41 0	8.32-1	1.79-1	4.85-2	8.19-4	1.61-4	
41	5.05 0	4.05 0	2.29 0	7.68-1	1.53-1	3.49-2	-8.40-5	-1.38-4	
42	4.89 0	3.91 0	2.19 0	7.15-1	1.38-1	2.99-2	4.28-6	-3.72-4	
43	4.77 0	3.76 0	2.10 0	6.56-1	1.14-1	2.08-2	-6.00-5	-1.39-4	
44	4.61 0	3.63 0	2.00 0	6.08-1	1.03-1	1.80-2	2.48-4	1.90-4	
45	4.49 0	3.50 0	1.91 0	5.57-1	8.30-2	1.20-2	3.96-4	4.68-4	
46	4.35 0	3.38 0	1.81 0	5.15-1	7.48-2	1.10-2	5.69-4	6.55-4	
47	4.23 0	3.26 0	1.72 0	4.71-1	5.85-2	6.18-3	3.55-4	4.17-4	
48	4.09 0	3.14 0	1.63 0	4.36-1	5.28-2	5.95-3	1.16-4	1.14-4	
49	3.97 0	3.04 0	1.55 0	3.99-1	4.10-2	2.49-3	2.38-5	-4.68-5	
50	3.84 0	2.92 0	1.47 0	3.68-1	3.82-2	2.76-3	1.34-5	-9.18-5	

Table L3. Continued

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	3.71 0	2.82 0	1.39 0	3.36-1	2.89-2	1.11-3	2.36-4	1.36-4
52	3.59 0	2.71 0	1.32 0	3.09-1	2.79-2	1.39-3	4.61-4	3.80-4
53	3.47 0	2.60 0	1.25 0	2.80-1	1.86-2	5.26-4	3.52-4	3.31-4
54	3.35 0	2.50 0	1.19 0	2.56-1	1.81-2	3.02-4	1.86-4	1.76-4
55	3.24 0	2.40 0	1.12 0	2.29-1	9.73-3	-1.14-4	-8.21-5	-8.48-5
56	3.13 0	2.30 0	1.07 0	2.10-1	9.77-3	-2.24-4	-2.45-4	-2.74-4
57	3.02 0	2.21 0	9.99-1	1.86-1	4.51-3	-3.85-6	2.10-6	-7.44-5
58	2.92 0	2.11 0	9.50-1	1.74-1	5.31-3	3.50-4	3.27-4	2.09-4
59	2.82 0	2.03 0	8.88-1	1.53-1	2.33-3	4.27-4	4.72-4	3.50-4
60	2.72 0	1.94 0	8.43-1	1.45-1	3.03-3	4.32-4	4.55-4	3.30-4
61	2.62 0	1.86 0	7.84-1	1.26-1	7.62-4	-1.23-4	-7.07-5	-1.50-4
62	2.54 0	1.79 0	7.46-1	1.18-1	9.11-4	-7.09-4	-6.48-4	-6.67-4
63	2.44 0	1.70 0	6.92-1	1.01-1	-3.80-4	-8.02-4	-7.49-4	-7.53-4
64	2.35 0	1.64 0	6.60-1	9.40-2	1.62-4	-7.01-4	-6.39-4	-5.98-4
65	2.25 0	1.56 0	6.12-1	7.89-2	7.24-5	6.44-6	3.53-5	5.95-5
66	2.18 0	1.51 0	5.84-1	7.32-2	8.40-4	7.05-4	6.96-4	6.90-4
67	2.08 0	1.44 0	5.40-1	5.99-2	5.70-4	6.64-4	6.41-4	6.39-4
68	2.01 0	1.39 0	5.14-1	5.44-2	2.30-4	3.77-4	3.20-4	2.91-4
69	1.92 0	1.32 0	4.73-1	4.33-2	-4.21-4	-4.06-4	-4.74-4	-4.96-4
70	1.86 0	1.27 0	4.49-1	3.90-2	-1.12-3	-1.16-3	-1.20-3	-1.17-3
71	1.77 0	1.21 0	4.14-1	3.10-2	-7.50-4	-8.67-4	-9.38-4	-9.17-4
72	1.71 0	1.16 0	3.93-1	2.94-2	-1.21-4	-3.59-4	-3.96-4	-3.31-4
73	1.63 0	1.11 0	3.63-1	2.30-2	6.98-4	5.85-4	5.31-4	6.07-4
74	1.58 0	1.06 0	3.45-1	2.28-2	1.53-3	1.39-3	1.32-3	1.36-3
75	1.50 0	1.01 0	3.18-1	1.59-2	1.07-3	1.08-3	1.01-3	1.06-3
76	1.45 0	9.62-1	3.00-1	1.53-2	4.63-4	5.40-4	4.27-4	4.40-4
77	1.38 0	9.13-1	2.75-1	8.92-3	-2.58-4	-2.04-4	-3.26-4	-3.47-4
78	1.32 0	8.72-1	2.60-1	8.81-3	-8.30-4	-7.64-4	-8.90-4	-8.91-4
79	1.26 0	8.25-1	2.39-1	5.13-3	-1.52-4	-2.21-4	-3.41-4	-3.94-4
80	1.21 0	7.90-1	2.26-1	6.39-3	6.50-4	5.18-4	4.18-4	3.73-4
81	1.16 0	7.46-1	2.08-1	4.01-3	1.31-3	1.15-3	1.07-3	1.04-3
82	1.11 0	7.15-1	1.96-1	4.94-3	1.74-3	1.59-3	1.51-3	1.44-3
83	1.06 0	6.74-1	1.79-1	2.08-3	1.06-3	1.01-3	9.40-4	9.03-4
84	1.01 0	6.46-1	1.67-1	2.05-3	3.25-4	3.64-4	2.79-4	2.18-4
85	9.64-1	6.09-1	1.52-1	1.30-5	-2.07-5	3.49-5	-6.08-5	-1.51-4
86	9.26-1	5.83-1	1.41-1	6.77-4	-1.37-4	-1.93-5	-1.37-4	-2.38-4
87	8.81-1	5.51-1	1.29-1	2.29-4	5.40-4	5.35-4	4.07-4	2.80-4
88	8.47-1	5.28-1	1.20-1	1.30-3	1.08-3	1.10-3	9.55-4	8.04-4
89	8.05-1	4.99-1	1.08-1	8.75-4	1.00-3	9.39-4	8.21-4	7.10-4
90	7.72-1	4.75-1	9.98-2	6.49-4	6.52-4	5.85-4	4.76-4	3.74-4
91	7.32-1	4.48-1	8.87-2	1.08-4	2.00-6	-1.82-5	-1.15-4	-1.83-4
92	7.01-1	4.25-1	8.18-2	-4.46-4	-4.33-4	-4.65-4	-5.40-4	-5.67-4
93	6.65-1	4.01-1	7.27-2	9.91-5	-3.74-5	-1.56-5	-9.82-5	-1.42-4
94	6.37-1	3.80-1	6.79-2	6.59-4	5.72-4	6.06-4	5.24-4	4.63-4
95	6.03-1	3.57-1	5.95-2	1.06-3	8.94-4	9.07-4	8.30-4	7.72-4
96	5.77-1	3.38-1	5.52-2	1.13-3	9.02-4	9.45-4	8.40-4	7.40-4
97	5.44-1	3.14-1	4.65-2	2.33-4	-6.95-5	-5.84-5	-1.58-4	-2.34-4
98	5.20-1	2.97-1	4.25-2	-8.53-4	-1.17-3	-1.19-3	-1.26-3	-1.29-3
99	4.90-1	2.75-1	3.50-2	-9.69-4	-1.38-3	-1.37-3	-1.45-3	-1.49-3
100	4.68-1	2.62-1	3.35-2	-8.75-4	-1.14-3	-1.23-3	-1.25-3	-1.20-3

Table L3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
101	4.42-1	2.43-1	2.79-2	4.66-4	1.01-4	6.60-5	4.35-5	8.71-5
102	4.24-1	2.32-1	2.79-2	1.62-3	1.43-3	1.33-3	1.31-3	1.32-3
103	3.99-1	2.15-1	2.15-2	1.55-3	1.30-3	1.23-3	1.21-3	1.26-3
104	3.81-1	2.03-1	2.02-2	1.00-3	7.27-4	6.77-4	6.06-4	6.02-4
105	3.56-1	1.86-1	1.32-2	-5.52-4	-7.46-4	-8.02-4	-8.96-4	-9.09-4
106	3.39-1	1.75-1	1.19-2	-1.79-3	-2.12-3	-2.19-3	-2.28-3	-2.23-3
107	3.18-1	1.62-1	7.60-3	-1.49-3	-1.60-3	-1.70-3	-1.82-3	-1.83-3
108	3.04-1	1.53-1	9.01-3	-5.07-4	-5.83-4	-7.82-4	-8.57-4	-8.08-4
109	2.86-1	1.43-1	6.63-3	1.00-3	1.10-3	8.93-4	8.28-4	8.86-4
110	2.74-1	1.35-1	8.56-3	2.27-3	2.60-3	2.34-3	2.27-3	2.27-3
111	2.54-1	1.24-1	4.61-3	1.64-3	1.99-3	1.74-3	1.69-3	1.76-3
112	2.41-1	1.15-1	4.34-3	4.22-4	9.39-4	7.69-4	6.59-4	6.71-4
113	2.23-1	1.03-1	2.13-4	-8.22-4	-3.76-4	-5.80-4	-7.16-4	-7.28-4
114	2.11-1	9.54-2	3.20-4	-1.89-3	-1.43-3	-1.57-3	-1.73-3	-1.71-3
115	1.97-1	8.53-2	-9.52-4	-7.02-4	-3.46-4	-5.95-4	-7.87-4	-8.47-4
116	1.88-1	8.18-2	1.37-3	6.55-4	9.66-4	7.20-4	5.38-4	4.84-4
117	1.76-1	7.24-2	7.36-4	2.02-3	2.16-3	1.85-3	1.69-3	1.67-3
118	1.67-1	6.94-2	2.15-3	2.85-3	2.88-3	2.64-3	2.47-3	2.40-3
119	1.54-1	5.90-2	-2.28-4	1.90-3	1.83-3	1.64-3	1.49-3	1.51-3
120	1.45-1	5.49-2	-6.97-4	8.57-4	5.94-4	5.37-4	3.62-4	3.68-4
121	1.33-1	4.61-2	-2.12-3	1.19-4	-1.45-5	-3.69-5	-2.21-4	-2.42-4
122	1.25-1	4.34-2	-1.46-3	8.89-5	-2.01-4	-1.40-4	-3.55-4	-3.77-4
123	1.15-1	3.74-2	-7.42-4	8.52-4	7.90-4	8.23-4	5.83-4	5.09-4
124	1.09-1	3.59-2	6.78-4	1.84-3	1.73-3	1.78-3	1.53-3	1.41-3
125	9.95-2	2.99-2	4.76-4	1.55-3	1.50-3	1.59-3	1.34-3	1.26-3

Appendix M
13-Month Post-Eruption Stratospheric Aerosol Model

Table M1. Optical Parameters

Wavelength (μm)	Extinction Cross Section (m^2)	Asymmetry Factor	Single Scattering Albedo	180 Degree Backscatter (m^2/sr)	Refractive Indices
0.40	1.34-12	0.726	1.000	7.11-14	1.44 -1.00-8
0.44	1.30-12	0.702	1.000	6.82-14	1.44 -1.00-8
0.55	1.25-12	0.657	1.000	5.24-14	1.43 -1.00-8
0.75	1.65-12	0.724	1.000	4.37-14	1.43 -7.36-8
1.04	1.85-12	0.781	1.000	2.82-14	1.42 -1.37-6
1.24	1.66-12	0.783	1.000	2.13-14	1.41 -7.88-6
1.65	1.11-12	0.751	1.000	1.30-14	1.40 -3.15-4
2.20	5.76-13	0.685	0.987	6.67-15	1.37 -1.69-3

Table M2. Phase Functions

Scatter Angle (deg)	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	6.95 0	5.87 0	3.56 0	2.51 0	1.78 0	1.40 0	9.05-1	5.81-1
1	6.85 0	5.80 0	3.53 0	2.50 0	1.78 0	1.40 0	9.04-1	5.80-1
2	6.55 0	5.58 0	3.44 0	2.47 0	1.77 0	1.39 0	9.02-1	5.79-1
4	5.49 0	4.80 0	3.10 0	2.34 0	1.72 0	1.36 0	8.91-1	5.75-1
6	4.12 0	3.74 0	2.61 0	2.14 0	1.64 0	1.32 0	8.74-1	5.69-1
8	2.78 0	2.66 0	2.05 0	1.90 0	1.54 0	1.26 0	8.51-1	5.59-1
10	1.74 0	1.75 0	1.52 0	1.63 0	1.43 0	1.19 0	8.22-1	5.48-1
15	5.43-1	5.44-1	5.92-1	9.58-1	1.06 0	9.59-1	7.17-1	5.01-1
20	3.18-1	2.91-1	2.98-1	5.25-1	7.46-1	7.43-1	6.19-1	4.60-1
40	1.02-1	1.12-1	1.42-1	1.29-1	1.08-1	1.40-1	2.11-1	2.37-1
60	4.41-2	4.75-2	5.43-2	4.49-2	3.63-2	3.34-2	4.83-2	8.71-2
80	2.03-2	2.23-2	2.46-2	1.94-2	1.56-2	1.52-2	1.57-2	2.85-2
100	1.09-2	1.18-2	1.35-2	1.13-2	8.83-3	8.53-3	9.53-3	1.14-2
120	6.95-3	8.32-3	1.07-2	9.95-3	7.13-3	7.15-3	7.72-3	6.93-3
140	1.17-2	1.43-2	1.77-2	1.31-2	1.12-2	9.04-3	6.90-3	7.22-3
150	2.32-2	2.39-2	2.66-2	2.47-2	1.28-2	8.83-3	7.39-3	8.48-3
160	4.50-2	5.41-2	6.31-2	2.98-2	1.11-2	8.88-3	8.93-3	1.00-2
170	5.24-2	4.53-2	3.02-2	1.75-2	1.23-2	1.11-2	1.08-2	1.12-2
175	2.87-2	2.92-2	2.86-2	2.21-2	1.43-2	1.23-2	1.15-2	1.16-2
180	5.28-2	5.22-2	4.17-2	2.65-2	1.52-2	1.29-2	1.17-2	1.17-2

Table M3. Legendre Coefficients of Phase Functions

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0	1.00 0
1	2.18 0	2.11 0	1.97 0	2.17 0	2.34 0	2.35 0	2.25 0	2.06 0
2	3.20 0	3.06 0	2.73 0	2.98 0	3.16 0	3.06 0	2.65 0	2.00 0
3	3.38 0	3.14 0	2.54 0	3.03 0	3.30 0	3.06 0	2.26 0	1.26 0
4	4.06 0	3.75 0	2.82 0	3.14 0	3.16 0	2.69 0	1.58 0	6.38-1
5	4.18 0	3.83 0	2.74 0	3.02 0	2.78 0	2.11 0	8.96-1	2.39-1
6	4.59 0	4.19 0	2.87 0	2.87 0	2.23 0	1.46 0	4.52-1	7.91-2
7	4.72 0	4.32 0	2.98 0	2.74 0	1.69 0	8.97-1	1.82-1	2.17-2
8	4.82 0	4.39 0	2.94 0	2.38 0	1.15 0	5.09-1	7.25-2	5.79-3
9	4.89 0	4.48 0	3.07 0	2.15 0	7.16-1	2.41-1	2.36-2	1.42-3
10	4.78 0	4.30 0	2.81 0	1.70 0	4.30-1	1.22-1	8.49-3	3.84-4
11	4.78 0	4.30 0	2.85 0	1.37 0	2.12-1	4.85-2	2.47-3	6.05-5
12	4.49 0	3.95 0	2.44 0	1.02 0	1.22-1	2.37-2	7.56-4	-7.33-5
13	4.42 0	3.87 0	2.33 0	7.00-1	4.96-2	8.04-3	3.89-5	-1.04-4
14	4.03 0	3.42 0	1.91 0	5.07-1	2.94-2	3.98-3	-7.92-5	-4.97-5
15	3.89 0	3.26 0	1.65 0	2.79-1	1.05-2	1.03-3	2.47-5	5.30-5
16	3.44 0	2.79 0	1.32 0	2.09-1	6.88-3	2.55-4	1.51-4	1.32-4
17	3.25 0	2.55 0	9.99-1	9.04-2	2.39-3	-3.62-4	1.37-4	1.19-4
18	2.81 0	2.15 0	8.32-1	8.67-2	1.52-3	-1.28-4	4.05-5	7.42-6
19	2.55 0	1.84 0	5.41-1	3.18-2	-1.11-4	2.54-4	-1.12-4	-1.32-4
20	2.18 0	1.56 0	4.91-1	3.70-2	-1.64-5	3.26-4	-2.01-4	-1.91-4
21	1.87 0	1.21 0	2.65-1	1.25-2	-3.15-4	1.82-4	-6.76-5	-8.55-5
22	1.61 0	1.05 0	2.59-1	1.59-2	-5.37-5	-1.55-4	1.53-4	1.09-4
23	1.29 0	7.29-1	1.04-1	4.05-3	5.17-4	-4.25-4	2.76-4	2.42-4
24	1.12 0	6.54-1	1.11-1	4.00-3	2.83-4	-1.74-4	1.96-4	2.05-4
25	8.20-1	4.06-1	2.81-2	-1.43-4	-1.88-4	1.96-4	-1.50-4	-4.06-5
26	7.37-1	3.94-1	4.55-2	-1.52-5	-3.44-4	1.75-4	-4.24-4	-3.37-4
27	4.89-1	2.25-1	1.14-2	-1.03-4	-4.54-4	-3.00-5	-3.59-4	-4.65-4
28	4.59-1	2.39-1	2.49-2	6.72-4	-1.93-4	-2.06-4	-1.39-4	-3.18-4
29	2.84-1	1.31-1	1.02-2	6.25-4	2.74-4	-1.78-4	1.85-4	1.20-4
30	2.81-1	1.44-1	1.28-2	9.10-4	3.35-4	3.54-5	4.01-4	5.17-4
31	1.66-1	7.47-2	3.99-3	3.12-4	1.52-4	1.80-4	3.02-4	5.34-4
32	1.71-1	8.20-2	2.33-3	-1.18-4	-8.73-5	1.77-4	7.50-5	2.32-4
33	9.24-2	3.64-2	-9.04-4	-4.91-4	-4.18-4	-6.43-5	-2.75-4	-3.21-4
34	9.81-2	4.21-2	-4.19-4	-6.98-4	-4.54-4	-3.13-4	-5.74-4	-7.44-4
35	4.45-2	1.41-2	3.80-4	-4.18-4	-1.81-4	-2.91-4	-4.72-4	-6.47-4
36	5.14-2	2.09-2	2.00-3	7.50-5	4.86-5	-1.71-4	-1.40-4	-1.95-4
37	1.94-2	6.21-3	2.20-3	4.07-4	3.42-4	1.23-4	3.34-4	4.58-4
38	2.58-2	1.09-2	2.12-3	6.76-4	4.19-4	4.11-4	6.94-4	8.95-4
39	1.08-2	5.17-3	6.76-4	4.18-4	1.71-4	3.50-4	5.24-4	6.75-4
40	1.32-2	5.50-3	-3.20-4	-3.43-5	-2.96-6	2.16-4	9.37-5	9.90-5
41	7.41-3	4.05-3	-8.02-4	-3.37-4	-2.02-4	-4.51-5	-3.89-4	-5.52-4
42	6.87-3	2.57-3	-7.02-4	-5.06-4	-2.45-4	-3.13-4	-6.54-4	-8.95-4
43	4.37-3	2.25-3	3.21-4	-1.81-4	4.68-5	-1.73-4	-3.63-4	-5.37-4
44	4.26-3	1.98-3	1.13-3	3.69-4	2.48-4	8.19-5	1.30-4	1.19-4
45	2.79-3	1.37-3	1.30-3	6.63-4	4.12-4	3.56-4	5.27-4	6.87-4
46	3.61-3	1.90-3	1.19-3	7.95-4	4.90-4	6.15-4	6.98-4	8.86-4
47	2.67-3	1.24-3	1.91-4	4.94-4	2.32-4	4.65-4	3.74-4	4.22-4
48	2.79-3	1.27-3	-4.20-4	5.25-5	6.62-5	1.98-4	-5.00-5	-2.09-4
49	2.45-3	1.35-3	-4.58-4	-7.60-5	1.68-5	3.75-5	-2.69-4	-5.50-4
50	2.04-3	1.16-3	-1.51-4	-5.65-5	3.61-5	-4.58-5	-2.64-4	-4.69-4

Table M3. Concluded

Index	Wavelength (μm)							
	0.40	0.44	0.55	0.75	1.04	1.24	1.65	2.20
51	1.91-3	1.33-3	5.41-4	2.07-4	2.89-4	1.34-4	8.20-5	7.76-5
52	1.87-3	1.20-3	9.52-4	5.47-4	4.85-4	3.47-4	4.22-4	6.03-4
53	1.30-3	5.64-4	6.88-4	5.44-4	4.04-4	3.04-4	3.85-4	5.93-4
54	1.40-3	3.33-4	3.02-4	3.83-4	2.32-4	2.00-4	1.49-4	1.89-4
55	6.95-4	-2.37-4	-2.83-4	4.51-5	-2.61-5	-3.99-6	-2.04-4	-4.05-4
56	7.77-4	-1.16-4	-5.20-4	-3.30-4	-1.95-4	-1.84-4	-4.03-4	-7.18-4
57	7.41-4	2.29-4	-1.33-4	-1.13-4	-3.73-6	-2.67-5	-8.33-5	-3.16-4
58	9.49-4	7.11-4	3.85-4	2.15-4	2.74-4	1.65-4	3.63-4	4.06-4
59	1.02-3	8.94-4	6.59-4	3.44-4	4.10-4	2.14-4	6.06-4	9.09-4
60	7.92-4	7.40-4	6.61-4	4.08-4	3.98-4	1.83-4	5.13-4	8.70-4
61	1.92-4	9.17-6	4.55-6	-1.37-4	-6.73-5	-2.60-4	-1.95-4	-1.95-5
62	-3.77-4	-6.81-4	-7.50-4	-7.44-4	-5.86-4	-7.21-4	-9.35-4	-1.08-3
63	-7.07-4	-9.45-4	-9.10-4	-8.23-4	-7.00-4	-7.65-4	-1.09-3	-1.45-3
64	-5.12-4	-7.30-4	-8.13-4	-7.72-4	-6.54-4	-6.40-4	-7.70-4	-1.04-3
65	8.30-6	3.64-5	1.74-5	-8.44-5	-1.17-4	-3.75-5	2.16-4	2.64-4
66	6.56-4	8.70-4	8.76-4	6.25-4	4.30-4	5.43-4	1.11-3	1.52-3
67	7.23-4	1.00-3	8.32-4	5.18-4	3.45-4	4.70-4	1.11-3	1.65-3
68	3.48-4	6.35-4	4.69-4	2.43-4	1.02-4	1.81-4	5.05-4	8.14-4
69	-2.49-4	-1.12-4	-4.60-4	-5.96-4	-5.58-4	-5.28-4	-6.81-4	-8.21-4
70	-9.87-4	-1.07-3	-1.45-3	-1.35-3	-1.17-3	-1.16-3	-1.65-3	-2.16-3
71	-7.55-4	-8.55-4	-1.08-3	-1.02-3	-9.14-4	-8.90-4	-1.42-3	-1.98-3
72	-2.13-4	-4.20-4	-4.96-4	-4.50-4	-4.77-4	-3.79-4	-5.33-4	-7.62-4
73	5.83-4	5.16-4	6.11-4	5.45-4	2.97-4	4.74-4	7.98-4	1.05-3
74	1.39-3	1.39-3	1.64-3	1.41-3	1.00-3	1.22-3	1.78-3	2.33-3
75	1.14-3	1.16-3	1.21-3	1.05-3	7.42-4	9.58-4	1.38-3	1.86-3
76	6.36-4	6.38-4	5.59-4	4.61-4	3.34-4	4.64-4	3.66-4	4.20-4
77	6.38-5	-3.22-5	-3.12-4	-3.26-4	-2.38-4	-2.09-4	-8.53-4	-1.27-3
78	-4.42-4	-6.50-4	-1.05-3	-9.09-4	-6.89-4	-7.53-4	-1.60-3	-2.20-3
79	1.24-4	-9.73-5	-3.15-4	-2.68-4	-1.90-4	-3.04-4	-9.70-4	-1.37-3

1. Report No. NASA TM-86379	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle PHASE FUNCTION, BACKSCATTER, EXTINCTION, AND ABSORPTION FOR STANDARD RADIATION ATMOSPHERE AND EL CHICHON AEROSOL MODELS AT VISIBLE AND NEAR-INFRARED WAVELENGTHS		5. Report Date March 1985	
7. Author(s) Charles H. Whitlock, John T. Suttles, and S. R. LeCroy		6. Performing Organization Code 672-40-04-70	
9. Performing Organization Name and Address NASA Langley Research Center Hampton, VA 23665		8. Performing Organization Report No.	
		10. Work Unit No.	
		11. Contract or Grant No.	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20564		13. Type of Report and Period Covered Technical Memorandum	
		14. Sponsoring Agency Code	
15. Supplementary Notes Charles H. Whitlock and John T. Suttles, NASA Langley Research Center, Hampton Virginia. S. R. LeCroy, Kentron International, Inc., Hampton, Virginia.			
16. Abstract Tabular values of phase function, Legendre polynominal coefficients, 180° backscatter, and extinction cross section are given for eight wavelengths in the atmospheric windows between 0.4 and 2.2 um. Also included are single-scattering albedo, asymmetry factor, and refractive indices. These values are based on Mie theory calculations for the Standard Radiation Atmospheres (continental, maritime, urban, unperturbed stratospheric, volcanic, upper atmospheric, soot, oceanic, dust, and water-soluble) as well as measured volcanic aerosols at several time intervals following the El Chichon eruption. Comparisons of extinction to 180° backscatter for different aerosol models are also presented and related to lidar data.			
17. Key Words (Suggested by Author(s)) Backscatter Phase Function Aerosols Extinction Optical Properties		18. Distribution Statement Unclassified - Unlimited	
Subject Category 47			
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 56	22. Price A04

End of Document