

## General Disclaimer

### One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

NASA CR-170589

PLANAR ION TRAP  
(RETARDING POTENTIAL ANALYZER)  
EXPERIMENT

FOR

ATMOSPHERE EXPLORER

FINAL REPORT

For Contract No. NAS5-11407

TO

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

GODDARD SPACE FLIGHT CENTER

FROM

THE UNIVERSITY OF TEXAS AT DALLAS

CENTER FOR SPACE SCIENCES

W. B. Hanson  
Principal Investigator

S. Sanatani  
Co-Investigator

C. R. Lippincott  
Co-Investigator

D. R. Zuccaro  
Co-Investigator



DECEMBER 1982

(NASA-CR-170589) PLANAR ION TRAP (RETARDING  
POTENTIAL ANALYZER) EXPERIMENT FOR  
ATMOSPHERE EXPLORER Final Report (Texas  
Univ.) 7 p HC A02/MF A01 CACL 04A

883-36569

Unclas  
44006  
G3/46

FINAL REPORT

CONTRACT NO. NAS5-11407

PLANAR ION TRAP (RETARDING  
POTENTIAL ANALYZER) EXPERIMENT

FOR

ATMOSPHERE EXPLORER

The Atmosphere Explorer program consisted of the study of data from three satellites to further our understanding of the aeronomy of the earth's upper atmosphere. Included in the satellites' payload was the capability to measure the constituent composition and temperature of the neutral and ionized gas as well as the motion of these atmospheric components. These data together with measurements of the electron temperature, the energetic particle input and the atmosphere airglow emissions have provided the foundation upon which giant strides in the understanding of our environment have been made.

The retarding potential analyzer and drift meter were carried aboard all three Atmosphere Explorer spacecraft. These instruments measure the total thermal ion concentration and temperature, the bulk thermal ion velocity vector and some limited properties of the relative abundance of  $H^+$ ,  $He^+$ ,  $O^+$  and molecular ions. These instruments functioned with no internal failures on all the spacecraft. On AE-E there existed some evidence for external surface contamination that damaged the integrity of the RPA sweep grids. This led to some difficulties in data reduction and interpretation that did not prove to be a disastrous problem. The AE-D spacecraft functioned for only a few months before it re-entered. During this time the satellite suffered from a nutation about the spin axis of about  $\pm 2^\circ$ . This  $2^\circ$  modulation was superimposed upon the ion drift meter horizontal ion arrival angle output requiring the employment

of filtering techniques to retrieve the real data. This function proved to be quite difficult in highly structured high latitude regions but, nevertheless, high quality data was retrieved in most cases. The AE-C spacecraft functioned without major incidents for about seven years. During that time a large data base from the RPA/Drift Meter has been accumulated. The data have been of high quality and data reduction algorithms have functioned smoothly throughout the mission.

A great deal of fundamental and more detailed science has been performed using the RPA/Drift Meter data. Data from all three spacecraft have contributed in different fields, the highlights of which are described below.

#### The Ionosphere as a Plasma Laboratory

The elliptical orbit of the AE-C satellite allowed a number of measurements to be made in a confined latitude and local time region but with varying neutral and ionized gas concentrations by virtue of a changing altitude. Under such conditions the details of many chemical reactions can be studied. In particular, reaction rates for species that are extremely hard to produce in a laboratory can be studied. The AE data base has been put to good use in this area with the magnetic spectrometer and RPA providing details of the ionic constituents, the airglow instrument providing information on excited neutral and ion species and the bulk neutral gas densities provided by mass spectrometers. New information on fundamental ion recombination rates has been returned as well as an improved understanding of chemistry of minor ions such as  $O^{++}$  and  $N^{++}$ .

In the plasma laboratory environment we have also learned more about the conditions under which thermal equilibrium between the ion and neutral gases is established and made use of a unique opportunity to examine the neutral hydrogen envelope of the earth.

## **Ionospheric Irregularities**

In addition to providing ion composition, velocity and temperature data the RPA also functions in a mode that allowed the properties of ion concentration irregularities to be determined down to scale sizes of about 125 meters. Spectral analysis of this data has produced information about the dominant scale sizes of ionospheric irregularities as a function of position. In addition the combination of high resolution measurements from the magnetic spectrometer has allowed an investigation of the constituent ions in regions of high and low density and a measure of their chemical lifetimes. Such data has also been combined with measurements of the bulk ion velocity so that the motion of ionospheric irregularities can be determined. Many different characteristics have been discovered, some of which can be understood in terms of current theoretical models and others which are a stimulus for future theoretical work in plasma physics.

## **High Latitude Ionospheric Dynamics**

The contribution of AE to ionosphere magnetosphere coupling studies and our understanding of magnetospheric energy inputs to the atmosphere may not have been anticipated initially but has turned out to be a significant legacy left by AE. The combination of ion composition measurements, ion velocity measurements, and energetic particle measurements has led to a significant advance in our understanding of the impact of each of these parameters on the other. The data have led to new thinking on the geometry of the high latitude convection pattern, to new ideas about the location of electric field and particle sources in the magnetosphere and to a new generation of sophisticated ionospheric models to include the effects of high latitude ionospheric

dynamics. Significant advances have been made in our understanding of the formation of ion concentration depletions, in the electric field structure around auroral arcs and in the distribution and magnitude of ionospheric conductivity.

There is no doubt that the AE mission has left us with unanswered questions. However, most of these questions are new ones requiring new and more specialized data. As a result the AE mission has been a huge success that can be easily recognized by the large and significant amount of published material that it has generated. Attached to this report is a list of those publications either fully or partially supported by this contract.

- "The Atmosphere Explorer Mission," W. B. Hanson, A. Dalgarno, N. W. Spencer and E. R. Schmerling, *Radio Sci.*, 8, 263, 1973
- "The Retarding-Potential Analyzer on Atmosphere Explorer," W. B. Hanson, D. R. Zuccaro, C. R. Lippincott, and S. Sanatani, *Radio Sci.*, 8, 333, 1973
- "An Auroral F-Region Study Using in situ Measurements by the Atmosphere Explorer-C Satellite," W. B. Hanson, M. R. Torr, D. G. Torr, R. A. Hoffman, J. H. Hoffman, W. K. Peterson and J. C. G. Walker, *Planet Space Sci.*, 23, 1669, 1975
- "Comparison of Neutral Temperatures Inferred from Instruments on the AE-C Satellite," W. B. Hanson, A. E. Hedin, N. W. Spencer and P. Bauer, *Geophys. Res. Lett.*, 3, 469, 1976
- "Characteristics of Auroral Electron Acceleration Regions Observed by Atmosphere Explorer C," R. A. Heelis, J. L. Burch, S. A. Fields, W. B. Hanson, R. A. Hoffman, and R. W. Janetzke, *J. Geophys. Res.*, 81, 2223, 1976
- "Ion Convection Velocity Reversals in the Dayside Cleft," R. A. Heelis, W. B. Hanson, and J. L. Burch, *J. Geophys. Res.*, 81, 3803, 1976
- "Properties of Spikelike Shear Flow Reversals Observed in the Auroral Plasma by Atmosphere Explorer C," R. A. Heelis, J. L. Burch, W. Lennartsson, W. B. Hanson, J. H. Hoffman, and R. A. Hoffman, *J. Geophys. Res.*, 81, 3886, 1976
- "Discrepancy Between Electron Heating and Cooling Rates Derived from Atmosphere Explorer-C Measurements," W. B. Hanson, L. H. Brace, W. R. Hoegy, H. G. Mayr, G. A. Victor, C. A. Reber, and H. E. Hinteregger, *J. Geophys. Res.*, 81, 5421, 1976
- "Retarding Potential Analyzer Measurement of the Effect of Ion-Neutral Collisions on the Ion Velocity Distribution in the Auroral Ionosphere," W. B. Hanson, J.-P. St.-Maurice and J. C. G. Walker, *J. Geophys. Res.*, 81, 5438, 1976
- "Electron and Ion Temperatures--A Comparison of Ground-Based Incoherent Scatter and AE-C Satellite Measurements," W. B. Hanson, R. J. Benson, P. Bauer, L. H. Brace, H. C. Carlson, J. Hagen, W. R. Hoegy, M. R. Torr, R. H. Wand, and V. B. Wickwar, *J. Geophys. Res.*, 82, 36, 1977
- "Plasma Bubbles and Irregularities in the Equatorial Ionosphere," J. P. McUlure, W. B. Hanson and J. H. Hoffman, *J. Geophys. Res.*, 82, 2650, 1977
- "Determination of the  $N_2^+$  Recombination Rate Coefficient in the Ionosphere," W. B. Hanson, N. Orsini, D. G. Torr, H. C. Brinton, L. H. Brace, J. H. Hoffman and A. O. Nier, *Geophys. Res. Lett.*, 4, 431, 1977
- "Substorm Effects Observed in the Auroral Plasma," R. A. Heelis, J. L. Burch and S. A. Fields, *Proc. Int. Symp. Solar Terr. Phys.*, 2, 740, 1978
- "Ion Convection and the Formation of the Mid Latitude F-Region Trough," R. A. Heelis, R. W. Spiro and W. B. Hanson, *J. Geophys. Res.*, 83, 4255, 1978
- "Ion Temperature Troughs and Interhemisphere Transport Observed in the Equatorial Ionosphere," R. A. Heelis, G. J. Bailey and W. B. Hanson, *J. Geophys. Res.*, 83, 3683, 1978
- "IMF Changes and Polar-Cap Electric Fields and Currents," R. A. Heelis, in Dynamics of the Magnetosphere, ed. S.-I. Akasofu, pp 47-62, D. Reidel Publishing Company, 1979
- "An Experimental and Theoretical Study of the Mean Diurnal Variation of  $O^+$ ,  $NO^+$ ,  $O_2^+$ , and  $N_2^+$  Ions in the Mid-Latitude  $F_1$  Layer of the Ionosphere," W. B. Hanson, D. G. Torr, M. R. Torr, H. C. Brinton, L. H. Brace, N. W. Spencer, A. E. Hedin, J. H. Hoffman, A. O. Nier, J. C. G. Walker, and D. W. Rusch, *J. Geophys. Res.*, 84, 3360, 1979
- "Direct In-Situ Measurements of Thermospheric Temperature," E. L. Breig, D.C. Kayser, R.A. Power, W.B. Hanson, and A.O. Nier, *J. Geophys. Res.*, 84, 4321, 1979

- "Polar-Cap Electron Acceleration Regions," R. A. Heelis, J. L. Burch and S. A. Fields, *J. Geophys. Res.*, 84, 5863, 1979
- "Rapid Sub-Auroral Ion Drifts Observed by Atmosphere Explorer-C," R. A. Heelis, R. W. Spiro and W. B. Hanson, *Geophys. Res. Lett.*, 6, 657, 1979
- "Ionospheric Convection at High Latitudes," R. A. Heelis, *Proc. of Magnetospheric Boundary Layers*, ESA SP-148, 175, 1979
- "Multi-Technique Study of Natural Midlatitude Irregularities," W. B. Hanson, S. and S. Basu, S. Ganguly and J. A. Klobuchar, *Proc. Satellite Beacon Symposium*, Warsaw, Poland, pg. 283, 1980
- "Simultaneous Observations of Field Aligned Currents and Plasma Drift Velocities by Atmosphere Explorer-C," P. F. Bythrow, R. A. Heelis, W. B. Hanson, and R. A. Power, *J. Geophys. Res.*, 85, 151, 1980
- "The Spatial-Temporal Ambiguity in Auroral Modeling," R. A. Heelis, M. H. Rees, R. G. Roble, J. Kopp, et al., *J. Geophys. Res.*, 85, 1235, 1980
- "High Latitude Ion Convection in the Nighttime F-Region," R. A. Heelis, W. B. Hanson, *J. Geophys. Res.*, 85, 1995, 1980
- "The Relationships between High Latitude Convection Reversals and the Energetic Particle Morphology Observed by Atmosphere Explorer," R. A. Heelis, J. D. Winningham, W. B. Hanson and J. L. Burch, *J. Geophys. Res.*, 85, 3315, 1980
- "Interhemispheric Transport Induced by Neutral Zonal Winds in the F-Region," R. A. Heelis and W. B. Hanson (Brief Report), *J. Geophys. Res.*, 85, 3045, 1980
- "Co-ordinated Study of Equatorial Scintillation, In-Situ and Radar Observations of Nighttime F-Region Irregularities," W. B. Hanson, Santimay Basu, Sunanda Basu, J. P. McClure, and J. Aarons, *J. Geophys. Res.*, 85, 5119, 1980
- "Cusp Region Particle Precipitation and Ion Convection for Northward Interplanetary Magnetic Field," R. A. Heelis, J. L. Burch, P. H. Reiff, R. W. Spiro and S. A. Fields, *Geophys. Res., Lett.*, 7, 393, 1980
- "A Feature of the Behavior of  $He^+$  in the Nightside High Latitude Ionosphere During Equinox," R. A. Heelis, J. A. Murphy and W. B. Hanson, *J. Geophys. Res.*, 86, 59, 1981
- "Neutral Thermospheric Temperature from Ion Concentration Measurements," E. L. Breig, J.S. Donaldson, W.B. Hanson, D.C. Kayser, N.W. Spencer, J.H. Hoffman, L.E. Wharton and R.A. Power, *J. Geophys. Res.*, 86, 585, 1981
- "Auroral Arc Electrodynamical Parameters Measured by Chatanika and AE-C," R. A. Heelis, O. de la Beaujardiere, R. Vondrak, W. Hanson, and R. Hoffman, *J. Geophys. Res.*, 86, 4671, 1981
- "Spectral Characteristics of Medium-Scale Equatorial F Region Irregularities," W. B. Hanson, R. C. Livingstone, C. L. Rino and J. P. McClure, *J. Geophys. Res.*, 86, 2421, 1981
- "Observational Evidence for a Boundary Layer Source of Dayside Region I Field-Aligned Currents," P. F. Bythrow, R. A. Heelis, W. B. Hanson, and R. A. Power, *J. Geophys. Res.*, 86, 5577, 1981
- "AE-C Observations of Electric Fields Around Auroral Arcs," R. A. Heelis, W. B. Hanson and J. L. Burch, *AGU Geophysical Monograph No. 25, Physics of Auroral Arc Formation*, p. 154, 1981
- "Electric Fields and Electrostatic Potentials in the High Latitude Ionosphere," R. A. Heelis, P. M. Banks, J. P. St.-Maurice and W. B. Hanson, in *Exploration of the Polar Upper Ionosphere*, ed. Holtet and Deehr, 1981
- "The Case of the Noisy Derivatives--Evidence for a Spacecraft-Plasma Interaction," W. B. Hanson and B. L. Cragin, *J. Geophys. Res.*, 86, 10022, 1981
- "Ion Sputtering from Satellite Surfaces," W. B. Hanson, S. Sanatani and J. H. Hoffman, *J. Geophys. Res.*, 86, 11350, 1981