

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.



Technical Memorandum 79713

(NASA-TM-79713) REMOTE SENSING OF SNOW AND
ICE: A REVIEW OF THE RESEARCH IN THE UNITED
STATES 1975 - 1978 (NASA) 35 p HC A03/MF
A01

N79-23478

CSCI 08L

Unclas

G3/43 25906

Remote Sensing of Snow and Ice: A Review of Research in the United States 1975-1978

Albert Rango

FEBRUARY 1979

National Aeronautics and
Space Administration

Goddard Space Flight Center
Greenbelt, Maryland 20771



TM 79713

**REMOTE SENSING OF SNOW AND ICE:
A REVIEW OF RESEARCH IN THE UNITED STATES 1975-1978**

**Albert Rango
Laboratory for Atmospheric Sciences (GLAS)**

February 1979

**GODDARD SPACE FLIGHT CENTER
Greenbelt, Maryland 20771**

**REMOTE SENSING OF SNOW AND ICE:
A REVIEW OF RESEARCH IN THE UNITED STATES 1975-1978***

**Albert Rango
Laboratory for Atmospheric Sciences (GLAS)**

ABSTRACT

Research work in the United States from 1975-1978 in the field of remote sensing of snow and ice is reviewed. Topics covered include snowcover mapping, snowmelt runoff forecasting, demonstration projects, snow water equivalent and free water content determination, glaciers, river and lake ice, and sea ice. A bibliography of 200 references is included.

*Contribution to the Report of the U.S. National Committee to the International Union of Geodesy and Geophysics (IUGG) for the 1975-1978 IUGG Quadrennial Report.

**REMOTE SENSING OF SNOW AND ICE:
A REVIEW OF RESEARCH IN THE UNITED STATES 1975-1978**

Albert Rango¹

Remote sensing has become a valuable tool in snow and ice studies because of its unique capability for acquiring measurements of glaciological conditions over large areas (Rango, 1977). Two major objectives are to develop techniques for improved monitoring of existing conditions and to incorporate the new data into various forecasting or management systems.

Since 1974 various investigators have gained experience with and developed techniques for snowcover interpretation from visible and infrared data from satellites such as Landsat and NOAA. Numerous techniques are available for analysing the data ranging from simple photointerpretation to automated digital methods (Schneider, et al., 1976; Meier and Evans, 1975; Meier, 1975; Rango and Itten, 1976; Barnes and Smallwood, 1975; Dallam and Foster, 1975; Katibah, 1975; Luther, et al., 1975; and Algazi and Suk, 1975). In addition, the use of Skylab data for snow-mapping has been investigated (Barnes, et al., 1975; 1977) with most significant results pertaining to the use of the 1.55 μm - 1.75 μm band for discriminating clouds from snow (Bartolucci, et al., 1975; Barnes and Bowley, 1977; and Valovcin, 1976).

Radiative transfer modeling has been used to calculate the solar reflectance of snow and to estimate the effect of snow aging on reflectance (Choudhury and Chang, 1978a; and Choudhury and Chang, 1978b). O'Brien and Munis (1975a) have examined the reflectance of snow at discrete visible and near infrared wavelengths with emphasis on effects due to aging and melting.

As a result of the extensive experience with satellite snowcover data several applications have developed. NOAA has established techniques for using satellite imagery to detect, measure

¹Hydrospheric Sciences Branch, Goddard Space Flight Center, Greenbelt, Maryland 20771

and map mean monthly snowcover over the Northern Hemisphere (Wiesnet and Matson, 1975; and Matson, 1977). Regression analysis using nine years of data yielded several equations with correlation coefficients significant enough to have possible applications for 30, 60, and 90 day forecasting of seasonal, hemispheric, and continental snowcover (Wiesnet and Matson, 1976).

Rango, et al. (1977b) used meteorological satellite snow extent data to derive a regression relationship between early April snowcovered area and April-June seasonal yield on the Indus River in Pakistan. In these large data-sparse regions the satellite snowcover data period of record actually exceeds the conventional data base.

Thompson (1975) in Wyoming found that the snowcovered area on a particular date was better related to the accumulated runoff/total seasonal runoff ratio than to just the seasonal runoff in a statistically significant expression. A long-term data base was obtained by compositing aircraft and Landsat snowcover data with resulting analysis indicating that snow extent was useful in reducing seasonal runoff forecast error when incorporated into procedures to update water supply forecasts in California on a 15-day basis as the melt season progressed (Rango, et al., 1977a). Several runoff models including the Streamflow Synthesis and Reservoir Regulation (SSARR) model (Speers, et al., 1979) have options permitting the use of snowcover input data and variable elevation zones for calculating snowmelt. In addition, several hydrologic models, although not originally requiring snowcover input, have been modified to accept satellite snow extent data for the generation of daily discharge values (Leaf, 1975; and Hannaford, 1977).

Based on promising results in snow mapping, seven federal and three state agencies have conducted a program to test the usefulness of the satellite data in operational snowmelt-runoff forecasting (Rango, 1978). Both empirical and modeling approaches have been evaluated in connection with the satellite snowcover data in four regions of the western U.S., namely, Arizona

(Schumann, 1975; Warskow, et al., 1975; and Kirdar, et al., 1977), California (Brown and Hanford, 1975), Colorado (Washichek and Mikesell, 1975), and the northwest states (Limpert, 1975). Preliminary results were documented (Rango, 1975c) and a final workshop will conclude the project in April 1979.

Investigations into the use of remote sensing techniques for the measurement of more fundamental snow properties are also being carried out. The use of visible and near-infrared wavelengths for inferring snow properties such as depth (McGinnis, et al., 1975a), water equivalent (Sharp and Thomas, 1975; Merry, et al., 1977), and density (McMillan and Smith, 1975) has been tested with limited success and development of gamma ray techniques for measurement of snow water equivalent has continued (Bissell, 1975a; Fritzsche and Feimster, 1975).

Microwave monitoring of snowpack properties has received considerable attention because this portion of the electromagnetic spectrum has the capability for penetrating snow allowing for inference of internal characteristics. Satellite snowcovered area measurements have been made using Nimbus 5 (Kunzi and Staelin, 1975; Kunzi, et al., 1976) and Nimbus 6 (Rango, et al., 1979) radiometers. Several other passive microwave studies have covered the modeling of microwave emission from snow (Chang and Gloersen, 1975; Chang, et al., 1976; Zwally, 1977), comparison of model calculations and satellite observed brightness temperatures from polar firm (Chang and Choudhury, 1978; and Chang, et al., 1978), development of a method to determine snowfield temperature profile and mean crystal size by using multifrequency microwave radiometer measurements (Chang, 1978) and correlation of microwave emission to water equivalent, depth, and free water content (Hall, et al., 1978; and Shiue, et al., 1978). For dry snow conditions on the high plains significant relationships between snow depth or water equivalent and microwave brightness temperature were developed (Rango, et al., 1979). Associated active

microwave and snow studies have included modeling of the electromagnetic reflection from snow (Linlor and Jiracek, 1975; and Linlor, 1976) and analysis of experimental ground-based measurement programs (Angelakos, 1977; Ellerbruch, et al., 1977; Linlor, et al., 1977; Angelakos, 1978; Ulaby, 1976; Ulaby and Stiles, 1977; and Ulaby, et al., 1978).

Landsat images have proved to be very useful for collecting certain basic data from glaciers, for example, long term surface velocities are readily determined by comparison of displacement on images taken at different times (Krimmel and Meier, 1975). Surging glaciers are easily identified and their associated short term high flow rates have been measured in various locations (Krimmel, et al., 1976; Post, et al., 1976; and Meier, 1976). Large glaciers and icecaps have also been monitored (Williams, 1976). The location of the snowline on a glacier can easily be mapped with Landsat, and when observed at the end of the melt season can be related to the annual net mass balance (Braslau and Bussom, 1979). Under direction of the U.S. Geological Survey Landsat is being used currently to compile a worldwide glacier atlas.

Formation and dissipation of river ice on the Ottawa River was monitored daily using visible imagery from NOAA satellites. The break up of 14 ice-covered reaches was observed during the melt period in April 1976 (McGinnis and Schneider, 1978). Radar monitoring of river ice provides an all weather capability during cloudy periods and was tested on the St. Lawrence River. A contour map showing the accumulation pattern of frazil and brash ice was obtained (Dean, 1977).

Visible and near infrared observations over the Great Lakes have been used with reasonable success for mapping ice cover and type (Sydor, 1976; and McMillan and Forsyth, 1976). However, for operational purposes cloud cover is a significant problem, and, as a result, side-looking airborne radar (SLAR) has been used successfully for ice monitoring purposes (Schertler, et al.,

1975). Additional studies were conducted to determine radar capability for determining ice type and condition (Bryan and Larson, 1975) and properties of frozen northern lakes (Weeks, et al., 1977). Radar studies on Alaskan lakes indicate that discrimination between lakes frozen completely to the bottom versus lakes with fresh water beneath the ice is possible, thus providing additional information on lake depth (Sellman, et al., 1975; and Elachi, et al., 1976). The measurement of lake ice thickness was accomplished using a short-pulse radar system which can be ground-based or airborne (Cooper, et al., 1976). Monitoring of lake ice using passive microwaves has also been investigated (Bryan and Hall, 1976), and it appears that ice thickness variations can be distinguished (Hall and Bryan, 1977; and Hall, et al., 1978).

The use of remote sensing in sea ice studies is directed toward answering fundamental questions regarding amount of ice covered ocean, ice movement, and ice formation and ablation. Data generated by remote sensing is used in determining the influence of sea ice on atmospheric and oceanic processes. It seems fortunate that the current increase in scientific interest about sea ice coincides with a time of rapid evolution of both remote sensing platforms and sensors. Campbell, et al. (1975) present an overview of mesoscale and macroscale studies of floating ice in three sensor categories: visual, passive microwave, and active microwave.

Using visible satellite imagery the primary advances have been in tracking ice floe movement using sequential imagery (Campbell, 1976a; Hibler, et al., 1975; Shapiro and Burns, 1975; and Campbell, 1977), ice lead and polynya dynamics (Campbell, 1976b), seasonal sea ice metamorphosis (Campbell, 1976c), and dynamics of ice shear zones (Campbell, 1976d). A statistical method for discriminating sea ice from clouds with 90% or greater accuracy has been developed (Gerson and Rosenfeld, 1975). Visible imagery has been used to compile statistics on ice conditions for applications such as off-shore oil and gas exploration (Barnes, et al., 1978). In addition

visible and thermal imagery have been used for estimations of sea ice thickness, although the presence of snowcover may cause a limitation to relative amounts only (Poulin, 1975; Hall, 1975; Kuhn, et al., 1975; LeSchack, 1975; and Rothrock, 1975).

The advantage of microwave observations of sea ice rests in the capabilities to penetrate clouds and to make observations during the polar night. In the Beaufort Sea five ice zones were discriminated using aircraft multispectral passive microwave observations (Campbell, et al., 1976). Brightness temperature levels and relative fluctuations are used to distinguish between shorefast sea ice, shear zone, mixed first-year and multi-year sea ice, mixed first-year ice and medium to large multi-year floes, and the polar ice zone. The radiometric signatures are most pronounced at 0.8 and 1.5 cm wavelength (Campbell, et al., 1976). The time variation of sea ice concentration and multi-year ice fraction within pack ice in the Arctic Basin was examined using the 1.55 cm radiometer on the Nimbus-5 spacecraft (Gloersen, et al., 1978) with significant variations between seasons being observed. Previously unobserved areas, several hundred kilometers in extent, of sea ice concentrations as low as 50% were discovered deep in the interior of the Arctic polar sea ice pack. Sea ice observations by Nimbus 5 in the polar regions are reviewed by Zwally and Gloersen (1977).

Active microwave studies of sea ice have shown the capability of synthetic aperture radar for displaying the orientation of leads in the ice and the percentage of open water in the entire sea ice scene (Bryan, et al., 1977). Experiments with radar scatterometers indicate that various types of sea ice categories can be distinguished with about a 87% correct identification accuracy at the 13.3 GHz frequency (Parashar, et al., 1977). The profiling of sea ice thickness has also been attempted using an impulse radar (Morey, 1975). A large variety of active and passive microwave measurements of sea ice were made as part of the Main Arctic Ice Dynamics Joint Experiment 1975-1976 (Campbell, et al., 1978).

BIBLIOGRAPHY

- Abrams, G., and A. T. Edgerton, Snow parameters from Nimbus-6 electrically scanned microwave radiometer, Aerojet ElectroSystems Co., Final Report, Azusa, Calif., 195, 1977.
- Adams, W. P., Areal differentiation of snow cover in east central Ontario, Water Resources Research, 12(6), 1226-1234, 1976.
- Ahlnas, K., and G. Wendler, Arctic sea-ice conditions in early spring viewed by satellite, Arctic and Alpine Research 9(1), 61072, 1977.
- Alexander, L., L. Eichen, F. D. Haselden, R. F. Pascucci, and D. M. Ross-Brown, Applications of remote-sensing technology, Spaceworld M-5-149, 15-39, 1976.
- Algazi, Ralph V. and Minsoo Suk, An all digital approach to snow areal mapping and snow modeling, in Operational Applications of Satellite Snowcover Observations, NASA, Wash., D.C., SP-391/18, 249-257, 1975.
- Allison, L. J., R. Wexler, C. R. Laughlin, W. R. Bandeen, Remote sensing of the atmosphere from environmental satellites, NASA, Goddard Space Flight Center, Greenbelt, Md., 124, 1977.
- Amstutz, David Elam, Stereophotogrammetric reconnaissance of ocean wave/sea ice interaction, Ph. D., Oregon State University, in Dissertation Abstracts International, 38(01B), 120, 1977.
- Andrews, J. T., P. T. Davis and C. Wright, Little ice age permanent snow cover in the eastern Canadian Arctic: extent mapped from LANDSAT-1 satellite imagery, Inst. of Arctic and Alpine Res., Univ. of CO., Geografiska Annaler, Ser. A, Physical Geography, Stockholm, 58(1/2), 71-81, 1976.

- Angelakos, D. J., Microwave scattering properties of snow fields, presented at the NASA Microwave Remote Sensing Symposium, Houston, Tex., 1977.
- Angelakos, D. J. Research of microwave scattering properties of snow fields, University of California, Berkeley, College of Engineering, Final Technical Report, NS6-5093, 1978.
- Apel, John R., SEASAT: a spacecraft views the marine environment with microwave sensors, in T. Nejat Veziroglu (ed.), Remote Sensing Energy-Related Studies, Wash., D.C. Hemisphere Publ. Corp., 47-60, 1975.
- Apinis, J. J., and W. H. Peake, Passive microwave mapping of ice thickness, Final Report, Ph. D. thesis, Ohio State University, Columbus, 156, 1976.
- Aul, J. S., and P. F. Ffolliott, Use of areal snow cover measurements from ERTS-1 imagery in snowmelt-runoff relationships in Arizona, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/8, Wash., D.C., 1975.
- Barnes, James C., and Michael D. Smallwood, Synopsis of current satellite snow mapping techniques, with emphasis on the application of near-infrared data, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/15, Wash., D.C., 199-123, 1975.
- Barnes, James C., M. D. Smallwood, and J. L. Cogan, Study to develop improved spacecraft snow survey methods using Skylab/EREP data, ERT Document No. 412-F, Final Report to NASA, Contract No. NAS 9-13305, 92 pp., 1975.
- Barnes, James C., and Clinton J. Bowley, Study of near-infrared snow reflectance using Skylab S192 multispectral scanner data, Environmental Res. and Technology, Inc., Concord, Mass., National Environmental Satellite Service, Wash. D.C., 54, 1977.

Barnes, J. C., C. J. Bowley, J. T. Parr, and M. D. Smallwood, Snow mapping experiment, in Skylab Explores the Earth, NASA SP-380, National Aeronautics and Space Administration, Washington, D.C., pp. 191-224, 1977.

Barnes, J. C., C. J. Bowley, M. D. Smallwood, and J. H. Willard, Use of satellite data to evaluate surface ice conditions for off-shore oil and gas exploration, International Conference on Port and Ocean Engineering under Arctic Conditions, 4th, Proceedings, St. Johns, Newfoundland, pp. 1019-1034, 1978.

Barnes, P. W. and E. Reimnitz, Flooding of sea ice by the rivers of northern Alaska, U.S. Geological Survey, Prof. Paper 929, 356-359, 1976.

Bartolucci, L. A., R. M. Hoffer, and S. G. Luther, Snowcover mapping by machine processing of SKYLAB and LANDSAT MSS data, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/21, Wash., D.C., 295-311, 1975.

Bentley, Charles R., Advances in geophysical exploration of ice sheets and glaciers, Symposium on Remote Sensing in Glaciology, Cambridge, September 1974, J. of Glaciology, 15(73), 113-135, 1975.

Biggs, A. W., Volume scattering from ice and water in inhomogeneous terrain, in A.N. Ince (ed.), Electromagnetic Wave Propagation Involving Irregular Surfaces and Inhomogeneous Media, Papers and Discussions presented at the Electromagnetic Wave Propagation Panel Symposium held in The Hague, Netherlands, 25-29 March 1974, AGARD Conference Proceedings 144, 16-1 - 16-13, 1975.

- Biggs, A. W., Remote sensing of surface properties, in A.N. Ince (ed.), *Electromagnetic Wave Propagation Involving Irregular Surfaces and Inhomogeneous Media, Papers and Discussions Presented at the Electromagnetic Wave Propagation Panel Symposium held in The Hague, Netherlands, 25-29 March 1974*, AGARD Conference Proceedings 144, 13-1 – 13-12, 1975.
- Bissell, Vernon C., Application of bayesian decision theory to airborne gamma snow measurement, in *Operational Applications of Satellite Snowcover Observations*, NASA SP-391/28, Wash., D.C., 409-420, 1975a.
- Bissell, Vernon Clarence, Accuracy evaluation of airborne snow water equivalent measurements using terrestrial gamma radiation spectral peaks, Ph. D. dissertation, University of Maryland, in Dissertation Abstracts International, 37(03B), 1357, 1975b.
- Blue, M. D., Permittivity of water at millimeter wavelengths, NASA Contract Report 148719, NTIS CA08606036816K, Wash., D.C., 1976.
- Braslaw, D., and D. E. Busson, Landsat sensing of glaciers with application to mass-balance and runoff, in Proc. Modeling Snow Cover Runoff, USA Cold Regions Res. and Eng. Lab., Hanover, N. H., 6pp., 1979.
- Breaker, Lawrence C. and Michael C. McMillan, Sierra Nevada snow melt from SMS-2, in *Operational Applications of Satellite Snowcover Observations*, NASA SP-391/14, 187-197, Wash., D.C., 1975.
- Brown, A. J., and J. F. Hannaford, Interpretation of snowcover from satellite imagery for use in water supply forecasts in the Sierra Nevada, in *Operational Applications of Satellite Snowcover Observations*, NASA SP-391/4, Wash., D.C., 39-51, 1975.

- Brown, C. E., and E. A. Halprin, Millimeter-wave backscatter from wet and snow covered terrain, Proceedings of the IEEE 1977 National Aerospace and Electronics Conference, NAECON 1977.
- Bryan, M. Leonard, and R. W. Larson, Study of fresh-water lake ice using multiplexed imaging radar, J. of Glaciology 14(71), 445-457, 1975.
- Bryan, M. L., and D. K. Hall, A comparative study of active and passive microwave imagery over the north slope of Alaska, Proceedings of the Association of American Geographers, Vol. 8, pp. 164-168, 1976.
- Bryan, M. L., W. D. Stromberg, and T. G. Farr, Computer processing of SAR L-Band imagery, Photogramm. Eng. and Remote Sensing 43(10), 1283-1294, 1977.
- Burson, Z. G., and A. E. Fritzsche, Water equivalent of snow data from airborne gamma radiation surveys: international field year for the Great Lakes, Gov. Rep. Announce., NTIS EGG-118360P, Springfield, Va., 1975.
- Campbell, W. J., Skylab floating ice experiment: final report NASA, Lyndon B. Johnson Space Center, Houston, Tx., 1975.
- Campbell, W. J., W. F. Weeks, R. O. Ramseier, and P. Gloersen, Geophysical studies of floating ice by remote sensing, J. of Glaciology 15(73), 305-328, 1975.
- Campbell, W. J., P. Gloersen, W. J. Webster, T. T. Wilheit and R. O. Ramseier, Beaufort Sea ice zones as delineated by microwave imagery, J. of Geophys. Res., 81(6), 1103-1110, 1976.
- Campbell, W. J., Tracking ice floes by sequential ERTS imagery, U.S. Geological Survey, Prof. Pap. 929, 337-339, 1976a.

- Campbell, W. J., Ice lead and polynya dynamics, U.S. Geological Survey, Prof. Pap. 929, 340-342, 1976b.
- Campbell, W. J., Seasonal metamorphosis of sea ice, U.S. Geological Survey, Prof. Pap. 929, 343-345, 1976c.
- Campbell, W. J., Dynamics of Arctic ice-shear zones, U.S. Geological Survey, Prof. Pap. 929, 346-349, 1976d.
- Campbell, W. J., Morphology of Beaufort Sea ice, U.S. Geological Survey, Prof. Pap. 929, 350-355, 1976e.
- Campbell, W. J., Visual observations of floating ice from Skylab, NASA-SP-380, 353-379, Wash., D.C., 1977.
- Campbell, W. J., J. Wayenberg, J. B. Ramseyer, R. O. Ramseier, M. R. Vant, R. Weaver, A. Redmond, L. Arsenault, P. Gloersen, H. J. Zwally, T. T. Wilheit, T. C. Chang, D. Hall, L. Gray, D. C. Meeks, M. L. Bryan, F. T. Barath, C. Elachi, F. Leberl, and T. Farr, Microwave remote sensing of sea ice in the AIDJEX main experiment, Boundary-Layer Meteorol (Netherlands), 13(1-4), 309-337, 1978.
- Chang, A. T. C., Estimation of snow temperature and mean crystal radius from remote multi-spectral passive microwave measurements, NASA, Greenbelt, Md., NTIS N78-26677/2ST, 1978.
- Chang, A. T. C., and B. J. Choudhury, Microwave emission from polar firm, NASA Tech. Pap. 1212, Wash., D.C., 1978.

- Chang, A. T. C., B. J. Choudhury, and P. Gloersen, Microwave brightness of polar firm as measured by Nimbus 5 and 6 ESMR, NASA Technical Memorandum 79662, Goddard Space Flight Center, Greenbelt, Md., 15pp., 1978.
- Chang, T. C., Microwave emission from snow and glacier ice, Goddard Space Flight Center, Greenbelt, Md., 910-75-36, 1975.
- Chang, T. C., and P. Gloersen, Microwave emission from dry and wet snow, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/27, 399-407, 1975.
- Chang, T. C., P. Gloersen, T. Schmugge, T. T. Wilheit and H. J. Zwally, Microwave emission from snow and glacier ice, J. of Glaciology 16(74), 23-29, 1976.
- Choudhury, B. J. and A. T. C. Chang, The solar reflectance of a snow field, NASA Tech. Memo. 78085, Goddard Space Flight Center, Greenbelt, Md., 1978a.
- Choudhury, B. J. and A. T. C. Chang, Two-stream theory of spectral reflectance of snow, NASA Technical Memorandum 79639, Goddard Space Flight Center, Greenbelt, Md., 16pp., 1978b.
- Cooper, D. W., R. A. Mueller, and R. J. Schertler, Measurement of lake ice thickness with a short-pulse radar system, NASA Technical Note TN D-8189, Lewis Research Center, Cleveland, 23 pp., 1976.
- Dallam, William C. and James Foster, Digital snow mapping technique using LANDSAT data and General Electric image 100 system, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/19, 259-260, Wash., D.C., 1975.
- Dean, Arnold M., Jr., Remote sensing of accumulated frazil and brash ice in the St. Lawrence River, CRREL Report 77-8, Hanover, NH, 1977.

- Denhartog, Stephen L., Aerial photointerpretation of a small ice jam: special report, CRREL, 21, 1977.
- Dunbar, Moira, and W. F. Weeks, Interpretation of young ice forms in the Gulf of St. Lawrence using side-looking airborne radar and infrared imagery, CRREL, Office of Naval Research, Arlington, Va., 49, 1975.
- Dunne, J. A., The SEASAT-A project, an overview, Marine Technol. Soc., IEEE Oceans 10A/1-5, Wash., D.C., 1976.
- Dunne, J. A., The experimental oceanographic satellite SEASAT-A, Inter-Union Comm. on Radio Meteorology, Boundary-Layer Meteorology (Netherlands) 13(1-4), 393-404, 1978.
- Elachi, C., M. L. Bryan and W. F. Weeks, Imaging radar observations of frozen Arctic lakes, Remote Sensing of Environment 5(3), 169-175, 1976.
- Ellerbruch, D. A., W. E. Little, H. S. Boyne, and D. D. Bachman, Microwave characteristics of snow, Proceedings of the 45th Annual Western Snow Conference, Albuquerque, N.M., pp. 68-74, 1977.
- Fritzsche, A. E., Snow water equivalent survey of the Souris River basin, Date of survey: March 1976, E. G. & G., Inc., Las Vegas, NV., EGG-1183-1702, 1977.
- Fritzsche, A. E., and Z. G. Burson, Airborne gamma radiation surveys for snow water-equivalent research progress report, Gov. Rep. Announce., NTIS EGG-118354P, Springfield, Va., 1975.
- Fritzsche, Allen E., and Eugene L. Feimster, Snow water equivalent surveys of the Souris River basin, EG&G, Inc., Las Vegas, NV., EGG-1183-1668, 1975.

- Gerson, Donald, Computer estimation of the presence of sea ice in satellite pictures: technical report, Maryland Univ., College Park, Md., Computer Science Center, Air Force Office of Scientific Research, Arlington, Va., 95, 1975.
- Gerson, D. J. and A. Rosenfeld, Automatic sea ice detection in satellite pictures, Remote Sensing of Environment 4(3), 187-198, 1975.
- Gloersen, P., Beaufort Sea ice zones by means of microwave imagery, Goddard Space Flight Center, Greenbelt, Md., X-910-75-80, 1975.
- Gloersen, P., and V. V. Salomonson, Satellites, new global observing techniques for ice and snow, J. of Glaciology 15(73), 373-387, 1975.
- Gloersen, P., H. J. Zwally, A. T. C. Chang, D. K. Hall, W. J. Campbell, and R. O. Ramseier, Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin, Boundary-Layer Meteorology, Vol. 13, pp. 339-359, 1978.
- Goldfinger, A. D., Digital simulation of a synthetic aperture radar, Johns Hopkins Univ., Silver Spring, Md., NTIS AD-A011 831, 1975.
- Hagman, Brenda Blanton, An analysis of Great Lakes ice cover from satellite imagery, NOAA, Ann Arbor, Mich., NOAA-TM-ERL-GLERL-9, NOAA-76101302, 1976.
- Hagman, Brenda Blanton, On the use of microwave radiation for Great Lakes ice surveillance, NOAA, Ann Arbor, Mich., NOAA-TM-ERL-GERL-13, NOAA-77072206, 1976.
- Hall, D. K., and M. L. Bryan, Multispectral remote observations of hydrologic features on the north slope of Alaska, Proceedings of the American Society of Photogrammetry, Little Rock, Arkansas, pp. 393-424, 1977.

- Hall, D. K., A. Chang, J. L. Foster, A. Rango, and T. Schmugge, Passive microwave studies of snowpack properties, Proceedings of the 46th Annual Western Snow Conference, Otter Rock, Oregon, 33-39, 1978.
- Hall, D. K., J. L. Foster, A. Rango, and A. T. C. Chang, Passive microwave studies of frozen lakes, Proceedings of the American Society of Photogrammetry, Fall Technical Meeting, Albuquerque, N.M., pp. 195-208, 1978.
- Hall, R. T., Spatial variability of ice thickness distribution as determined from LANDSAT-A, Proceedings of the Tenth International Symposium on Remote Sensing of Environment, Ann Arbor, Mich., 1, 611-19, 1975.
- Hannaford, J. F., Investigation application of satellite imagery to hydrologic modeling snowmelt runoff in the southern Sierra Nevada, Phase 1 Final Report, NAS 5-22957, Goddard Space Flight Center, Greenbelt, Maryland, 48 pp., 1977.
- Helms, Ward J. and Robert H. Willard, Polar communications via geostationary satellites, AIDJEX Bulletin 28, 173-187, 1975.
- Hibler, W. D., III, W. B. Tucker, III and W. F. Weeks, Techniques for studying sea ice drift and deformation at sites far from land using LANDSAT imagery, Proceedings of the Tenth International Symposium on Remote Sensing of Environment, Ann Arbor, Mich., 1, 595-609, 1975.
- Hibler, W. D., III, Techniques for using LANDSAT imagery without land references to study sea ice drift and deformation, AIDJEX Bulletin 31, 115-135, 1976.
- Hubertz, J. M., and Paul E. LaViolette, Surface currents off the east coast of Greenland as deduced from satellite photographs of ice floes, Geophys. Res. Letters 2(9), 400-402, 1975.
- Hundemann, Audrey S., Remote sensing applied to hydrology (a bibliography with abstracts), NTIS/PS-77/0677, 1977.

- Jayaweera, K. O. L. F., Techniques for interpreting IR satellite imagery for sea ice research, Univ. of Alaska, Fairbanks, research sponsored by NOAA Natl. Environ. Satellite Serv. Grant 5-35190, and Alaska Sea Grant Program 04-5-158-35, 1977.
- Jayaweera, K. O. L. F., Use of enhanced infrared satellite imagery for sea ice and oceanographic studies, Ocean Eng. 3(5), 293-8, 1976.
- Jean, B. R., G. J. Reisor, M. T. Shay, J. A. Permenter, Radar studies of Arctic ice and development of a real-time Arctic ice type identification system, Texas A&M Univ., College Station, Report No. RSC-3005-5, 1975.
- Jean, B. R., Radar studies of Arctic ice and development of a real-time Arctic ice type identification system: final report, Texas A&M Univ., College Station, Tex., Remote Sensing Center, 32, 1976.
- Katibah, Edwin F., Operational use of LANDSAT imagery for the estimation of snow areal extent, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/10, Wash., D.C., 129-142, 1975.
- Kick, W., Application of geodesy, photogrammetry, history and geography to the study of long-term mass balances of central Asiatic glaciers, in Proceedings. . Moscow. . IAHS-AISH 104, 150-160, 1975.
- Kirdar, E., H. H. Schumann, and W. L. Warskow, The application of aerial and satellite snow-mapping techniques for multi-purpose reservoir system operations in Arizona, Proceedings of the 45th Annual Western Snow Conference, Albuquerque, N.M., pp. 95-101, 1977.

- Knepper, Daniel H. Jr., David H. Sauchyn, Rebecca M. Summer, Nicholas R. Trench, The application of LANDSAT data to delimitation of avalanche hazards in Montane, Colorado, Colorado Univ., Boulder, Colo., Inst. of Arctic and Alpine Research, National Aeronautics and Space Administration, Greenbelt, Md., Goddard Space Flight Center, 105, 1977.
- Kovacs, A., H. L. McKim, C. J. Merry, Islands of grounded ice, Arctic 28(3), 213-216, 1975.
- Krimmel, R. M., and M. F. Meier, Glacier applications of ERTS images, J. of Glaciology 15(73), 391-401, 1975.
- Krimmel, R. M. and M. F. Meier, Measuring snowcovered area to predict reservoir inflow, U.S. Geological Survey, Prof. Pap. 929, 173-175, 1976.
- Krimmel, R. M., A. S. Post, and M. F. Meier, Surging and nonsurging glaciers in the Pamir mountains, USSR, U.S. Geological Survey, Prof. Pap. 929, 178-179, 1976.
- Kuhn, P. M., L. P. Stearns, and R. O. Ramseier, Airborne infrared imagery of Arctic Sea ice thickness, National Oceanic and Atmospheric Administration, Boulder, CO., Tech. Rep. NOAA TR ERL 331-APCL 34, 1975.
- Kunzi, K. F. and D. H. Staelin, Measurements of snow cover over land with the Nimbus-5 microwave spectrometer, Proceedings of the Tenth International Symposium on Remote Sensing of Environment, Ann Arbor, Center for Remote Sensing Information and Analysis, Environmental Research Institute of Michigan 2, 1245-1253, 1975.
- Kunzi, K. F., A. D. Fisher and D. H. Staelin, J. W. Waters, Snow and ice surfaces measured by the Nimbus 5 microwave spectrometer, J. of Geophysical Research, 81(27), 4965-4980, 1976.

- Larson, L. W., An application of the aerial gamma monitoring techniques for measuring snow cover water equivalents on the Great Plains, Symposium on Snow Management on the Great Plains, Bismark, ND, 1975.
- LaViolette, P. E. and J. M. Hubertz, Surface circulation patterns off the east coast of Greenland as deduced from satellite photographs of ice floes, Geophys. Res. Letters, 2(9), 400-402, 1975.
- Leaf, C. F., Applications of satellite snow cover in computerized short-term streamflow forecasting, in Operational Applications of Satellite Snowcover Observations, NASA SP-391, Washington, D.C., pp. 175-186, 1975.
- LeSchack, Leonard A., Potential use of satellite IR for ice thickness mapping, Development and Resources Transportation Co., Silver Spring, Md., for National Environment Satellite Service, NOAA, Dept. of Commerce, Wash., D.C. Contract 3-35384, 1975.
- Limpert, Fred A., Operational application of satellite snow cover observations, northwest United States, NASA, Wash., D.C., SP-391, 71-85, 1975.
- Lindenlaub, John and James Russel, An introduction to quantative remote sensing, The Laboratory for Applications of Remote Sensing, Purdue Univ., West Lafayette, Ind., Infor. Note 110474, 1975.
- Linlor, William I., and George R. Jiracek, Electromagnetic reflection from multilayered snow models, J. of Glaciology, 14(71), 501-515, 1975.
- Linlor, W. I., Multilayered models for electromagnetic reflection amplitudes, NASA Technical Report TR R-438, Ames Research Center, Moffett Field, CA, 51 pp., 1976.
- Linlor, W. I., D. J. Angelakos, F. D. Clapp, J. L. Smith, Coherent microwave backscatter of natural snowpacks, University of California, Berkeley, Memorandum No. UCB/ERL M77/75, 1977.

- Luther, S. G., L. A. Bartolucci, and R. M. Hoffer, Snow cover monitoring by machine processing of multitemporal LANDSAT MSS data, NASA, Wash., D.C. SP-391, 279-294, 1975.
- MacDonald, William R., Glaciology in Antarctica, U.S. Geological Survey, Wash., D.C., Prof. Pap. 929, 194-195, 1976.
- Matson, Michael, Winter snow-cover maps of North America and Eurasia from satellite records, 1966-1976: technical memo, National Environmental Satellite Service, Wash., D.C., 36, 1977.
- Mayer, Walter G., Scale model ultrasonic study of Arctic ice: final technical report, Georgetown Univ., Wash., D.C., GUUS-01751, 1975.
- Mayer, Walter G., Peter H. Huang, Leslie E. Pitts, and Thomas J. Plona, Sonic reflection from an ice plate in sea water: technical report no. 7, 1 Nov 76-30 Apr 77, Georgetown Univ., Wash., D.C. GUUS-05777, 1977.
- McGinnis, D. F., Jr., Progress report on estimating snow depth using VHRR data from NOAA environmental satellites, NASA, Wash., D.C., SP-391, 313-324, 1975.
- McGinnis, David F., Jr., John A. Pritchard, and Donald R. Wiesnet, Determination of snow depth and snow extent from NOAA 2 satellite very high resolution radiometer data, Water Resources Research 11(6), 897-902, 1975a.
- McGinnis, David F., Jr., John A. Pritchard, Donald R. Wiesnet, Snow depth and snow extent using VHRR data from the NOAA-2 satellite, NOAA, Wash., D.C., Tech. Memo. NESS 63, 1975b.

- McGinnis, D. F., and S. R. Schneider, Monitoring river ice break-up from space, Photogrammetric Engineering and Remote Sensing, Vol. 44, No. 1, pp. 57-68, 1978a.
- McGinnis, D. F. and S. R. Schneider, Satellite detection of an extremely light snowfall in Arizona, Monthly Weather Review, Vol. 106, No. 9, 1380-1383, 1978b.
- McMillan, Michael, and James L. Smith, Remote sensing of snowpack density using short-wave radiation, NASA, Wash., D.C. SP-391, 361-373, 1975.
- McMillan, Michael C., and David Forsyth, Satellite images of Lake Erie ice: January - March 1975, NOAA Tech. Memo. NESS-80, NOAA-76080324, 1976.
- Merry, C. J., H. L. McKim, S. Cooper, S. G. Ungar, Preliminary analysis of water equivalent/snow characteristics using Landsat digital processing techniques, Proceedings of the 1977 Eastern Snow Conference, Belleville, Ontario, Canada, 1977.
- Merry, Carolyn J., and Harlan L. McKim, Computer processing of LANDSAT digital data and sensor interface development for use in New England reservoir management, special report, CRREL, 68, 1978.
- Meier, Mark F. and W. E. Evans, Comparison of different methods for estimating snowcover in forested, mountainous basins using LANDSAT (ERTS) images, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/17, 215-234, 1975.
- Meier, Mark F., Application of remote-sensing techniques to the study of seasonal snow cover, J. of Glaciology 15(73), 251-265, 1975.
- Meier, M. F., Monitoring the motion of surging glaciers in the Mount McKinley Massif, Alaska, U.S. Geological Survey, Prof. Paper 929, 180-184, 1976.

- Meisner, Douglas, Satellite remote sensing of snow cover in Adirondack Mountains, State Univ. of New York, College of Environmental Science and Forestry, Syracuse, Grant No. 04-5-158-43, final report to NOAA, 1977.
- Meisner, D. E., T. M. Lillesand, and A. R. Eschner, Satellite remote sensing of snowcover in the Adirondack mountains, Proceedings of the American Society of Photogrammetry, Washington, D.C., pp. 159-180, 1977.
- Mitchell, P. A., Aerial ice reconnaissance and satellite ice information microfilm file, Naval Oceanographic Office Ref. Pub., 17(76), 30, 1976.
- Mitchell, Peter A., Aerial ice reconnaissance and satellite ice information, Naval Oceanographic Office RP-17(76)-Suppl-1, 1977.
- Moore, R. K., J. P. Claassen, R. L. Erickson, R. K. Fong, M. J. Komen, Radar systems for a Polar mission, Vol. 1; Final Report, Kansas Univ., Lawrence, NASA-CR-156640, RSL-TR-291-2-V-1, 1977.
- Moore, R. K., J. P. Claassen, R. L. Erickson, R. K. T. Fong, and B. C. Hanson, Radar systems for a Polar mission, Volume 3, Appendices A-D, S, T; Final Report, Kansas Univ., Lawrence, NASA-CR-156641, RSL-TR-291-2-V-3, 1976.
- Morey, Rexford M., Airborne sea ice thickness profiling using an impulse radar, Geophysical Survey Systems, Inc., Burlington, Mass., USCG-D-178-75, CGR/DC-28/75, 1975.
- Morrison, R. B., Enhancement of topographic features by snow cover, U.S. Geological Survey, Prof. Pap. 929, 72-75, 1976.

- Muller, F., H. Blatter and G. Kappenberger, Temperature measurement of ice and water surfaces in the north water area using an airborne radiation thermometer, J. of Glaciology 15(73), 241-250, 1975.
- Nye, J. F., A test of the ice thickness redistribution equations by measurements on ERTS pictures, AIDJEX Bull. No. 28, 141-149, 1975.
- O'Brien, Harold W. and Richard H. Munis, Red and near-infrared spectral reflectance of snow, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/24, Wash., D.C., 345-360, 1975a.
- O'Brien, Harold W., and Richard H. Munis, Red and near-infrared spectral reflectance of snow; research report, CRREL, Hanover, NH, National Oceanic and Atmospheric Administration, Wash., D.C., 24, 1975b.
- O'Brien, Harold W., Observations of the ultraviolet spectral reflectance of snow, CRREL, Hanover, N.H., 24, 1977.
- Onstott, R. G., G. J. Dome, R. A. Hand, James Hague, and H. Pape, Backscatter properties of sea ice with radar, Arctic operations description and preliminary data summary, Kansas Univ., Center for Research Inc., Lawrence Remote Sensing Lab., RSL-TM-331-1, 1977.
- Ostheider, M., Evaluation of NOAA-2 VHRR imagery for Arctic sea ice studies, in Proceedings of the Tenth International Symposium on Remote Sensing of Environment, Environmental Research Institute of Michigan, 1, Ann Arbor, 621-631, 1975.
- Outcalt, Sam I., Analysis of the near-surface energy transfer environment from thermal infrared imagery, J. of Glaciology, 15(73), 267-275, 1975.

- Parashar, S. K., State of the art – radar measurement of sea ice, Kansas Univ., Center for Research Inc., Lawrence, Remote Sensing Lab, RSL Tech. Note, 291-1, 1975a.
- Parashar, S. K., Investigation of radar discrimination of sea ice, in Dissertation Abstracts International, B. 36(2), 854-B, 1975b.
- Parashar, S. K., R. M. Haralick, R. K. Moore and A. W. Biggs, Radar scatterometer discrimination of sea-ice types, Transactions on Geoscience Electronics, GE-15(2), 83-87, 1977.
- Post, A. S., Environmental geology of the central Gulf of Alaska coast, U.S. Geological Survey Prof. Pap. 929, 117-119, 1976.
- Post, A., M. F. Meier, and L. R. Mayes, Measuring the motion of the Lowell and Tweedsmuir surging glaciers of British Columbia, Canada, U.S. Geological Survey, Prof. Paper 929, 180-184, 1976.
- Poulin, Ambrose O., Significance of surface temperature in the thermal infrared sensing of sea and lake ice, J. of Glaciology 15(73), 277-283, 1975.
- Poulin, Ambrose O., The potential of thermal infrared imagery for supplemental map information in snow-covered areas, Army Engineer Topographic Labs, Fort Belvoir, Va., Tech. Rep., 43, 1976.
- Rango, Albert, Applications of remote sensing to watershed management, Proceedings of the ASCE Irrigation and Drainage Division Symp. on Watershed Management, Logan Utah, 700-714, 1975a.

- Rango, A., Operational applications of satellite snowcover observations project, Proceedings of the Tenth International Symposium on Remote Sensing of Environment, Ann Arbor, Center for Remote Sensing Information and Analysis, Environmental Research Institute of Michigan, 2, 1367-1376, 1975b.
- Rango, Albert, Operational applications of satellite snowcover observations, Proceedings of a workshop, South Lake Tahoe, California, NASA SP-391, 430, 1975c.
- Rango, Albert, An overview of the applications systems verification test on snowcover mapping, in Operational Applications of Satellite Snowcover Observations, NASA, Wash., D.C., SP-391/1, 1-12, 1975d.
- Rango, A., V. V. Salomonson, and J. L. Foster, Employment of satellite snowcover observations for improving seasonal runoff estimates, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/12, 157-174, 1975.
- Rango, A., and K. I. Itten, Satellite potentials in snowcover monitoring and runoff predictions, Nordic Hydrology, 7(4), 209-220, 1976.
- Rango, Albert, Remote sensing: snow monitoring tool for today and tomorrow, Proceedings of the 45th Annual Western Snow Conference, Albuquerque, NM, 75-81, 1977.
- Rango, A., J. F. Hannaford, R. L. Hall, M. Rosenzweig, and A. J. Brown, The use of snowcovered area in runoff forecasts, NASA, Goddard Space Flight Center, Greenbelt, Md., Document X-913-77-48, 1977a.
- Rango, A., V. V. Salomonson, and J. L. Foster, Seasonal streamflow estimation in the Himalayan region employing meteorological satellite snow cover observations, Water Resources Res., 14, (2), 359-373, 1977b.

- Rango, A., Pilot tests of satellite snowcover/runoff forecasting systems, Proceedings of the 46th Annual Western Snow Conference, Otter Rock, Oregon, 7-14, 1978.
- Rango, A., A. T. C. Chang, and J. L. Foster, The utilization of spaceborne microwave radiometers for monitoring snowpack properties, Nordic Hydrology, Vol. 10, No. 1, 1979.
- Reimnitz, E., P. W. Barnes, Influence of sea ice on sedimentary processes off northern Alaska, U.S. Geological Survey, Professional Paper 929, 360-361, 1976.
- Rothrock, D. A., Testing the redistribution of sea ice thickness from ERTS photographs, AIDJEX Bull., Univ. of Wash., Seattle, 29, 1-19, 1975.
- Sabatini, Romeo R., Dennis L. Hlavka, and Ronald Arcese, Applications of the Nimbus 5 ESMR to rainfall detection over the oceans and to sea-ice detection, Earth Satellite Corp., Wash., D.C., and co-sponsored by Environmental Prediction Res. Fac., Navy, Monterey, Calif., and Naval Regional Procurement Office, Oakland, Calif., 80, 1975.
- Salomonson, V. V. and A. Rango, Summary of the operational application of satellite snowcover observations working session, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/29, 421-426, 1975.
- Schell, J. A., B. R. Jean and W. C. Hulse, Radar studies of Arctic ice and development of a real-time Arctic ice type identification system, Texas A&M Univ., College Station, Tex., 69, 1976.
- Schertler, R. J., R. A. Mueller, R. J. Jirberg, D. W. Cooper, T. Chase, J. E. Heighway, A. D. Holmes, R. T. Gedney, and H. Mark, Great Lakes all-weather ice information system, Proceedings of the Tenth International Symposium on Remote Sensing of Environment, Ann Arbor, Michigan, pp. 1377-1404, 1975.

- Schneider, Stanley R., The operational program of satellite snowcover observations at NOAA/NESS, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/7, 87-101, 1975.
- Schneider, S. R., D. R. Wiesnet, and M. C. McMillan, River basin snow mapping at the National Environmental Satellite Service, NOAA TM NESS 83, 1976.
- Schumann, Herbert H., Operational applications of satellite snowcover observations and LANDSAT data collection systems operations in central Arizona, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/2, 13-28, 1975.
- Sellman, P. V., W. F. Weeks, and W. J. Campbell, Use of side-looking airborne radar to determine lake depth on the Alaskan north slope, CRREL Special Report 230, 1975.
- Seifert, R. D., R. F. Carlson, and D. L. Kane, Operational applications of NOAA-VHRR imagery in Alaska, in Operational Applications of Satellite Snowcover Observations, NASA, Wash., D.C., 143-155, 1975.
- Sharp, James M. and Randall W. Thomas, A comparison of operational and LANDSAT-aided snow water content estimation systems, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/23, 325-344, 1975.
- Shapiro, Lewis H. and John J. Burns, Satellite observations of sea ice movement in the Bering Strait region, in Alaska Science Conference, 24th, Univ. of Alaska, 1973, Proceedings Alaska Univ., Fairbanks, Geophysical Institute, 379-386, 1975.
- Shiue, J. C., A. T. C. Chang, H. Boyne, and D. Ellerbruch, Remote sensing of snowpack with microwave radiometers for hydrological applications, Proceedings of the Twelfth International Symposium on Remote Sensing of Environment, Manila, pp. 877-886, 1978.

- Speers, D., D. Kuehl, and V. Schermerhorn, Development of the operational snow band SSARR model, in Proc. Modeling Snow Cover Runoff, USA Cold Regions Res. and Eng. Lab., Hanover, N.H., 10pp., 1979.
- Staelin, D. H., P. W. Rosenkranz, F. T. Barath, E. J. Johnston, and J. W. Waters, Microwave spectroscopic imagery of the earth, Science, Wash., D.C. 197(4307), 991-993, 1977.
- Steinhoff, Harold W., and Albert H. Barnes, Determination of snow depth and water equivalent by remote sensing, Office of Water Research and Technology, Wash., D.C., 76, W77-05104, OWRT-A-019-Colo., 1976.
- Stringer, William J., LANDSAT survey of near-shore ice conditions along the Arctic Coast of Alaska, quarterly progress rep. 3, NASA, Wash., D.C., CR-148739, 1975.
- Stringer, William J., and Stephen A. Barrett, LANDSAT survey of near-shore ice conditions along the Arctic Coast of Alaska, LANDSAT follow-on investigation number 21300, NASA, Wash., D.C., CR-157148, 1978.
- Super, A. D. and A. D. Osmer, Remote sensing as it applies to the International Ice Patrol, Proceedings of the Tenth International Symposium on Remote Sensing of Environment, Ann Arbor, Center for Remote Sensing Information and Analysis, Environmental Res. Institute of Michigan, 2, 1231-1234, 1975.
- Sydor, Michael, Western Lake Superior ice, U.S. Geological Survey, Wash., D.C., Prof. Pap. 929, 169-172, 1976.
- Thomas, I. L., A. J. Lewis, and N. P. Ching, Snowfield assessment from LANDSAT (South Island, New Zealand), Photogramm. Eng. Remote Sensing, Falls Church, Va., 44/4, 493-502, 1978.

- Thompson, A. G., Utilization of LANDSAT monitoring capabilities for snowcover depletion analysis, in Operational Applications of Satellite Snowcover Observations, NASA SP-391/9, 113-127, 1975.
- Ulaby, F. T., Snow backscatter in the 1-8 GHz region, NASA-CR-151169, RSL-TR-177-61, 1976.
- Ulaby, F. T., and W. H. Stiles, Backscatter and emission of snow, presented at the NASA Microwave Remote Sensing Symposium, Houston, Texas, 1977.
- Ulaby, F. T., A. K. Fung, and W. H. Stiles, Backscatter and emission of snow: Literature review and recommendations for future investigations, University of Kansas Center for Research, RSL Technical Report 369-1, 139pp., 1978.
- Valovcin, Francis R., Snow/cloud discrimination, U.S. Air Force, Geophysics Lab., Hanscom AFB, Ma., Air Force Surveys in Geophysics 349, TR-76-0174, 1976.
- Vant, M. R., A combined empirical and theoretical study of the dielectric properties of sea ice over the frequency range 100 MHz to 40 GHz, in Dissertation Abstracts International, B, 37(12), Pt. 1, 6263B-64-B, 1977.
- Warskow, W. L., T. T. Wilson, Jr., and K. Kirdar, Application of hydrometeorological data obtained by remote sensing techniques for multipurpose reservoir operations, NASA, Wash., D.C. SP-391, 29-37, 1975.
- Washichek, Jack N. and Tony Mikesell, Operational applications of satellite snowcover observations in Rio Grande drainage of Colorado, in Operational Applications of Satellite Snowcover Observations, NASA, Wash., D.C. SP-391/5, 53-69, 1975.

- Weeks, W. F. and W. J. Campbell, Remote Sensing plan for the AIDJEX main experiment, AIDJEX Bulletin No. 29, 21-48, 1975.
- Weeks, W. F., P. Sellmann, and W. J. Campbell, Interesting features of radar imagery of ice-covered north slope lakes, J. of Glaciology, 18(78), 129-136, 1977.
- Wiesnet, Donald R. and Michael Matson, Monthly winter snowline variation in the northern hemisphere from satellite records, 1966-75, NOAA/NESS Tech. Memo. 74, Wash., D.C., 1975.
- Wiesnet, D. R., Remote sensing and its application to hydrology, J. C. Rodda, (ed.), Facets of Hydrology, London, New York, etc., John Wiley and Sons, 37-59, 1976.
- Wiesnet, D. R., and M. Matson, A possible forecasting technique for winter snow cover in the northern hemisphere and Eurasia, Monthly Weather Review, Vol. 104, No. 7, pp. 828-835, 1976.
- Wiesnet, D. R., and D. F. McGinnis, Mapping snow extent in the Sierra Nevada of California, U.S. Geological Survey, Prof. Paper 929, pp. 176-177, 1976.
- Williams, R. S., Vatnajokull Icecap, Iceland, U.S. Geological Survey, Prof. Paper 929, 188-193, 1976.
- Williams, Richard S., Jr. and William D. Carter, (eds.), ERTS-1, A new window in our planet, Geological Survey Prof. Pap. 929, 1976.
- Woolever, G. F., L. A. Kidd, J. P. Welsh, J. A. McIntosh and L. D. Farmer, Utilization of remote sensing techniques for U.S. Coast Guard missions, Proceedings of the Tenth International Symposium on Remote Sensing of Environment, 1975, Ann Arbor, 1, 3-16, 1975.

Yates, H. W., and W. R. Bandeen, Meteorological applications of remote sensing from satellites, IEEE 63(1), 148-163, 1975.

Zwally, H. Jay and P. Gloersen, Passive microwave images of the polar regions and research applications, Polar Record 18(116), 431-450, 1977.

Zwally, H. Jay, Microwave emissivity and accumulation rate of polar firn, J. of Glaciology, 18(79), 195-215, 1977.

Zwally, H. J., T. T. Wilheit, P. Gloersen, and J. L. Mueller, Characteristics of antarctic sea ice as determined by satellite-borne microwave imagers, COSPAR 19th Plenary Meeting, Phila., Pa., Paper C.2a.3, 1976.